DEPARTMENT OF TRANSPORTATION



OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND

April - August 1971



PLEASE RETURN
TO
INSTITUTION DATA LIBRARY
MCLEAN



Atlas 532-AA CG-373-60 shelf

GC 3 147 A3 No. 60

OCEANOGRAPHIC REPORT No. CG 373-60





OCEANOGRAPHIC REPORT No. CG 373-60

OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND

April - August 1971

Alan D. Rosebrook



January 1974

United States Coast Guard Oceanographic Unit Washington, D.C.



ABSTRACT

Three cruises were conducted to the Grand Banks of Newfoundland during the 1971 International Ice Patrol season to determine the currents that affect the drift of icebergs. During a multiship survey in May, standard sections A2 and A3 were occupied concurrently on three different occasions separated by approximately 3 to 4 days. Calculated geostrophic volume transports at standard section A2 varied slightly between occupations, while sharp variations were observed at A3. Upwelling was observed at standard section A3 between the 20 May and 24 May occupations; a sharp decrease in volume transport resulted from the changes in the density structure observed along the continental slope. Direct current measurements made just west of the continental shelf break during the August post-season cruise showed an apparent tidal influence, while measurements along the western edge of the Labrador Current yielded current speeds of approximately one knot.

Editor's note: Reference to a product or comment with respect to it in this publication does not indicate, or permit any person to hold out by republication in whole, or in part or otherwise, that the product has been endorsed, authorized, or approved by the Coast Guard.



TABLE OF CONTENTS

	Pag
Title Page	
Abstract	ii
Table of Contents	
List of Illustrations	
List of Tables	v
Introduction	
April EVERGREEN Survey	
May Multiship Survey	
July-August Post-Season Cruise	
Instrumentation and Methods	
STD-DDL SystemSTD Analog Trace versus Digital Data	
STD Quality Control Procedures	
Data Processing	
Dynamic Calculations in Shallow Water	
Navigation	
Data	
Dynamic Topography	
Concurrent Standard Section Time Series	
Post-Season Direct Current Measurements	1
References	1
Illustrations	1
Appendix A—Oceanographic Data	3
TICE OF HILICORPARIONS	
LIST OF ILLUSTRATIONS Figure	Das
1. Geographical location of the Grand Banks of Newfoundland.	Pag 1
2. Locations of International Ice Patrol standard and special monitoring sec-	1
tions near the Grand Banks of Newfoundland during 1971.	1
3. Comparison of processed versus unprocessed digital data logger tempera-	-
ture and salinity data in the upper 300 meters at International Ice Patrol	
station number 10969, occupied by CGC ROCKAWAY on 5 May 1971	1
4. Comparison of processed digital data logger temperature and salinity values	
versus STD analog trace values in the upper 300 meters at International	
Ice Patrol station number 10969 occupied by CGC ROCKAWAY on 5	-4
May 1971.	1
5. Sea-surface dynamic topography (dynamic meters) relative to 1000 deci-	1
bars, CGC EVERGREEN, 5-13 April 1971.	1
6. Sea-surface dynamic topography (dynamic meters) relative to 1000 decibars, CGC EVERGREEN and CGC ROCKAWAY, 12-28 May 1971.	1
Sale, Coo By Brothers and Coo Rock Wall, 12-26 May 1011.	1

Pigui		Page
7.	Vertical section of density (σ_t) for three occupations of standard section A2 by CGC EVERGREEN on 20 May, 23 May, and 25 May 1971	18
8.	Vertical section of temperature (°C) and salinity (°/ ₀₀) for section A2- 1, occupied by CGC EVERGREEN, 20 May 1971	19
9.	Vertical section of temperature (°C) and salinity (°/) for section A2-2, occupied by CGC EVERGREEN, 23 May 1971	20
10.	Vertical section of temperature (°C) and salinity (°/ _∞) for section A2-3, occupied by CGC EVERGREEN, 25 May 1971	21
11.	Vertical section of density (σ_t) for three occupations of standard section A3 by CGC ROCKAWAY on 20 May, 24 May, and 27 May 1971.	22
12.	Vertical section of temperature (°C) and salinity (°/°) for section A3-1, occupied by CGC ROCKAWAY, 20 May 1971.	23
13.	Vertical section of temperature (°C) and salinity (°/) for section A3-2. occupied by CGC ROCKAWAY, 24 May 1971.	24
14.	Vertical section of temperature (°C) and salinity (°/) for section A3-3, occupied by CGC ROCKAWAY, 27 May 1971.	25
15.	Location of August 1971 drogue stations, special section A2B, and the 1971 buoy array site on the Grand Banks of Newfoundland.	26
16.	Schematic diagram of the parachute drogues used during the 1971 post-season cruise based on a design by Volkmann et al. (1956).	27
17.	Drogue trajectory at 25 meter level at station 1 from 1300Z, 3 August 1971 to 1120Z, 4 August 1971.	28
18.	Drogue trajectories at 50 and 75 meter levels at station 1 from 1300Z, 3 August 1971 to 1120Z, 4 August 1971.	29
19.	Drogue trajectories at 25, 50, and 75 meter levels at station 2, run 1 from 2020Z, 4 August 1971 to 0700Z, 5 August 1971.	30
20.	Drogue trajectories at 25, 50, and 75 meter levels at station 2, run 2 from 1040–2025Z, 5 August 1971.	31
	1040-2025Z, 5 August 1541.	91
	LIST OF TABLES	
Tabl	e	Page
1.	Volume transports through standard sections A2 and A3 Drogue speeds and resultant directions	8 11
	-	

OCEANOGRAPHY OF THE GRAND BANKS REGION OF NEWFOUNDLAND

APRH_AUGUST 1971

ALAN DALE ROSEBROOK¹

INTRODUCTION

Three cruises were conducted to the Grand Banks of Newfoundland during 1971 to study the circulation of the region (fig. 1). The oceanographic cruises were conducted in support of Commander International Ice Patrol for use in predicting iceberg drift into the North Atlantic. The study included hydrographic surveys, direct current measurements using parachute drogues, and direct current measurements from taut-line instrumented arrays set at 46°-40'N, 47°24'W, and 45°02'N, 48°55'W.

April EVERGREEN Survey

During the first Ice Patrol cruise aboard USCGC EVERGREEN (WAGO 295), a survey consisting of standard sections A2 and A3, and special sections A2A, A2B, A3B, and S1 was completed (fig. 2). Seventy STD stations, consisting of Ice Patrol stations 10808 through 10877, were occupied. The sections were occupied in rapid sequence to furnish real-time analysis of the current regime along the eastern edge of the Grand Banks region. Commander International Ice Patrol utilized this information for the prediction of iceberg movements.

May Multiship Survey

During the first half of the second cruise, technicians from Woods Hole Oceanographic Institution (WHOI) established a subsurface oceanographic buoy array near 39°52′N., 48°32′W. to provide direct current measurements near the

1. U.S. Coast Guard Oceanographic Unit, Bldg. 159-E, Navy Yard Annex, Washington, D.C., 20390. Presently Commanding Officer, USCGC MESQUITE (WLB 305), Sturgeon Bay, Wis., 54235. ocean bottom. An expendable bathythermograph survey was conducted by WHOI for two days to chart the northern boundary of the Gulf Stream by following the 15.0°C isotherm at a depth of 200 meters.

On 11 May 1971, the Coast Guard Oceanographic Unit (CGOU) field party established an oceanographic buoy system in the Labrador Current. The array was set in 198 meters of water at 45°02'N., 48°55'W. A second buoy system was set on 12 May 1971 in the Labrador Current in 205 meters of water at 46°40'N... 47°24'W. The current meter arrays were designed by adopting and modifying a basic successful array developed by WHOI (Berteaux and Walden, 1969). A detailed discussion of the design, construction, and deployment of the 1971 buoy arrays is presented in CGOU Technical Report 72-1 (Vais et al., 1972). Prior to a port call in St. John's, Newfoundland, EVERGREEN occupied the east-west leg of standard section A2. consisting of Ice Patrol stations 10878 through 10884.

EVERGREEN occupied standard section A2 once, the east-west leg of A2 on two occasions, and special sections A1C, A1B, and A2A (Ice Patrol stations 10885 through 10944). On 25 May, the northern CGOU buoy array was successfully recovered. Attempts to retrieve the southern array were futile. Although the surface float was missing, the acoustic release responded to interrogation when EVERGREEN was directly over the buoy position, leading to speculation that one of the many fishing vessels operating in the area may have accidentally cut the surface float loose during one of the frequent

periods of restricted visibility experienced in May. The current meters were recovered by a Newfoundland fishing vessel in late January 1973; the acoustic release was not recovered. Only the two northern current meters apparently functioned properly. Data from the two good magnetic tapes are presently being analyzed and will be the subject of a separate report.

USCGC ROCKAWAY (WAGO 377) occupied standard section A3 on three occasions, along with single occupations of special sections A2B, A2C, A3A, and A3B. The three occupations of standard section A3 occurred almost simultaneously with EVERGREEN's occupations of standard section A2. The sections were surveyed concurrently to provide data on short

term changes in the volume transport of the Labrador Current.

July-August Post-Season Cruise

During the first half of the EVERGREEN post-season cruise, dragging operations were conducted without success in an attempt to recover the current meter array lost during the May cruise. Details of these dragging operations are presented in Vais et al. (1972). EVERGREEN conducted direct current measurements at two locations with parachute drogues before heavy weather forced a premature termination of operations. EVERGREEN successfully recovered the WHOI current meter array set in May.

INSTRUMENTATION AND METHODS

STD-DDL System

A Plessey Environmental Systems, Model 9040, S/T/D Environmental Profiling System (STD) was the primary sampling instrument at 199 hydrographic stations during the 1971 Ice During the May multiship survey, Patrol. ROCKAWAY and EVERGREEN each used a Plessey Environmental Systems, Model 8114A, Digital Data Logger (DDL) with the 9040 STD Four channels of information were scanned at sample rates from ten scans per second to one scan every two seconds. STD frequencies representing depth, temperature, and salinity were converted to binary and recorded on a 7 channel IBM compatible magnetic tape at a bit density of 200 bpi. The fourth information channel was available for recording sound velocity on the DDL, but it was never used. The tape format for each STD cast consisted of a station identifier (up to 8 characters) followed by any number of data records, depending on the maximum depth and lowering rate of the cast. Each record consisted of the temperature and salinity information at 32 depth levels. An average one thousand meter cast was composed of about 2400 data levels recorded on approximately 80 records. Three computer programs were developed by CGOU to reduce the number of data levels to a more manageable figure of 50 to 100 which would still accurately represent the original water column.

The computer programs were developed for a Control Data Corporation (CDC) 3300 computer. The first program, RFIL inputs the STD and DDL constants and reads the records to be processed from the magnetic tape. The digitized frequencies were translated from binary to engineering units of depth (meters to tenths), temperature (C° to hundredths), and salinity (ppt to thousandths). The values were printed out so that an initial quality control check of the data could be made. In addition, a tape output provided the necessary input to the second program. When a rapid sample rate such as 0.1

second was used, a specific depth level might show up several times. While these temperature and salinity values were always close, they generally did not agree exactly, probably as a result of sensor lag. This indicates that the descent rate of the underwater sensor probably should be less than the 25 to 60 meters per minute presently being used. The output from the first program was normally around 2400 levels of data

Program AVERS eliminated all levels where the depth had not increased from the preceding level. This decreased the number of levels by about one third. Temperature and salinity values were then averaged over successive 2.5 meter intervals. If there were less than five samples in an interval, the interval was expanded to include five consecutive levels in the average. This step brought the number of levels down to between 150 and 200.

The third program, STSP, determined the standard and significant levels, whose averaged values of temperature and salinity would accurately represent the original water column. Standard levels were taken at the averaged depths falling closest to certain depths we had specified. In 1971, we used the minimum recorded depth, 10, 20, 30, 50, 75, and 100 meters, every 25 meters to 300 meters, and then every 50 meters to 1000 meters. The first test for significant levels consisted of fitting a cubic curve successfully through five consecutive temperature data points. If the curvature at the midpoint exceeded an absolute value of 0.005, the second, third, and fourth points were compared with the data points immediately above and below. A level was significant if it departed from a straight line between the adjacent points by more than 0.04° C. for temperature (more than 0.06°/oo for salinity). The second test compared the differences between the curvature of two successive midpoints. If the absolute value of the difference exceeded 0.005, we again checked the departure of the point from the adjacent points,

using the same limits as in the first test to determine if the point was significant. If both of these tests were negative, we again checked the departure of levels from points immediately above and below. If the absolute departure was greater than 0.09 for both temperature and salinity, the level was significant. If the limits were not exceeded in any of the three tests, the level was not significant. After running the same checks for salinity, the top level of the five level group was dropped and the next new level was added onto the bottom end, and the testing was begun again. A punched card output from the STSP program was then processed for sigma-t and dynamic heights. The final number of levels was usually reduced to 50-100 levels.

Typical results of the processing procedures are shown for Ice Patrol station 10969 (fig. 3). The DDL recorded 2250 levels of data from the STD. After processing, 120 levels were selected as significant or falling closest to specified standard depths. Shown are the upper 300 meters of the raw DDL temperature and salinity distribution curves, over which have been plotted the processed DDL values.

Temperature and salinity curves from the analog trace, as originally recorded from the STD, were added to the processed DDL curve (fig. 4). The computed dynamic heights from the processed DDL data and the STD analog data differed by 83 dynamic millimeters. In this case, the STD trace could not be read accurately in the upper 250 meters due to rapid temperature variations with depth. In 40 percent of the stations taken during the May multiship survey, the difference between the dynamic height computed from the processed DDL data and the value from the STD analog trace was greater than 10 dynamic millimeters. In a majority of the cases, the difference could be attributed directly to one or more major problems in reading the analog trace in the surface layer.

STD Analog Trace versus Digital Data

During the 1970 Ice Patrol surveys, significant differences were noted between STD analog trace data and digital data logger records at the same level (Ettle and Wolford, 1973). When the initial soaking depth of the underwater unit was accounted for prior to reading the STD trace, the differences were reduced but remained significant. Analysis of the 1971 data showed that

when the quality control values (Niskin temperature and salinity values) were applied to the raw DDL values, the resulting quality control corrections for temperature and salinity were generally the same as the quality control corrections calculated using the analog trace. In general, comparisons of analog and DDL values at corresponding depths between 250 and 1000 meters were remarkably similar. Large variations were found, however, in the surface layers. For example, at Ice Patrol station 11003 dynamic heights were calculated from analog trace temperature and salinity values and DDL values. and were found to agree within 1 dynamic millimeter. However, in the top 100 meters the temperature differences between the two methods averaged 0.42° C. and the salinity difference was 0.11°/_{co.} The differences can be traced directly to the inability of the technician to read the analog trace accurately because of extremely rapid variations in temperature and salinity with depth in the surface layer. The ability of the DDL to reduce the chance of human error and the increased data accuracy are major advantages of the DDL-STD system.

STD Quality Control Procedures

STD data were quality controlled by comparing STD analog trace and DDL values with temperature and salinity values obtained from Niskin bottles attached just above the underwater sensor unit. Normally, quality control corrections were computed based on the averaged corrections for each station. The Niskin bottle was equipped with two protected and two unprotected deep sea reversing thermometers. When the STD cast reached its deepest depth, the thermometers were allowed to soak for ten minutes to reach equilibrium before the Niskin bottle was tripped. The conductivity ratios of the quality control samples were determined using an inductive laboratory salinometer and were converted to salinities utilizing the method established in the International Oceanographic Tables published jointly by UNESCO and the National Institute of Oceanography of Great Britain (1966).

Data Processing

The reduced size of the field party during the April Ice Patrol cruise necessitated the use of modified data processing procedures. All quality control values were computed aboard EVER-

GREEN on a Honeywell DDP-516 computer or a Dietzgen Model 7410-PA programable calculator with programs developed at CGOU. Dynamic height computations relative to a 1000 decibar reference level of no motion were made on a DDP-516 computer at CGOU upon receipt of station and quality control data from the field. The computer programs utilized are described by Hislop (1973).

During the second cruise, data processing was accomplished at sea on DDP-516 computers. Dynamic heights at all Ice Patrol stations were transmitted to Commander International Ice Patrol on a real-time basis to assist in the prediction of iceberg drift.

Dynamic Calculations in Shallow Water

Dynamic heights for stations where the water depth was less than 1000 meters were calculated in a manner similar to that described by Helland-Hansen (1934). Isosteric surfaces between the ocean-sediment interface and the 1000 meter referance surface were assumed to extend hori-

zontally from the interface into the continental slope. In effect, the continental slope under a shallow station was assumed to be motionless water. The method is described in detail by Kollmeyer et al. (1967).

Navigation

Navigation during all cruises was based on information from Loran-A, Loran-C, UQN-4 fathometer, and satellite navigation (navsat). Poor visibility as a result of excessive fog routinely precluded celestial navigation, and poor loran coverage in certain areas of the Grand Banks region often reduced fix accuracies to as low as ±5 miles or more.

Data

The data presented in the Tables of Oceanographic Data (Appendix A) are reproduced from computer cards supplied by the National Oceanographic Data Center (NODC Cruise No. 31–8245).

DYNAMIC TOPOGRAPHY

The general surface circulation along the eastern edge of the Grand Banks can be inferred from the mean monthly dynamic topography charts of the sea surface for April, May, and June prepared by Soule (1964). Dynamic heights for these charts were computed relative to the 1000 decibar reference surface.

The April 1971 survey was confined to the eastern region of the Grand Banks between standard section A2 and special section A3B (fig. 5). Because the major concentration of icebergs during the first survey was located in the area just east of Flemish Cap, a special section, S1, was established for the April survey between 46°N., 43.5°W. and 49°N., 43.5.°W to investigate geostrophic currents in this region. The dynamic topography from the April survey can be described as a "classical" circulation pattern, which can be expected on the Grand Banks during an average month of April. The circulation was characterized by the Labrador Current as a southward flowing stream generally confined between the 200 and 2000 meter contours along the eastern edge of the Grand Banks. The maximum geostrophic current speed of the Labrador Current (92.1 cm/s) occurred between stations 10860 and 10861 of standard section A3. Maximum speeds across the other sections were between 37.8 and 57.9 cm/s. These current speeds are typical of values from previous April surveys. To the east of the Labrador Current was a region of water having low specific volume as the result of mixing of Labrador Current and North Atlantic Current waters. This dynamic trough is a region of current reversal with the Labrador Current flowing south along the western edge of the trough and the North Atlantic Current moving northeast along the eastern side.

Except for an edge of the North Atlantic Current moving eastward along the southern end of special section S1, there was very little change in dynamic height over the section. What geostrophic current that was present was flowing toward the west, apparently contrary to the general drift of the icebergs east of Flemish Cap.

The dynamic topography contour chart developed from the May 1971 multiship survey (fig 6) showed several significant differences from the April survey. While the Labrador Current is still well defined along the eastern slope of the Grand Banks, geostrophic current speeds are substantially less than those observed during The maximum current speed of 61.2 April. cm/s occurred between station 10965 and 10966 of special station A2C. Maximum current speeds across the other sections ranged from 9.6 to 44.6 cm/s. North of section A2B, the Labrador Current was generally weak, with maximum current speeds averaging about 21.3 cm/s. Near the western end of section A2B, there were indications of a strong current flowing off the Grand Banks and joining the main stream of the Labrador Current. The resulting average maximum values of the Labrador Current south of section A2B had increased to 42.8 cm/s.

The bottom topography of the Grand Banks region has a strong effect on the directions of currents in the area. Normally, Flemish Cap acts as a boundary forcing the North Atlantic Current to bend eastward well south of it. During May it appeared that the location of the current had shifted almost 100 miles north and was flowing directly over the top of Flemish Cap. The North Atlantic Current could also be seen intruding deeply into the normal trough region toward the continental shelf near 45°N., 47.5°W. and 46°N., 46.5°W.

CONCURRENT STANDARD SECTION TIME SERIES

During the April 1965 Ice Patrol cruise, it was observed that large changes in the volume transport of the Labrador Current occurred during the nine days separating successive occupations of section U (approximately the same as the present standard section A3) (Kollmeyer et al., 1966). Data from three occupations of standard section A3 in 1966, where reoccupations occurred within 36 hours, showed volume transport variations that were highly irregular (Wolford, 1966). Large variations in the volume transport over short time periods at standard section A3 were also observed in 1967 (Morgan, 1969), 1968 (Andersen and Movnihan, 1971), 1969 (Andersen and Moynihan, 1971a), and in 1970 (Ettle and Wolford, 1973).

Earlier efforts, such as those reported by Smith (1931) and Soule and Challender (1949), attempted to relate changes in transport of icebergs to changes in surface atmospheric pressure using monthly mean pressure maps. Based on the rapid variation in current volume across section U over a ten day period in 1965, Day (1966) tried to show that short term meteorological effects immediately prior to section occupation might have a significant effect on volume transport. For 90 measurements of volume transport of the Labrador Current made between 1950 and 1965, it was evident that, in many cases, local winds had a strong effect on the volume trans-The mechanism of wind-induced set-up along the Newfoundland coast had a direct and nearly immediate effect on the flow through down-stream sections. There were, however, too many cases where Day's theory did not appear to be valid.

An attempt was made in 1970 to show that intensification of the Labrador Current occurred when local winds induced a mass transport of surface waters toward the eastern continental slope of the Grand Banks at standard section A3 (Ettle and Wolford, 1973). The piling of water along the shelf break produced downwelling, resulting in a strong intensification of the Lab-

rador Current. Ettle and Wolford also showed a possible second example of downwelling based on data from the 13–14 June 1964 occupation of standard section A3.

To test the hypothesis that localized surface winds along the continental slope may produce upwelling and downwelling resulting in rapid changes in volume transport, a concurrent time series of observations were conducted at standard sections A2 and A3 during May 1971.

The continental shelf break occurs at a depth of about 100 meters at both standard section A2 and A3, with the bottom dropping off rapidly to depths in excess of 1000 meters to effectively form a boundary for the ocean at the western end of both sections. Each section was occupied nearly concurrently on three occasions, A2 by EVERGREEN and A3 by ROCKAWAY. The sections were occupied at three to four day intervals between 20 and 27 May 1971. Observed weather conditions near both standard sections between the first and second occupations showed a mean wind from the south at approximately 5 knots at A2. Mean winds at A3, 130 miles south of A2, were from 145° true at 18 knots.

The work of Ekman (1905) provides a basis for understanding the effect of wind stress on ocean circulation. Due to the effect of the earth's rotation and frictional forces, the wind-induced transport is 90 degrees to the right of the wind. Thus at both sections between 20 and 24 May 1971, the net movement of the surface water layers was offshore, nearly parallel to the sections. However, the effect of the wind at A3 was much greater as a result of the higher mean wind. An approximate value of wind stress on the sea surface can be calculated from the formula:

 $au\!=\!\mathrm{C}_{\mathrm{d}}
ho_{\mathrm{a}}|\overline{\mathrm{U}}_{\mathrm{a}}|\overline{\mathrm{U}}_{\mathrm{a}}$

where: τ =Wind stress (dynes/cm²) ρ_a =Density of the air (gm/cm³) U_a =Wind velocity (cm/s) C_d =Dimensionless drag coefficient

Occupation Number		Cold Core (<2.0°C, <34.3°/00) (SVERDRUPS)	% Southward Transport Duc To Cold Core	Date of Occupation	
SECTION A2					
1	2.50	1.79	71.7	20 May 1971	
2	2.83	1.58	55.7	23 May 1971	
3	2.42	1.58	65.2	25 May 1971	
SECTION A3					
1	6.94	1.96	28, 2	20 May 1971	
2	3.29	1.01	30.6	24 May 1971	
3	5, 65	1.78	31.5	27 May 1971	

Wilson (1960) reviewed all determinations of C_d and found that 0.0024 and 0.0015 were the values applicable to strong winds (>15 kns) and light winds (<15 kns), respectively. Determination of the wind stress on the sea surface at A3 gave a value of 2.65 dynes/cm². At A2 the corresponding value was only 0.13 dynes/cm², or less than 1/20 of the value at A3.

Baroclinic volume transports through sections A2 and A3 were computed based on geostrophic considerations (Table I). At A2, the total southward transport varied less than 15% between any of the three occupations. A comparison of the vertical sections of density, temperature, and salinity during the three occupations of A3 (figs. 7–10) showed very little change at any depth. Between the first and second occupations, there was a slight increase (0.32 sverdrups) of the total southward transport, but there was a decrease in the cold core transport (the cold core is defined as Labrador Current water less than 2° C and 34.3°/oo).

At section A3, the total southward transport decreased by more than 53% from 6.94 to 3.29 sverdrups between the 20 and 24 May occupations. There was a corresponding decrease in the volume transport of the cold core. Between the second and third occupations, the volume transport increased by 42% to 5.65 sverdrups. Between the first and second occupations, the 27.0 and 27.5 isopycnals near the shelf break moved upward 58 meters in 94.5 hours (20–24 May) in response to the offshore movement of the surface water layer (fig. 11). About 60 miles

east of the shelf break, there was a corresponding depression of the 27.5 isopycnal. The evidence of upwelling was also apparent in both temperature and salinity vertical sections near the continental slope (figs. 12–14).

Yoshida (1955) has considered upwelling associated with winds of a few days duration. He considered a two-layer ocean with a homogeneous upper layer of depth h, and the density difference between the two layers of $\Delta \rho$. A straight coast, or in this case the boundary formed by the eastern edge of the continental shelf, was defined by x=0. It was also assumed that conditions did not vary in the y-direction. For uniform wind stress, the vertical velocity at the base of the surface layer becomes:

$$\begin{split} W_{-h} &= \frac{-k}{\rho \ f} \tau_y e^{kx} \\ \text{where: } W_{-h} &= \text{Vertical velocity (cm/s)} \\ \tau_y &= \text{Surface wind stress (dynes/cm^2)} \\ \rho &= \text{Density of water (g/cm}^3) \\ f &= \text{Coriolis parameter (s}^{-1}) \\ k &= \text{Constant} \frac{f}{(gh\Delta\rho/\rho)} \ \frac{1}{2} \ \text{(cm}^{-1}) \end{split}$$

g = Gravitational acceleration

Smith (1968) stated that for mid-latitudes, the constant k can be defined by:

 (cm/s^2) .

$$50 \text{km} \approx \frac{\pi}{\text{k}}$$

where: 50 kilometers is the characteristic width for upwelling.

Based on Yoshida's work, the computed velocity of upwelling at standard section A3 was 0.016 cm/s. The velocity of the observed upwelling from the displacement of the 27.0 and 27.5 isopyenals was 0.017 cm/s.

The upwelling along the western boundary at A3 resulted in an increase in the density of the upper 300 meters and an 8 dynamic centimeter decrease in dynamic height at the surface between the first two occupations. Further to the east, in the trough region, there was a slight decrease in density which resulted in a 1 dynamic centimeter increase in surface dynamic height. The change in the density structure of the upper 1000 meters at A3 was responsible for the sharp decrease in volume transport noted between 20

and 24 May. The increased transport between the second and third occupations resulted from a decrease in density at the western end of A3 and an increase in density at the trough stations.

While the results were not conclusive, the observations during 1971 strongly suggest that localized winds on the Grand Banks may produce upwelling and downwelling which can modify the mass distribution of the area and can produce large localized variations in the southward transport of the Labrador Current. The time required for changes of this type to occur is on the order of three to four days or less. It is likely that this is only one of several processes which is responsible for intensification of the Labrador Current.

POST-SEASON DIRECT CURRENT MEASUREMENTS

During the second half of the post-season cruise, a series of direct current measurements were made at two stations using parachute drogues (fig. 15). The parachute drogues were of a relatively unsophisticated but effective design similar to one suggested by Volkmann et al. (1956) (fig. 16). Reference marker buoys were made using the same surface float design and 50 pounds of chain as an anchor. Visibility during the drogue studies was generally poor in fog and rain.

The two drogue stations were separated by 29 miles. Station 1 was located near 45°56'N., 48°32'W, in approximately 80 meters of water close to the continental shelf break. Station 2 was further eastward in about 400 meters of water near the western edge of the high velocity core of the Labrador Current. These locations were chosen because they were near standard section A2B, and current meter data were available from this same area. Station 2 (45°58'N., 47°50′W.) was also chosen because the drogues could be placed in the Labrador Current in relatively deep water, but because of the steep bottom gradient, it was possible to anchor the marker buoy nearby in water less than 100 meters deep. Three drogues were set at each station at depths of 25, 50, and 75 meters, which approximated the depths where current can be expected to act on the underwater portion of typical icebergs encountered on the Grand Banks. measurements were made to determine how well direct current measurements agreed with geostrophic values from the same area. A third station 60 miles east of station 2 was cancelled due to deteriorating weather after less than 3 hours of data were collected. Observations included radar ranges and bearings to each drogue and the reference marker buoy every 20 minutes. as well as weather observations.

Two different methods were used to compute drogue velocities on the CDC 3300 computer. The first method calculated the displacement and angle between successive observations. The dis-

placement was divided by the time between observations to get current speed. The second and more complex method fitted a second or third order polynomial through the x and y components of the drogue displacements taken seven at a time. The instantaneous velocity at the midpoint of the seven observations was then determined by differentiating the resulting poly-The advantage to the curve fitting method was a smoothing of any inaccuracies introduced by errors in taking radar ranges and bearings to the drogues and reference marker. The average drogue velocities determined by the two methods are shown in Table II. Agreement between the two methods was much better where the current speeds were highest and the directions were relatively constant. Drogue speeds discussed in this publication will be values from the polynomial method (method 2).

The drogues at station 1 were established in an attempt to determine if the Labrador Current had any influence on the current regime close to the edge of the continental shelf. A total of 22 hours of observations was made at station 1. All three drogues were acted upon by clockwise rotary currents on which a small translatory current was superposed (figs. 17 and 18). The resultant motion of the 25 meter drogue was toward 305° true, while the 50 and 75 meter drogues both moved toward 090° true, indicating a strong shear between the 25 and 50 meter levels. All three drogues completed the first loop at about the same time. Although there was considerable change in the instantaneous current speeds (0.7 to 17.8 cm/s) at all three depths, the average speed of the 50 and 75 meter drogues during the 22 hours of observations differed by only 0.1 cm/s.

An attempt was made to determine if the drift records would show either tidal or inertial periodicity by subtracting the average current velocity components from the components of the observed drogue velocity. While the results can not be considered conclusive, when the apparent

Depth (Meters)	STATION 1			STATION 2 RUN 1			STATION 2 RUN 2		
	Speed (cm/s) Method 1	Speed (cm/s) Method 2	Resultant Direction (°T)	Speed (cm/s) Method 1	Speed (cm/s) Method 2	Resultant Direction (°T)	Speed (cm/s) Method 1	Speed (cm/s) Method 2	Resultant Direction (°T)
25	17.4	10.0	302	47.6	46.4	218	46.6	43.1	225
50	13.5	6.9	089	51.0	51.9	217	47.0	44.4	225
75	15.6	6.8	090	42.0	41.4	216	47.1	44.8	317

Method 1 = Resultant distance/time

Method 2 = Fitting polynomial through X and Y components and differentiating

periods of the components of the three drogues were averaged, a value of 12.4 hours was found. Since this value is closer to the principal lunar tidal component (12.44 hours) than to the inertial period (17.2 hours), it is probable that the clockwise motion observed at station 1 was tidal in nature.

The three drogues at station 2 were set in the high velocity core of the Labrador Current (figs. 19 and 20). Their trajectories carried them southward, closely following the bathymetry between the 200 and 2000 meter depth contours at a speed of about one knot. The drogues were set at 2000Z, 4 August 1971 and tracked for about 11 hours before they moved out of radar range of the first marker buoy. A second marker

buoy was established at 1000Z, 5 August approximately 16 miles southwest of the first marker. The drogues were then followed for an additional 10 hours. As expected from previous geostrophic calculations in this region, the drogue at 50 meters showed the highest average speed for both runs at station 2 (48.2 cm/s). The average current speed at the 25 meter level was 44.8 cm/s, while at 75 meters it averaged only 43.0 cm/s. Based on these results, as well as values from earlier parachute drogue work (Wolford, 1966), it is apparent that although instantaneous velocities may vary over wide limits, a current speed of approximately 1 knot can be considered a reasonable value for the western edge of the Labrador Current.

REFERENCES

- Andersen, H. S. and M. J. Moynihan (1971) Oceanography of the Grand Banks Region and the Labrador Sea, April-June and October 1968. U.S. Coast Guard Oceanographic Report No. 39, CG 373-39.
- Andersen, H. S. and M. J. Moynihan (1971a) Oceanography of the Grand Banks Region and the Labrador Sea, April-June, August, and October 1969. U.S. Coast Guard Oceanographic Report No. 48, CG 373-48.
- Berteaux, H. O. and R. G. Walden (1969) Analysis and Experimental Evaluation of Single Point Moored Buoy Systems. Woods Hole Oceanographic Institution. Reference No. 69–36, 76 pp.
- Day, C. G. (1966) Final Report of Work Done Under Contract TCG-11036-A with the United States Coast Guard. Woods Hole Oceanographic Institution, Unpublished Report.
- Ekman, V. W. (1905) On the Influence of the Earth's Rotation on Ocean Currents. Ark. Mat. Astron. Fys., 2(11).
- Ettle, R. E. and T. C. Wolford (1973) Oceanography of the Grand Banks Region of Newfoundland and the Labrador Sea in 1970. U.S. Coast Guard Oceanographic Report No. 56, CG 373-56.
- Helland-Hansen, B. (1934) The Sognefjord Section. Oceanographic Observations in the Northernmost Part of the North Sea and the Southern Part of the Norwegian Sea. J. Johnstone Memorial Volume, Liverpool, 1934.
- Hislop, A. S. (1973) Coast Guard Oceanographic Unit DDP-516 Programs. U.S. Coast Guard Unpublished Manuscript Series. 73-2.
- Kollmeyer, R. C., T. C. Wolford, and R. M. Morse (1966) Oceanography of the Grand Banks Region of Newfoundland in 1965. U.S. Coast Guard Oceanographic Report No. 11, CG 373-11.
- Kollmeyer, R. C., D. A. McGill, and N. Corwin (1967) Oceanography of the Labrador Sea in the Vicinity of Hudson Strait in 1965. U.S. Coast Guard Oceanographic Report No. 12, CG 373-12.

- Morgan, C. W. (1969) Oceanography of the Grand Banks Region of Newfoundland in 1967. U.S. Coast Guard Oceanographic Report No. 19, CG 373-19.
- Smith, E. H. (1931) The Marion Expedition to Davis Strait and Baffin Bay, 1928. Scientific Results, Part
 3. U.S. Coast Guard Ice Patrol Bulletin No. 19, CG 188-19.
- Smith, R. L. (1968) Upwelling, Oceanogr. Mar. Biol. Rev., Vol. 6.
- Soule, F. M. and E. R. Challender (1949) Discussion of Some of the Effect of Winds on Ice Distribution in the Vicinity of the Grand Banks and the Labrador Shelf. International Ice Observations and Ice Patrol Service in the North Atlantic Ocean, U.S. Coast Guard Bulletin No. 33, CG 188-33.
- Soule, F. M. (1964) The Normal Topography of the Labrador Current and its Environs in the Vicinity of the Grand Banks of Newfoundland During the Iceberg Season. Woods Hole Oceanographic Institution, Reference No. 64-36.
- UNESCO (1966) International Oceanographic Tables. UNESCO Office of Oceanography, Paris, 118 pp.
- Vais, C. L., A. D. Rosebrook, T. C. Wolford, and R. E.
 Ettle (1972) Taut-Line Instrumented Arrays Used
 by the Coast Guard Oceanographic Unit During 1970–
 1971. U.S. Coast Guard Unpublished Manuscript
 Series. 72–1.
- Volkmann, G., J. Knauss, and A. Vine (1956) The Use of Parachute Drogues in the Measurement of Subsurface Ocean Currents. Transactions, American Geophysical Union, 37(5).
- Wilson, B. W. (1960) Note on Surface Wind Stress over Water at Low and High Wind Speeds, Journal of Geophysical Research, Vol. 65, No. 10.
- Wolford, T. C. (1966) Oceanography of the Grand Banks Region and the Labrador Sea in 1966. U.S. Coast Guard Oceanographic Report No. 13, CG 373-13.
- Yoshida, K. (1955) Coastal Upwelling off the California Coast. Records Oceanography Works Japan, 2(2).




FIGURE 1. Geographic location of the Grand Banks of Newfoundland. Crosshatched area along the eastern edge of the Grand Banks shows the location of the 1971 1ce Patrol surveys.




Figure 2. Locations of the International Ice Patrol standard and special monitoring sections occupied along the eastern continental slope of the Grand Banks of Newfoundland during 1971.




FIGURE 3. Comparison of processed versus unprocessed digital data logger temperature and salinity data in the upper 300 meters of the water column at International Ice Patrol station number 10969, occupied by CGC ROCKAWAY on 5 May 1971.

300

300




Figure 4. Comparison of processed digital data logger temperature and salinity values versus STD analog trace values in the upper 300 meters of the water column at International Ice Patrol station number 10969, occupied by CGC ROCKAWAY on 5 May 1971.




FIGURE 5. Sea-surface dynamic topography (dynamic meters) relative to 1000 decibar surface, from data collected during the first CGC EVERGREEN survey, 5-13 April 1971. Occanographic station positions are indicated and the station numbers are given at turning points. Heads of arrows indicate direction of geostrophic current.




FIGURE 6. Sea-surface dynamic topography (dynamic meters) relative to 1000 decibar surface, from data collected during the 1971 multiship survey by CGC EVERGREEN and CGC ROCKAWAY, 12-28 May 1971. Oceanographic station positions are indicated and the station numbers are given at turning points. Heads of arrows indicate direction of geostrophic current. Note: The station numbers are discontinuous.




FIGURE 7. Vertical section of density (σ_t) for three occupations of standard section A2 by CGC EVERGREEN on 20 May, 23 May, and 25 May 1971. Only the east-west portion of A2 is included.




FIGURE 8. Vertical section of temperature (°C) and salinity (°/₀₀) for standard section A2-1, occupied by CGC EVERGREEN, 20 May 1971. Section A2-1 possesses a 90° angle at station number 10895 where the cast-west and north-south legs meet.




Figure 9. Vertical section of temperature (°C) and salinity (°/₀₀) for standard section A2-2 occupied by CGC EVERGREEN, 23 May 1971.




Figure 10. Vertical section of temperature (°C) and salinity (°/oo) for standard section A2-3, occupied by CGC EVERGREEN, 25 May 1971.




Figure 11. Vertical section of density (σ_t) for three occupations of standard section A3 by CGC ROCKAWAY on 20 May, 24 May, and 27 May 1971.




Figure 12. Vertical section of temperature (°C) and salinity (°/₀₀) for standard section A3-1, occupied by CGC ROCKAWAY, 20 May 1971.




Figure 13. Vertical section of temperature (°C) and salinity (°/₀₀) for standard section A3-2, occupied by CGC ROCKAWAY, 24 May 1971.




Figure 14. Vertical section of temperature (°C) and salinity (°/_∞) for standard section A3-3, occupied by CGC ROCKAWAY, 27 May 1971.




Figure 15. Location of the August 1971 parachute drogue stations, special section A2B, and the 1971 current meter buoy array site on the Grand Banks of Newfoundland.




FIGURE 16. Schematic diagram of the parachute drogues used during the 1971 post-season cruise based on a design by Volkmann et al. (1956).




FIGURE 17. Parachute drogue trajectory at the 25 meter level at station 1. The drogue was tracked from 1300Z, 3 August to 1120Z, 4 August 1971.




Figure 18. Parachute drogue trajectories at 50 and 75 meter levels at station 1. The drogues were tracked from 1300Z, 3 August to 1120Z, 4 August 1971.




Figure 19. Parachute drogue trajectories at the 25, 50, and 75 meter levels at station 2, run 1. Drogues were tracked from 2020Z, 4 August to 0700Z, 5 August 1971.

DISTANCE IN YARDS - NORTH (X 103)




FIGURE 20. Parachute drogue trajectories at 25, 50, and 75 meter levels at station 2, run 2. Drogues were tracked from 1040Z-2025Z, 5 August 1971.

APPENDIX A

OCEANOGRAPHIC DATA

Cruises Listed			
Table			Page
	REEN, April 1971		
	REEN, May 1971		
III. USCGC ROCKA	WAY, May 1971 _		88
Codes Utilized			
To facilitate use of t	he oceanographic st	ation data listing	entry headings which
are not self-explanatory			chtry heatings which
•			
Latitude			
Longitude			
Depth to bottom	Uncorrected som	ndings in meters.	
Wave observations:			
DIR	Rounded to near	est multiple of 10 de	grees.
HGT		-	meters plus increments
	. =	50 is added to direc	
PER			ed, period in seconds is
			2X (numeric entry) +1. onds. $X=calm or not$
	determined.	. 1—0ver 21 sect	mus. 14—cann or not
SEA		ng to WMO Code 3	700.
Code	Height	Code	Height
0	0m	5	2.5–4m
1	0-0.1m	6	4–6m
2	0.1 – 0.5m	7	6–9m
3	0.5-1.25m	8	9–14m
4	1.25–2.5m	9	>14m
Weather Code	Weather accordi	ng to WMO Code 4	501.
Code		Code	
0	Clear	5	Drizzle
1	Partly cloudy	6	Rain
2	Cont. layers of	7	Snow and rain
	clouds		and snow mixed

Blowing snow,

sandstorm, etc.

Fog, haze, dust

8

9

Shower(s)

Thunder-

storm(s)

3

4

Cloud Code

Type	Cloud	type	according to	o WMO	Code 0500.

Code	Type	Code	Type
0	Cirrus	5	Nimbostratus
1	Cirrocumulus	6	Stratocumulus
2	Cirrostratus	7	Stratus
3	Altocumulus	8	Cumulus
4	Altostratus	9	Cumulonimbus

X Clouds not visible due to darkness, fog. or other analogous phenomena

Amount _____Cloud amount in eighths. Entry of the numeral 9 indicates cloud amount could not be estimated.

Wind

Dir. _____Rounded to nearest multiple of 10 degrees. Speed _____Wind speed in knots.

Barometer _____Barometric pressure given in tens, units, and tenths of millibars.

Vis. Code _____Visibility according to WMO Code 4300.

Code	Visibility	Code	Visibility
0	Less than 50m	5	2–4km
1	50–200m	6	4–10km
2	200–500m	7	10–20km
3	500–1000m	8	20-50km
4	1–2km	9	50km or more

Dyn. Ht. _____Dynamic height in dynamic meters with respect to 1000 decibar reference surface.

Messenger time _____Entered in hours and tenths of an hour. Indicates the starting time for lowering the STD sensor.

Depth _____Depth to nearest meter.

Temp. _____Temperature to hundredths of a degree Celsius.

Sal. _____Salinity to hundredths of a part per thousand.

Sig-t _____Sigma-t value.

Table 1. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.

1 ΔΤ[Τ	IDE	LON	(GTTU	DF	STA	DAY (GM.		ΥI	FAD		TATION UMBER
46 55	.07	048	26.	nн	04	05	05.0	1	971		10808
пертч		WAVE	ORSE	PVAI	IOA	- 1	.5		CL	.กบ	D CODES
TO POTTOM	4 [010	нст	PEG	SF		COD!		TYPE		AMT.
0106		17	1	2			x 2		n		6
41	חח			Pn-			FG C	>			
alu	ςp	FEO	METE		1	DRY RULR	WE:		VIS	- 1	DYN TH
16	1	n	21	54	1,	02.	01	•			971.104
MESSEN TIME			ST 10.	ď	FPT	н	TFMP		54L		51G-T
					h		0.20		32.6	70	26.24
00.1	1				10		0.05		32.6 32.6		
•					20		0.27		32.6		
					30		0.29		32.6		
					50 75		0.69		32.7 32.8		
					79		0.92		32.9	50	26.49
					8.0		0.88		32.9	060	26.52

LATITI	IDE	LON	IGITUI	nΕ	STA	((5MT	TIYE)	Y	EAP		TATION UMBER
46 55	۰0٧	048	06.1	DW	04	0.4	5	06.7	1	971		10809
DEPTH		WAVE	ORSE	₹∨Δ	TIDN	s		WEATHER		CL	DU	D CODES
POTTO	<u> </u>	ÐIÐ	нат	PE	R SE	Δ	W	CODE	Ρ	ΤY	PΕ	AMT.
0124		12	1	2				×1		0		6
w	IND			90- 1FR		-	_	TEMP G C				
UIB	SF	PEED	(MRS)			DRY		WET BUL	R	V15	Ε	DYN HT
13	1	10	21	38		03.		02.				971.099
MESSEI TIME	-		ST O.		DEPTI	н		TEMP		SAL	50	51G-1 26+32
00.1	l				6 10 12			0.18 0.18 0.18		32.7 32.7 32.7	50	26.32
•					20 30 50			0.50 0.57 0.63	:	32.7 32.7 32.7	10 20	26.33 26.31 26.32
•					75 87 100			0.79 0.96 0.63		32.7: 32.8: 33.1:	90	26.33 26.46 26.62

LATIT	IDE	LON	IG I T U	DF		(GM					TATION
					MO.	DAY	HP.	Y	EAR	N	JMRER
46 56	.041	047	47.	0 W	04	05	08.2	1	971		10810
пЕРТН		WAVE	085F	RVA	TION	-			CL	.กบถ	CODES
ROTTO	<u> </u>	DIR	нст	PE	R SE		CODE		ΤY	PE	AMT.
0163		09	0	4			14		0)	6
w	INU			Pn-			R TEMP)			
010	5P	EED		TFP 95)		DRY RULA	WET BUL		V15		DYN
13	1	0	2	7 A		03.	02.				71.101
MESSE T1M			ST ID.		DEPT	Н	TEMR		SAL		SIG-T
09.	2				0		0.42		32.6	70	26.27
00.	2				10		0.61		32.6		26.25
077.					15 20		0.68		32.6		26.26
:					30		0.73		32.6		26.26
					37		1.02		32.6		26.28
					50		1.05		32.6		26.28
					55		1.06		32.6		26.30
•					65 75		1.34		32.7		26.35
:					82		0.89		32.9		26.49
					95		0.81		33.0		26.56
					100		0.88		33.0		26.61
					105		0.95		33.1	10	26.64
					121		0.56		33.3		
٠					125		0.04		33.3		26.83
					150		0.32		33.4		26.88 26.91

		_						_			
LATIT	UDE	LON	NG ETU	DE	40.	(GM	TIME T) HR.	Y	EAR		MATION
46 56	.04	047	7 30.	ow	04	05	09.6	1	971	1	0811
DEPTH IO		MAVE	085E	RVA1	יאסו		≠EATH!	- D	CL	000	CODES
POTTO	4 [010	нст	REF	SE		CODE		ΤY	ΡE	AMT.
0205		12	n	2			×1		0		6
¥	מאו			RO- TER			R TEMP	>			
OIP	SF	EED	_	RS)		BULB	WE1		VIS		DYN HT
0.9	1	0	9	39	1	2.	01.	,		9	71.102
MESSEI	-		15T		EPTI	†	TEMP		SAL		SIG-T
09.	5				10		0.66		32.6 32.6		26.24
00.	1				12		0.66		32.6		26.24
					20		0.83		32.6		26.23
					30		0.97		32.6	40	26.26
•					50		1.13		32.6		26.28
•					75 83		1.27		32.7		26.39
					100		0.95		32.8		26.43 26.51
					125		0.12		33.3		26.80
					137		0.23		33.4		26.88
					141		0.09		33.5		26.92
•					150		0.48		33.5		26.94
					197		0.76		33.6	50	27.00

Table 1. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

						110	,,,,,		C 13151	ing 110. 01 0210.		1161114	- (4							
LATITU	30	LOW	SOUTE	ST/	(4)	TIME	YEA		TATION	LAT	TUDE	LO	16 I T U	30		LOH	TIME TI HR.	YEA		ATION
44-96.	941	447	21.04	84	05	10.9	197	1	10012	46	56.0F	04	7 14.	04 0	14	05	12.2	197	נ ני	4013
DEPTH	W.	AVE (DESERV	TIO	45			cron	O CODES	DEP		MAVE	08 SE	RVATI	045		WEATHE		CLOUD	CODES
90110H		PIR	HST PE	TR 54	26	CODE		TYPE	ANT.	907	ОМ	DIR	HST	PER	SEA		CODE		TYPE	ANT.
0329		12	0 2			X1		0	6	07	8	12	0	2			X1		0	6
WI	NO	\exists	BARO-			R TEH	•	·			AING)		RO-			R TEMP			
DIR	SPE	ED	HETER (HBS)		DRY	WE1		15 00E	DYN	DIR	3	SPEED		85)	_	RY	BUL		/IS :00€	DYN
13	11	\neg	278	\top	42.	92.	.	1	971.069	14		08	S	78	0	2.	03.		1	71.425
MESSEN	430	CAS		DEP:	гн	TEMP	9	AL	516-7		ENGE		IST IO.	06	PTH		TEMP		SAL	516-7
11ME		HC	•			9.71		, 650	26.26		.7				5 10		0.93		.740	26.33
40.1				20		0.77	31	.658	26.26	•	1				20		1.17	32	.740	26.35
:				5.		0.95		,650	26.27		•				30		1.22	32	,760	26.37
				50		8.84	38	.650	26.20	ı	•				43		1.36	32	956.5	26.38
:				7:		1.90	32	,650 .950	26.29		•				50 75		0.34	33	.990	26.56
				79	5	1.36	32	.938	26.51						95		0.45		3,560	26.98
•				100		0.49	33	.200	26.70		•				10		0.11		3,660	27.84
:				110		0.55		.340	26.97		•			1	25		0.07	33	.690	27,47
•				121	5	0.26		.650	27.02		:			1	37		0.07	33	3.740	27.11
				15	9	1.75	33	,730	27.00					2	90		2.63	34	,300	27.45
•				25		2.44	34	.320	27.41		•				190		3.37	34	,730	27.52
				32		2.97 3.10		.930	27.49		•				00		4.37		.540	27.86
											•			- 1	00		4.42	33	1,930	26.93
															75		4.38		. 950	27.73
LATIT	ODE	LOP	IGITU0E		(6	N TIME	YE		TATION UMBER		TTU	OE L	DNG1T	UDE	STA	(G	H TIME			TATION
			01.0	+	+	+		+		46	55.	00 0	46 41	.08	04	05	+	+	771	10915
46 59					-'- -	12.0	114		10814	·	PT4			ERVA		1	11300		_	O CODES
OEPTH TO	-		OBSERV	_	—	WEATH			D CODES		TO	-		_	_	-	WEATH			
POTTO	\rightarrow	OIP	HGT P	-	EA	COD	E	TYPE	-		152	15	-	T PE	SE	-	C00	, E	TYPE	6
1079	<u> </u>	15	0 2	-		X1	-	0	6	-	136	12	10	10	╁	_	IP TEN	-		+ •
	INO		BARO			IR TEN DEG C	٩				WI	чо		APD-			OEG C			
019	SP	EED	HETE (MBS		DRY			/15 CODE	DYH	01	P	SPEEO		ETFR HBS)		DP Y BUL			V15	DYN H7
14	0	0	276		03.	03			971.011	14		0.8		278		03.	03			970.930
MESSE			57	OEP	TH	TENP	9	SAL	51G-1	ме	SSEH TIME	GER	CAST HO.		DEPT	М	TEMP		SAL	51G-7
12.			10.		0	0.71		. 600			15.0				6		1.09		3.350	
00.	2			Ž	0	0.74	37	.800	26.39		00.4				20		1.05	3	3.450	26.62
					0	0.87	37	.000	26.39						43		1.06	. 3	3.450	26.90
:					17	1.22	3:	3.070	26.62		•				50 60		0.62	: 3	3.510	27.09
				- 1	7	1.00	3:	3.370	28.85		•				70 75		0.89	3	3.910	27.20
				10	0	0.21	3:	3.690	27.06		:				100		1.39	3	3.970	27.24 27.25
				11	. 6	0.26	31	3.690	27.05						125		2.61	. 3	4.290	27.36
				12	15	0.44	3	3.770 3.790	27.16	1					190		4.13	3	4.740	27.59
:				13		0.07	3:	3.830	27.19	1					225		4.23	3	4.600	27.62
				29	0	3.61	3	.340	27.43		:				300		4.62	3	4.870	27.66
				30	0	4.13	3	.600	27.64	•					320 350		4.61		4.900	
	,			50	0	4.44	3	.920	27.69	1	•				400 500		4.51	3	4.930	
				70	0	4.45	3	.930 .940	27.72						600		4.23	3	4.930	27.73
				75		4.31	34	.950	27.73	1					800		4.03	3	4.940	27.76
				100	0	4.15	3	950	27.75	i					900		3.98	3	4.940	27.77
				106		3.99		.960			•				110		3.80		4.940	27.78 27.78

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

LATIT	une.	1 0	IG I TU	05	STA	TION (GM)	TIHE	Ī			AT10N
CHILI	006	LON	10110	٠ <u>-</u>	NO.	OAY		Y			NBEB
46 56	. ON	046	24.	0#	04	05	17.0	1	971	1	0816
DEPTH		MAVE	OBSE	BVA'	TON						CODES
BOTTO	4 🗆	DIR	HGT	PER	SE		COOL		ΤY	PE	AHT.
0410		12	0	2			×o		0		6
u	7110			RO-		411	TEN	9			
OIR	SP	EEO		TER AS)		DRY BUL8	ME.		V15	E	OYN
13	1	0	2	61	1	5.	04	•		9	70.917
MESSETIMI 17 00	0		ĬŎ.		0 5 10 20 30 40 50 60 75 150 167 160 190 200 225 250 268	,	TEMP 1.01 0.77 0.69 0.65 0.98 1.15 0.98 1.15 3.91 4.47 4.57 4.63 4.79 4.67		SAL 33.3 33.3 33.3 33.5 33.6 33.6 33.6 33.6	00 10 150 60 60 20 20 70 20 60 60 60 60 60 70 70	51G-T 26.72 26.73 26.76 26.76 26.97 26.99 27.12 27.33 27.55 27.58 27.58 27.60 27.60 27.61 27.61 27.64 27.64
•					250		4.67		34.8	70 70 80 90	27.63

				_				_			
LATIT	UOE	LON	GITU	DE L		(GN					TATION
				_	но.	DAY	HR.	Y	EAR	NI	MBER
46 57	. ON	045	50.0	DW	04	05	20.7	1	971	1	ORIA
DEPTH TO		MAYE	OBSER	RVAT	[ONS				CL	000	COOES
BOTTO	4	018	HGT	PER	SE/		CODE		TY	PE	AHT.
029A		12	1	2	Г		×1		0		6
W	140		BAE				R TEHR				
OIR	SPI	EEO	ME1			BULB	WET BUL		VIS COO		OYN HT
14	13	2	24	17		6.	05.			4	70.947
HESSE		CA		0	ERTH	1	TENP		SAL		SIG-T
71HI		N	0.		0		3.34		33.7	^^	26.84
					10		3.07		33.6		26.01
	_				30		2.66		33.6		26.87
00.	3				20		2.98		33.6		26.86
:					75		2.28		33.6 [,]		26.88
					89		2.21		33.7		27.01
					100		2.33		33.0		27.01
					106		2.33		33.6		27.03
					115		1.49		33.6		27.09
:					120		2.04		33.90 33.90		27.17
					130		2.04		34.0		27.21
					147		2.75		34 . 1		27,20
					150		2.19		34.1		27.31
•					100		4.01		34 . 6		27.51
					200 250		4.09		34.7		27.56
					F 311		4050		34.6	30	27.65

LATITUO	DE L	NG I TU	0E	STAT	TON (GMT	TIME) HR.	YI	FAR		TATION JMBER
46 56.0) H 0	6 06.	0 14	04	05	191	. 1	971		10817
DEPTH TO	MAVI	08 SE	RVAT	IONS		EATHE		CL	000	CODES
ROTTOM	010	HGT	PER	SEA		COOL		TYP		ANT.
0293	08	0	2			x 1		0		6
ити	10		RO-			TENE	•			
018	SPEEO		TER RS)		RY ULB	WE1		V15		OYN HT
14	10	2	54	0	7.	06.			9	70.939
MESSENG TIME 19.1 00.1		NO.		0 10 20 30 38 48 50 72		1.67 1.37 1.05 0.94 0.91 1.34 1.26 0.67		SAL 33.4 33.4 33.4 33.4 33.5 33.5	00 30 00 10 40 10	26.74 26.76 26.76 26.79 26.82 26.85 26.85

LATIT	30 L	LON	16 1TU	DE .		(GM)					AT10N
				-	HO.	DAY	HR.	Н	EAR	NU	H8E8
47 20.	. ON	045	50.	0w	04	05	23.2	1	971	1	0819
DEPTH TO		MAVE	OBSE	RVAT	1005		EATHE		CL	000	COOE
POTTO	<u> </u>	810	нат	PER	SE		COOE	н	TY	PE	AMT
0302	\perp	12	0	2	L		X1		0		6
WI	INO			80- 7EB			TENP				
010	SP	EEO		AS)		BULB	BUL	9	V15	Ε	DYN HT
14	1	0	24	7	1	6.	05.			9	70.929
TIME 23.2		CA N	ST 0.		285 0	1	TENP 4.23 2.84 2.84	:	SAL 34.8	60	27.67 26.84 26.84
00.1					10 15 20		2.77		33.5	50 80 90	26.03 26.03
					30 40 50		2.25 2.16 2.20	:	33.5 33.6 33.6	50	26.90
					68		2.24	3	33,6	60	26.09
:					75 77		1.76	- 3	33.6	70	26.96
•					100		2.68 4.22		34.10 34.42		27.22
					125		3.77	3	14.2	70	27.25
•					130		3.69 3.64		14.51 14.44		27.45
•					133		3.69 4.03		4.69		27.33
				:	175		4.32	3	4.75	0	27.56
					200		4.33		4.76		27.69
					200		4.26		4.86		27.66

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITE	OE	רטו	NGITU	DΕ	57A	(GM)	TIHE T) HR.	,	rear		ATION HBER
47 39.	. ON	045	5 51.	0 W	04	06	01.0	1	971	1	0620
0EPTH	1	HAVE	085E	RVA	TIONS		E 4 T HE	_	CL	סטכ	CODES
POTTON	ı	DIR	HGT	PE	R 5E		CODE		TY	36	AMT.
0347	\perp	16	0	2			X1		0		6
41	ND			۰۵۶ -			TEHP				
DIR	SPE	€0		TER 95)		RY BULB	WE T		V15		DYN HT
16	0.6	3	24	٠7		6.	05.			9	70.922
HESSEN			45T		DEPTH	4	TEHP		5AL		51G-T
01.0					6 10		1.59		33.39		26.74
00.2					11		1.28		33.43	30	26.79
•					20		1.26		33.49		26.82
:					40		1.31		33.5		26.91
					50		1.33		33.64		26.95
•					56 75		1.73		33.66		26.98
:					100		2.75		34.2		27.30
					125		3.47		34.46		27.43
					150		4.14		34.6		27.53
•					200		4.36		34.84		27.64
•					256		4.89		34.96		27.68
					294		4.57		34.9		27.66
					300		4.57		34.9		27.69
•					325 335		4.56		34.9		27.69
•					222		4.34		34.9.	30	27.69

LATITUO	Œ	LON	IG I TU	0E	STA	(GH)		YEAR		ATION
48 30.0	IN	045	52.	0 ¥	04	06	07.5	1971	1	0822
0EPTH 01	_'	MAVE	ORSE	RVAT	TON	- 1			DU0	CODES
AOTTOM		DIR	тан	bEr	56		CODE		YPE	AMT.
1110	_	04	1	2			X 6	- (0	6
MIN	WIND IR SPEED			RO-			TEMP			
OIR	SPE	ED	METER (MRS)			DRY BULB	¥E T AUL			DYN
14	1:	3	2	10		14.	03.		9	70.925
MESSFNG T1MF 06.A		CAN	ō.		120 120 120 120 120 125 125 125 125 125 125 125 125 125 125		0.33 0.33 0.33 0.03 0.03 0.05 1.58 2.28 3.53 3.53 3.93 4.01 4.19 4.40 4.40 4.40 4.10 4.10	5AL 33.4 33.4 33.4 33.6 34.1 34.3 34.5 34.6 34.7 34.6 34.6 34.9 34.9	10 10 10 10 10 10 10 10 10 10 10 10 10 1	51G-T 26.83 26.83 26.83 26.83 26.85 26.91 27.00 27.31 27.55 27.55 27.61 27.62 27.66 27.68 27.69 27.71 27.73 27.75

LATIT	UDE	LO	10170	DΕ		10N (GH1		Y	EAR		ATION HBER
46 00	. ON	045	5 52.	0 W	04	06	03.5	1	971	1	0421
DEPTM		MAVE	OASE	RVA	TIONS				CL	000	C00£5
BOTTO	м	010	HGT	PEI	SE		CODE		TY	ρĘ	AMT.
0644		04	0	2			K.J		0		6
ч	INO			R0-			TEHP				
01R	5P	EEO		TER 85)		DRY BULA	WET		V15		OYN HT
16	0	6	2	40		05.	04.			9	70.920
HESSE TIM	Ε		4 S T NO .	,	DEPTI	н	TENP		54L		51G-T
03.	_				10 15		0.98		33.4 33.4 33.5	70	26.82 26.84 26.86
:					20 30 45		1.07		33.5 33.5 33.5	40	26.88 26.89 26.91
					50 50		0.95		33.6	10	26.95
					75 83		1.66		33.9	80	27.20
:					90		1.73		33.9		27.19
					125 150		2.77 3.53		34.2		27.36
					200 250		4.03		34.7	4.0	27.63
					300 400		4.32		34.8	90	27.68
•					500		4.19		34.9	20	27.72
•					640		4.08		34.9	30	27.74

LATIT	UDF		LOP	NGITU	DE L		(GM	TIME TI HR.	,	/FAR		ATION
45 50	۰0۱	4	046	03.0	0 W	04	06	21.0	1	971	1	0823
DEPTH		٧	IAVE	DASE	RVAT	IDNS				CL	סטס	CODES
POTTO	м		DIR	нст	PER	5E 4		PEATHE ODD		TYI	ь£	AMT.
1554			36	3	2			¥ 4		n		6
	THE	,			30-			R TEMP	,			
UIB	5	PE	ED		TER 35)		PY IULR	VET AUL		VIS CODE	E .	DYN HT
35		18		20	13	-	14.	04.			9	71.047
MESSE TIM	F	R		5T	D	EPTH	1	TEMP		5AL		51G-T
21.	2					10		4.31		33.29		26.39
00.	3					20		4.32		33.29	50	26.39
						30 50		4.42		33.26		26.46
						65		3.48		33.51	0	26.68
•						75		6.86		33.72		26.72
:						112		7.26		34.55		27.05
						120		6.82		34.47	10	27.05
						125		6.7A 6.47		34.48		27.06
:						142		6.57		34.56		27.14
					1	150		6.43		34.56		27.17
•						152		6.20		34.57		27.21
:						175 185		6.99		34.79 34.82		27.28
					2	0.05		6.81		34.92		27.40
•						250		6.30		34.84		27.41
:						100 158		5.71 4.81		34.84 34.85		27.48
						0.0		5.03		34.92		27.63
						19		5.16		34.91		27.61
•						40 80		4.96 4.86		34.91 34.94		27.63
						00		4.85		34.94		27.67
						0.0		4.50		34.93	0	27.70
						00		4.2A 4.1A		34.93 34.94		27.72
						00		4.01		34.94		27.74
						00		4.01		34.95	0	27.77
					10	5R		3.98		34.95	0	27.77

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

LATIT	JOE	LON	IG I TU	DE _	STAT	ION (GMT		,	EAR		TATION
45 56	. OH	046	31.	0W	04	07	00.3	1	971	,	10824
DEPTH	Ī	WAVE	OASE	RVAT	ION!				CL	000	CODE
70 80770	۔ ا	018	HGT	PER	SE		COOL		TY	PE	AHT.
0549		35	2	2			x2		0		6
٧	140			90-			TEMI	•			
DIR	5 P	EED		TER BS1		BULB	WE T		V15		OYN HT
35	2	0	2	24		2.	02.			-	971.00
MESSE 7 IM 00.	E 6		151	C	11 20 30 36 41	1	3.75 3.75 3.70 3.37 3.37		33.2 33.2 33.2 33.3 33.4	30 40 50 70 40	51G-1 26.4 26.4 26.5 26.5 26.6
•					70 75 79 100 104		6.80 6.66 6.96 6.09 6.09		34.4 34.5 34.5 34.4	10 10 20 40	27.0 27.1 27.0 27.1 27.1
•					110 125 150 200 210		6.06 7.30 4.71 6.20 6.25		34.4 34.6 34.4 34.9	30	27.14 27.2 27.2 27.4 27.4
•					250 275 298 300 341		6.15 5.58 5.35 5.35 4.91		34.6 34.6 34.6 34.6	90 150 150	27.46 27.56 27.56 27.56
•					360 389 400 481		5.13 4.85 4.89		34.9 34.9 34.9	10	27.65 27.65 27.65

LATIT	UĐE	LON	0170	DE		(GM)					TATION
		<u> </u>			мо.	DAY	HR.	۲	EAR	N	UMBER
46 05	. OH	047	04.	0 W	04	07	05.3	1	971		10826
DEPTH		WAVE	OBSE	RVA	TION		HEATH		CL	οU	D CODES
вотто	м	DIR	HGT	PE	R SE		COD		TY	PE	AMT
1463		35	0	2		1	х1		0		6
	110			90-			R TEM	p			
DIA	50	EEO		TER 851		DRY BULB	WE BU		V15		DYN
35	2	0	2	34	Τ,	00.					970.96
MESSE 11H 05.	E		57		0EPT1	4	TEMP		54L 33.2	40	516- 24.7
00.	3				10 20 30		0.25		33.2	50	26.7
					41		0.18		33.5	70	26.9
					50 75		1.30		33.5	00	27.0
					100		2.09		34.0		
•					142 150		3.25		34.4	40	27.4
	•				200		3.66		34,6	30	27.5
:					250 300		4.13		34.7		
					400		4.45		34.8	90	27.6
					500		4.45		34.9		
					700		4.27		34.9		
					900		4.11		34.9	30	27.7
					1000		3.99		34.9	AA	27.1

LATIT 6) F	LON	i G [Tul	DF _		DAY (GM)	T]4F [)	,	FAR		TATION IMPED
46 01.	0N	044	49.	nw	04	0.7	12.5	1	97]		0825
пертн		WAVE	ORSE	RVAT	1045				CL	าบถ	CODES
OT MOTTOR		010	HGT	PFR	SFA		CODE		ΤΥ	ΡĘ	AMT.
1401	L	36	2	5			x ?	_	n		6
	NΠ			PO~ TFR		A T	R TEMI	p			
Ula	SΡ	FED	•	A5)		RY ULA	ME.		VIS COD		DYN HT
35	2	1	2	44	0	1.				1	970.995
ME55FN			45T	ח	EPTH		TEMP		٩۵٤		51G-T
09.4					10 20 30 35 45 50 65 75 75 100 115 125 1170 2211 240 450 450 450 450 450 450 450 450 450 4		3.93 3.493 3.493 3.421 3.55 5.33 4.91 5.63 5.63 6.000 6.000 6.000 6.000 6.000 6.000 4.96 4.94 4.65 4.94 4.66 4.94 4.66 4.0000 4.0000		33.3 33.3 33.3 33.5 33.5 33.5 34.5 34.5	130 150 150 133 133 133 133 133 133 133 133 133 13	27.75
					000		3.95 3.91		34.9		

LATITUO	E LO	vG I TU	DE L	STAT	(GH1	TIME	٧	EAR		ATION
46 08.0	H 04	7 16.	0 W	04	07	07.3	1	971	971 1082	
DEPTH	WAVE	OBSE	PVAT	IONS			<u> </u>	CL	000	CODES
TO POTTOM	DIR	HGT	PER	SE		CODE	٩	TY	PE	AMT.
0604	35	0	2	1	1	×o		0	_	6
WIN	0		RO-		ATR	TEMP				
DIR	SPEED		7EA 95)		DAY BULA	WET BUL		V15	Ε	DYN
35	25	21	57	1	10.				9	71.015
00.3				10 20 30 39 50 55 62 75 64 98		0.79 0.79 0.79 0.79 1.47 1.14 1.14 0.69		32.96 32.96 32.96 32.96 33.05 33.16 33.36 33.45	90 90 90 90 90 90	24.53 26.53 26.53 26.55 26.60 26.64 26.80

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

LATIT	UDF	LON	IG I TU	DΕ	STAI	ION (GM	TIME [] HR.	,	/EAR	_	TATION	
46 14	. ON	047	38.	0 W	04	07	09.9	,	971		10828	
пертн		WAVE	ORSE	RVAT	IONS				CL.	oui	D CODES	
TO BOTTO	м	DIR	нст	PER	SEA		CODE		τY	ΡE	AMT.	
0203		31	1	2			×1	Ì	0		6	
W	IND		BARO- METER (MBS)									
DIR	51	PEED			DRY BULB		WET		VIS		DYN HT	
34		10	2	78	0	1.	00.			9	971.116	
MESSE	F		51	D	EPTH	1	TEMP		5AL		SIG-T	
09.	9				0 10		0.59		32.7		26.36	
00.	1				50		0.59		32.7		26.36 26.36	
•					25		0.59		32.7		26.36	
•					30		0.70		32.8		26.39	
•					45 50		0.77		32.8		26.42 26.42	
					57		1.21		32.9		26.55	
					62		0.91		33.1		26.63	
•					75		0.77		33.14		26.66	
					100		0.01		33.3		26.77	
•							0.40		33.55		26.94	
					125		0.40			š ()		
•					125 150		0.40		33.59		26.94 26.94	

LATITU	DE	L.ON	GITU	DE		(GM)					TATION
46 17.	0 N	047	50.0	0 W	MO.	DAY	HR.	L	971		10829
DEPTH	_	l	ORSE			s		_			D CODES
HOTTON	· -	DIR	HGT	PΕ	RSE		CODE	-	ŤΥ	PE	AMT.
0143		30	1 10				×1		0		6
¥	IND			90-			R TEMP	,			
DIR	SP	EED	_	851		DRY BULB	WE 1 BUL		COD		DYN
31	0	6	S	78		01.	00.				971.127
MESSEN TIMP 11.:	3		ST O.		DEPT 0 10 20 30 37 50 75 76 83 90 100 125		TEMP 0.28 0.28 0.28 0.30 0.55 0.63 0.74 0.78 1.15 1.00 0.14		SAL 32.8 32.8 32.8 32.8 32.8 32.8 32.8 32.8	330 330 330 340 360 380 380 370 110	51G-T 26.39 26.39 26.39 26.41 26.43 26.45 26.45 26.62 26.64 26.64

LATIT	JDF	LON	iG I TUI	DF	STA	TIDN (GM)	TIME			SŤ	ATION
					мо.	DAY	HR.	_	EAR	NU	MRFR
46 22	. ON	048	03.	0 W	04	07	12.3	1	971	1	0830
DEPTH	,	VAVE	ORSEI	RVA'	LION				CLO	UD	cones
TO BOTTO	4	DIR	нст	PER	SF.	A '	EATHE CODE		TYF	PΕ	AMT.
0117		33	2	2			×1		0		6
w	IND			RO-			R TEMP	•			
DIR	SPE	ED		TER BS)		DRY BULB	WET		VIS		DYN
33	10)	5.	98		04.	02.			9	71.127
MESSE			ST IO.	ſ	DEPTI	4	TEHP		SAL		51G-1
12.	3				0		0.17		32.85		26.40
00.	1				10		0.19		32.85		26.40
00.					20		0.20		32.83		26.39
•					37		0.23		32.83		26.39
•					50		0.57		32.83	0	26.40
•					65		0.62		32.85		26.42
•					75 77		1.13		32.93		26.50
•					100		1.14		33.03		26.58

LATIT	UDE		L 04	IG I TU	nF	SIA	(GM	TIME T)	ΥF	ΔR		TATION IMRER
46 27	.01	ļ	046	19.	0₩	04	07	13.8	19	71		10831
DEPTH		W	AVE	ORSE	RVA	TION				CL	oui	n cones
POTTO	۱ -		DIR	нат	PEI	R SE		COOE		TY	PE	AMT.
0101	\top		27	n	2			х о		0		6
w	IND)			RO-			R TEMP				
NIR	9	PE	EΠ		TER BS)		DRY BULR	WET	B	VIS	E	DYN HT
27		08		3	08		04.	03.			7	971.141
MESSE		R		15T	١	DEPT	4	TEMP		SAL		SIG-T
13.	А					0		0.44	3	12.6	60	26.22
						1.0		0.40	3	12.6	60	26.22
00.	1					50		0.36		2.6		26.22
						25		0.34		2.69		26.22
•						30		0.21		2.64		26.22
•						39 50		0.17		2.68		26.27
						70		0.73		2.8		26.45
						75		0.74		2.88		76.45
						93		0.75		2.9	-	26.47

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITI	DE	LON	iG I TUI	DE	STA MO.	TION (GM	T)	TME	YE	EAR		TATION
46 29.	. 0 N	046	30.	0 W	04	07	1	5.2	10	971		10832
DEPTH		WAVE	ORSE	RVA	TION			ATH		CL	001	CODES
POTTON	4	DIP	HGT	PE	HISE			COD		ΤY	PE	AMT.
0099		26	0	s				x 0		0		6
w1	[ND			RO-				TEM	p			
DIR	SΡ	EED		RS)		DRY BULB		WE RU		V15		DYN
26	0	5	3	01	ļ	03.		02	•		- -	971.149
MESSER			AST NO.		DEPT	Н	T	EMP		SAL		51G-T
15.					0			.06		32.4 32.4		26.04 26.06
00.	ì				10			.73		32.5		26.10
•					20			.48		32.5		26.12
					30			.20		32.9 32.6		26.16
					50			.01		32.6		26.21
					5 F	}		.14		32.7	110	26.29
•					69			.68		32.8		26.38
					79	5	- (.70		32.8	310	26.39

LATITUDE LONGITUDE (GMT) YE		ATION MAFR
46 01.0N 048 30.0W 04 07 17.8 19	71 1	0837
DEPTH WAVE OBSERVATIONS	CLOUD	CODES
HOTTOM DIR HGT PER SEA CODE	TYPE	AMT.
0091 26 0 2 X1	0	6
WIND BARO- DEG C		
DTR SPEED (MBS) DRY WET BULB BULB	VIS CODE	DYN
23 05 301 04. 03.	9	71.137
MESSENGER CAST DEPTH TEMP	SAL	51G-1
	2.500	26.05
	2.520	26.07
	2.520	26.08
	2.530	26.11
	2.650	26.24
	2.770	26.34
	2.790	26.36
60 0.66	2.860	26.43

45 S6.0N 048 20.0W 04 07 19.0 1971	
DERTH HAVE ORGERHATIONS	10834
	OUD CODES
ROTTOM DIR HGT PER SFA CODE TYP	PE AMT.
0104 26 0 2 x1 0	6
WIND BARD- DEG C	
OTR SPEED (MBS) DRY WET VIS RULB BULB CODE	DYN
23 05 301 04. 03.	971.126
MESSENGER CAST DEPTH TEMP SAL	516-7
19.1 0 0.87 32.68	
. 5 0.32 32.74 00.1 10 0.23 32.74	
. 15 0.18 32.74	
. 20 0.03 32.74	0 26.31
. 25 0.22 32.79	
. 30 0.27 32.80 . 40 0.34 32.81	
. 50 0.53 32.86	
• 55 0.68 32.97	
. 75 0.69 32.98 . 87 0.69 33.02	

LATIT	UDF	LON	iG I TU	DE	STA	1013 1013		TIME			51	ATION
		ł			MO.	DA	रा	HR.	ΥE	EAR	Nt.	MAER
45 47	. 0N	048	06.	0 w	04	07		20.4	1	971	1	0835
DEPTH	· _ ·	MAVE	ORSE	RVA	TION	5	u	EATHE	D	CLC	าบถ	CODES
POTTO	М	DIR	HGT	PE	R SF	Δ	7	CODE		7 YF	٩E	AMT.
0260		26	n	2				×1		0		6
	חווח			RO-				TEMP				
DIR	SPI	FED		TER RS)		ORY BUL	P)	WET BUL		VIS		DYN
23	0	5	3	01		04.		03.			9	71.121
MESSE			15T		DEPT	4		TEMP		SAŁ		SIG-T
20.	.5				0 10			0.31		32.74 32.79		26.32
00.	. 1				20			0.61		32.76		26.35
					30			0.62		32.74		26.33
					44			0.67		32.76		26.35
•	•				50			0.74		32.71		26.36
•	•				68 75			1.13 1.06		32.96 32.96		26.53 26.54
•					100			0.45		33.06		26.60
					125			0.13		33.29		26.72
					145			0.36		33.44		26.85
	•				150			0.37		33.45		26.R6
	•				15A			0.37		33.49 33.53		26.89
	•				200			0.64		33.58		26.91 26.95
	,				222			0.86		33.70		27.03

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITU	OE	LOP	4G]TU	DE	MO.	GMT GAY		Y	EAR		ATION MBER
45 42	. ON	041	7 56.0	D MI	04	07	21.5	1	971	1	0636
DEPTH 70	T	MAVE	ORSE	RVA	TIONS		EATHE		CL	000	CODES
90770	• [OIR	нот	PEI	SE		CODE		7 Y	PE	AHT.
0865		25	0	2			×1		0		6
w1	NO.			RO-			TEMP	•			
OLR	SP	EEO		TER PS)		BUL 8	WE T		VIS		OYN HT
17 06			3:	12		12.	02.			9	71.641
21.00					0 10 20 30 37 4R 50 75 100 125 150 190		0.27 0.50 0.69 0.76 0.92 0.95 1.31 0.00 0.66 1.04 1.37 2.40		32.6 32.6 32.6 32.6 32.6 33.6 33.6 33.6	10 20 20 38 50 60 40 60 20 20	26.40 26.40 26.40 26.40 26.40 26.60 26.60 26.60 27.10 27.40
					200		2.43		34.3	20	27.41

LATITI	ЮE	LOA	IG [TU	DE		(GM)		٧	EAR		TATION JMBER
45 36.	0N	047	47.	0 W	04	07	23.6	ı	971	_1	0837
DEPTH	١,	AVE	085E	RVA	TION		EATHE		CL	auc	cone
00170	۱ [DIR	HG7	PE	R SE		CODE		TY	PE	AMT.
0497		26	0	2			X1		0		6
M.	INB			80-			TEMP				
OIR	SPE	EG		7ER 85)		DRY BULR	WET BUL		V15		BYN HT
16 00			31	38	1	02.	02.			9	71.02
HESSEI 11M1 23.			ST 10.		0EPT	4	TEMP 0.03		SAL 33.1	30	S1G-
00.					10		0.13		33.1		24.6
00.1	2						0.27		33.1		
• • •	2				30 38		0.69		33.1 33.1	90	26.6
•					30		0.69		33.1	56 90 20	26.0 26.7 26.7
•	?				30 38 50		0.69 6.66 0.87		33.1 33.1 33.2 33.2	50 90 20 90	26.0 26.7 26.7 26.7 26.7
•	?				30 38 50 58 75 76		0.69 6.86 0.87 0.86 0.65 0.77		33.1 33.2 33.2 33.5 33.5	50 90 20 80 20 20	26.0 26.7 26.7 26.7 26.9 26.9
•	•				30 36 50 58 75 76 60 66 100		0.69 6.66 0.87 0.86 0.65 0.77 0.78 0.22		33.1 33.2 33.2 33.8 33.8 33.8 33.6	50 90 20 80 20 40 60	26.0 26.7 26.7 26.7 26.9 26.9 26.9 27.0
•	•				30 36 50 58 75 76 60 66 100 125 150		0.69 6.86 0.87 0.86 0.65 0.77 0.78 0.22 0.54 1.62 2.55		33.1 33.2 33.2 33.8 33.8 33.6 33.6 33.6	50 90 20 80 20 20 40 60 10	26.6 26.7 26.7 26.7 26.9 26.9 27.0 27.2 27.3
•	•				30 38 50 58 75 76 60 66 100 125 150 200 250		0.69 6.66 0.87 0.86 0.65 0.77 0.78 0.22 0.54 1.62 2.55 3.50 4.02		33.1 33.2 33.2 33.8 33.8 33.8 33.6 33.6 33.6 33.6 33.6	56 90 28 90 20 20 40 60 60 10 50 60 20	26.0 26.7 26.7 26.7 26.9 26.9 27.0 27.2 27.3 27.4 27.5
•	•				30 36 50 58 75 76 60 66 100 125 150 200		0.69 4.66 0.87 0.86 0.65 0.77 0.78 0.22 0.54 1.62 2.55 3.50		33.1 33.2 33.2 33.8 33.8 33.6 33.6 33.6 33.6 33.6 33.6	50 90 20 20 20 40 60 60 10 50 60 20	26.6

	DIR 16	ME	PEI 2	710N		EATHE CODE		971 CL 77	OU0	COOES
1792 VING	01R 16	HGT 0 BAI ME	PE1	1		COOE	R	ŦY	PΕ	1
1792 1792 VIND OIR SI	16	0 BAI ME	2	R SE		COOE	R '		_	AMT.
OIR SI		BAI	RO-	-	ATR	X1		0		
OIR S		ME			ATR					6
	PEEO					TEMP				
14		(~	TER BS)		SRY BULB	WET BUL		VIS COD		OYN
	08	3	05	Т	2.	02.			9	71.004
MESSENGE TIME 00.6		ST IO.	1	0		7EMP 4.56 4.46 4.45 2.68 3.36 3.92 4.36 3.92 4.56 4.66 4.71 4.68 4.71 4.67 4.73 4.95		SAL 33.33.33.33.33.33.33.33.33.33.33.33.33.	98 90 90 90 90 90 90 90 90 90 90 90 90 90	26.47 26.40 26.52 26.57 26.72 26.64 27.10 27.10 27.31 27.30 27.40 27.55 27.66 27.70 27.72 27.72

			-							
LATITUGE	LON	0170	DE .	HO.	(GH)		Y	EAR		TATION UMRER
45 19.0H	047	20.	0 W	04	08	03.2	1	971		10039
ОЕРТН	MAVE	ORSE	RVAT	IOH				CL	٥u	O CODES
TO POTTOM	Ole	HGT	PER	SE		COGE		7 71	PE	AMT.
2734	16	Ð	2			кз		0		8
AIND			RO- TER			R TEMP				
OIR' SE	PEEO		85)		ORY BULR	WET		VIS	Ε	BYN
14	10	3	12	1	00.				7	970.995
03.3				0 10 13 17 20 24 30 50 55 50 12 50 00 400 500 500 500 500 500 500 500 5		3.97 3.19 3.39 3.29 2.75 3.64 3.87 3.55 3.55 3.55 4.27 4.27 4.27 4.12		33 - 34 33 - 34 33 - 24 33 - 24 33 - 34 33 - 44 33 - 44 33 - 54 33 - 54 34 - 5	26006000000000000000000000000000000000	28.52 28.53 26.50 26.50 26.49 26.57 26.57 26.67 27.29 27.29 27.27 27.37 27.68 27.60 27.60 27.60 27.70

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

							_												
LATITUDE	- 100	46110			N TIME		15	TATION	LAT	1100	DE LON	(GITU		STAT	ION (GM)	TIME		ST	ATTON
2		,			Y HR.	YFAR		IMAER	2			10110		MD.			YFAR		MRER
45 09.0	0 04	7 00.	0 4 ()4 0A	06.1	1971	+-	10840	44	59.0	0N 046	5 42.	0.0	04	0.8	08.6	1971	1	0841
	 		<u>-</u> -	1	10074	1771		10240			1				1	<u></u>			
DEPT∺ TO	WAVE	ORSE	PVAT	NNS	WEATHE		LOUI	CORES	DEP T	U.	WAVE	ORSE	RVAT	1045		EATHE		ისი	CODES
ANTTOM	DIP	нст	PFR	SFA	CODE		YPF	AMT.	POT	TOM	010	нст	PER	SFA		CODE	TY	PE	AHT.
3190	14	n	2		x 1		n	6	35	33	14	1	2			x 2	0		6
				٨	TO TEMP										ATE	R TEMP			
AINC	n		PN- TFR		NEG C					WIN	ND		RO- TER		n e	G C			
ain	SPEED		251	DRY	WET	l v t	۲	DYN	DIR	,	SPEED	l .	85)	٥	RY	WET	VIS		DYN
				AUE	P AUL	B CO	NF	нт						R	ULA	BUL	a con	Ε	HT
14	15	3	1 0	04.	04.			971.003	14		14	2	95	0	6.	06.		9	71.062
MESSENGE	ER CI	451	D.F	PTH	TEMP	5 4	t	51G-T	MES	SEN	GER C	151	D	EPTH		TEMP	SAL		SIG-T
TIME		۷0.		^	2 (0					THE	4	10.		^			22.0	30	24 07
05.1				ባ ኒ ኅ	3.68 3.68	33.		26.45	0	8.6				10		4.92	32.9		26.07 26.07
00.2				21	4.35	33.		26.49	0	0.3				20		4.92	32.9		26.08
				5.5	4.49	33.		26.47		•				25		4.92	32.9		26.08
•				30 50	4.46 3.87	77.		26.47 26.48		•				30 36		4.12	32.9		26.10
:				75	1.59		740	27.02		:				44		4.73	33.1		26.23
			1	0.0	2.07	34.	070	27.24						50		3.40	33.1		26.43
•				116	3.90	34.		27.32		4				60		3.17	33.3		26.57
•				121 125	3.72		360 370	27.33		•				75 80		3.65 4.28	33.6		26.79
•				51	3.A0 4.71		550	27.37		•				89		3.51	33.6 33.8		26.71 26.91
				0.0	5.91	34.		27.43		•				100		4.51	34.1		27.04
				250	5.27		780	27.49		•				125		6.92	34.5		27.10
•				268 300	4.92	34.	P10 R50	27.56		•				130 140		6.82 7.05	34.5 34.6		27.15
•				306	4.92	34.		27.59						150		6.22	34.5		27.16
•				360	5.12	34.	920	27.62		4				170		4.19	34.2	A0	27.22
•				990	4.99	34.		27.65		4				181		4.57	34.4		27.29
•				∙00 •26	4.97	34 a	910	27.63		•				194 200		3.28	34.2		27.25
:				·50	5.07	34.		27.66		:				210		4.20	34.4		27.35
				500	5.07		970	27.66						220		3.71	34.3		27.35
•				500	4.77	34.		27.69						242		4.38	34.5		27.43
•				700	4.46		940	27.71		•				250		4.28	34.5 34.6		27.42
•				900 900	4.28 4.12		950 940	27.74		•				262 280		4.41	34.6		27.48
				100	4.0R		960	27.77						300		4.91	34.7		27.53
				30	4.05		950	27.76		•				310		4.93	34.7		27.53
										•				320		4.69	34.7 34.8		27.53
														340 352		5.08 4.90	34.8		27.59
														390		5.00	34.9		27.62
														400		4.95	34.9	00	27.62
										•				422		4.95	34.9		27.65
										•				450 500		5.0A 4.98	34.9		27.65
														600		4.58	34.9		27.71
														700		4.31	34.9	20	27.71
										•				800		4.15	34.9		27.73
										•				900		4.07	34.9		27.74
										•				000		3.96 3.93	34.9		27.75

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITU	ne	LON	GITU			DN T[M! GMT)			STATION	LATIT	in E	1	C 1 7		STA.		TIME			
LATION	"	LIIM	0110			AY HP.	۱ ۲۱		NUMBER	[4 1 [7		100	IG] T I II		MO.	(GM		YFAR		ATION MRFR
44 49.	0 N	046	19.	D ₩	04 0	P 11.	3 1	971	10842	45 04.	0 N	045	34.	\rightarrow	04	0.8	15.7	1971	1	0843
ОЕРТН	W	۵VF	ORSE	PVAT	1005		<u> </u>	CLO	UD CODE		T	WAVE	ORSE	PVAT	ION			CL	OUD	CODES
TO ROTTOM		SIE	нст	PFR	SFA	WEATI COI		TYP	E AMT	- 10 ROTTO		ain	нат	PFR	SEA		EATHE CODE		PF	AMT.
3603		12	n	2		x 1		n	6	3647	\top	12			n		X 4	0		6
wī	ND			Rn-		AIR TE	1P			wī	ND		PAI	PO-			P TEMP			
DIR	5PE	ΕD		TFR RS)	DR BU		JL R	VIS CODE	DYN HT	OTR	SP	PEED	1	TFR PS)		P JUE	WET	VIS R COD		DYN HT
12	14		2	91	07	. 0	· •		971.0A	14	1	4	21	91 .		18.	07.	(,,,,,,		71.127
MESSEN	GFR		157	n	FPTH	TEM	,	SAL	516-	15.9					n		6.53	33.4		26.27
714F 11.3		^	10.		n	5.4	7	33.14	0 26.1	7 00.5					20		9.36	34.3		26.59
					10	5.4	'n	33.14	0 26.1	7	1				30		12.34	35.2		26.74
00.3] 9	5.4		33.19							4.0	:	12.51	34.1	30	25.84
•					2n 3n	5.5 5.6		33.42							50		85.11	34.A		26.66
					50	7.A		34.14							56 65		11.23 12.67	35.0 35.4		26.81 26.85
					7.0	10.5	5	34.96							75		11.91	35.2		26.83
•					75	10.5		34.96							80		12.01	35.1		26.75
•					100 118	9.0 7.7		34.76 34.58							100		11.76	35.2		26.82
•					125	7.A		34.56							125		12.69	35.5		26.87
					150	A.5		34.82							150		12.73	35.5 35.2		26.90
					160	9.7		35.12							185		8.00	34.6		26.98
					190	9.7		35.10							200		9.46	34 . A		26.97
•					200	9.1		34.86							215		8.89	34.9		27.09
•					210	8.4		35.05 35.05							23A		9.77	35-1		27.14
•					225 250	8.8 7.2		34.98							250 300		9.27 6.35	35.0 34.7		27.12
•					275	7.6		34.96							323		7.23	35.0		27.42
•					300	6.8		34.86							329		7.52	35.0		27.37
•					350	6.8		34 . AF							384		6.71	34.9	80	27.46
•					342	5.1		34.78							400		6.69	35.0		27.49
•					365 400	6.4 5.4		34.96							500		5.81	34.9		27.58
•					411	5.3		34.92							555 600		5.33	34.9		27.65
					43A	5.7		35.00							656		4.85	34.9		27.66
					451	5.7		35.00							682		4.85	34.9		27.68
					500	5.4		34.95							700		4.81	34.9	60	27.69
					600	4.6		34.94							713		4.66	34.9		27.70
•					620	4.5		34.91							733		4.66	34.9		27.70
•					660 700	4.5		34.99							752 900		4.41	34.9		27.72
•					800	4.4		34.92							900		4.21	34.9		27.75
•					900	3.9		34.91							000		4.11	34.9		27.75
					000	3.9		34.9							030		4.10	34.9		27.77
					025	3.8		34.92		6 .					050		4.14	74.9		27.77

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245,—Continued

						N TIME		١.							STAT		TIME		1.	
E DITTIII	ne	LON	16 [7 1 1			AY HP.	YFAR		TATION JMRER	LATITU	DF LC	nng I	TUC		Mn .	DAY	THR.	YF		TATION DMAFR
				\rightarrow	-			+						+			_	-		
45 75.	0.71	044	14.	nw i	04 0	21.2	1971	_	10844	45 38.1	04	43 0	58.0) W	04	09	00.9	19	1	10845
пертн	w	AVF	ORSE	RVAT	IONS			Loui	רממדק	DEPTH	WAVE	F OF	ASF	PVAT	ION	5		- 1	CL OI	IN CORES
POTTOM		OIR	нат	PER	SFA	WEATHE COOE		YPF	AMT.	TO ROTTOM	011	R 1	нат	PER	SE	7	WEATHE		TYPE	AMT.
	-		,				-		 		-	+	_		1.0	-		+		-
4474		14	1	7		12	-	0	6	4471	14	+	?	2	-		x J	\perp	0	6
WT*			٠.	0.0		ATR TEMP				with							R TEMP	`		
.41	NO			RO- TER		DEG C		1			V()	-		PO- TFR	-		DEG C			
UIB	SPE	EU	(14	AS)	DR:		VI		DYN	016	SPEED		(M)	9S)		DRY	WE'		ODE	NYN HT
			-		ВП	LA BUL	P CO	11/6	нт			+			 	BULF	7 700	-" -	.(11)6	
16	12		5	61	0.8	. 07.			971.105	16	15	\perp	2	44	<u> </u>	10.	09	· <u> </u>		971.124
HESSEN	GER		151	n	FPTH	TEMP	5A	L	5 I G - T	MESSEN	GER	CA5		D	EPT	н	TEMP		5AL	SIG-1
7 TMF 20.7			10.		0	5.41	33.	260	26.27	7 J M F		NO	•		0		6.84	3	3.57	26.34
					7	5.41	33.	260	26.27						10		6.82	3	3.65	26.40
00.6					5 U	5.36 5.26	33.	260 230	26.28 26.27	00.4					20		6.82		3.77 3.97	
•					30	5.15		230 230	26.28						3ი 35		6.82		.10	
•					40	4.49	33.	190	26.32	:					50		8.34	3	4.48	26.83
•					50 75	3.26 7.02	33.		26.54	•					75		10.89		5.14	
•					90	A.50	34.	720 590	26.82 26.90	•					100		10.89		5.20	
					100	8.22	34.	580	26.93						110		11.63	3	5.22	0 26.89
					120	7.62		580	27.02	•					125		9.89		4.89	
•					125 140	7.74 8.33		620 790	27.03	•					150		10.03		5.05 4.85	
:					146	7.74		780	27.16	:					200		8.49		4.BO	
					150	7.45		780	27.20	•					250		6.65		4.76	
•					160 180	A.32 7.67		870 820	27.14	•					260		6.49 6.80		4.75 4.78	
					188	7.49		730	27.16	•					300		6.42		4.67	
					190	7.49		780	27.20						327	,	5.03		4.66	
•					200 250	7.62 6.14		830 660	27.22						340		5.14		4.66	
•					260	6.06		690	27.32	•					345 355		5.27 5.08		4.65 4.66	
					275	6.73	34.	680	27.22						375		5.08	3	4.77	0 27.5
					290	5.77		700	27.37						400		5.37		4.83	
•					300 310	5.91 5.92		850 810	27.47	•					405		5.44		4.80 4.83	
					320	6.02		860	27.46	:					448		5.60		4.90	
•					340	6.30		A50							489		5.20	3	4.95	
•					374 390	4.91 5.86		810 900		•					500		5.55 5.71		4.97 5.00	
					400	5.61		860		•					530		5.71	3	5.00	
					430	5.47	34.	910	27.57						600		4.79		4.92	
•					435	5.53		880 890		•					612		4.77		4.92 4.96	
•					440 500	5.47 5.36		950		•					700		4.71		4.95	
					600	4.54	34.	990	27.66						800)	4.52	3	4.95	0 27.7
					700	4.51		930							900		4.40		4.96	
•					710 721	4.65 4.51		970		•					1000 1012		4.25		4.96 4.96	
					800	4.32		940		•					, .,			,	, , ,	
					900	4.21		940												
•				1	000	4.23		950												
					051	4.07		950												

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

DEPTH WAVE ORSERVATIONS CLOUD CODES DEPTH WAVE ORSERVATIONS	HP. Y	971 1	OR47
MO. DAY HR. YEAR NUMBER 46 04.0N 043 30.0W 04 09 06.9 1971 10846 46 25.0N 043 27.0W 04 09 0 DEPTH WAVE ORSERVATIONS WEATHER CLOUD CODES TO WAVE ORSERVATIONS WEATHER	HR. Y 09.5 1 EATHER CODE	971 1 CLOUR	1MRFR 10847
DEPTH WAVE ORSERVATIONS CLOUD CODES OFFTH WAVE ORSERVATIONS WEATHER	EATHER CODE	CLOUD	
TO WEATHER TO WE	CODE		CODES
	CODE	TYPE	
TOTAL	× 1		AMT.
4506 19 2 2 X2 0 6 4053 19 2 4		n	6
	TEMP		
WIND RARD- DEG C WIND RARD- DEG METER	G C	-	<u> </u>
DIR SPEED (MAS) DRY WET VIS DYN DIR SPEED (MAS) DRY BULA	WET BULB	VIS	DYN HT
19 30 220 12. 11. 971.138 18 16 207 12.	11.	9	71.112
	TEMP	SAL	51G-T
06.9 0 7.36 33.560 26.26 09.5 0 5	5.96	33.400	26.32
		33.400	26.32
		33.400 33.410	26.32
. 50 8.64 34.490 26.80 . 50 5		33.430	26.34
		33.500	26.40
		33.650 33.640	26.52
· · · · · · · · · · · · · · · · · · ·		33.730	26.68
	5.07	33.800	26.74
		34.300	26.92
		34.300 34.350	26.97
. 500 5.76 34.880 27.51 . 130 6		34.390	26.99
		34.480	27.15
		34.500 34.500	27.24
21 22 24 25 27 27		34.470	27.23
. 1000 4.15 34.930 27.74 . 210 5	5.39	34.500	27.25
		34.500	27.30
		34.620 34.610	27.37
		34.650	27.42
	4.89	34.650	27.43
		34.610	27.45
		34.760 34.880	27.54
		34.880	27.63
• 53n 4		34 . AAO	27.65
		34.880	27.64
		34.AA0	27.67
	_	34.RRD 34.RRD	27.70
• 1000 3		34.900	27.73
• 1021 3		34.910	27.74

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5–13 April 1971, prepared from NODC Listing No. 31–8245.—Continued

ATETUO	F	LON	ettui	OF	STAT	TON (GM)			ΥI	FAR		IMPER
66 47.0	IN	043	26.1	14	04	09	1	7.7	1	971	1	10848
PTH	,	IAVE	OASE	QVA.	TION			ATHE	_	CLI	กบเ	CONES
TO POTTOM		DIR	нст	PE	950			CODE		TYI	PΕ	AMT.
3275		19	3	2				x 2		0	_	6
WI	ΝĎ	İ		90- TFR				TEME	•			
PIR	SPI	ED		85)		DRY BULA	1	WE1		V15		DYN HT
19	21	0	1	96	1	10.	1	10.	,		1	971.001
00.7					0 10 20 30 75 100 125 137 143 150 170 178 187 240 250 300 325		44 44 44 44 44	. 63 . 65 . 61 . 64 . 50 . 7. . 7. . 51 . 61 . 61 . 63 . 64 . 65 . 65 . 65 . 65 . 65 . 65 . 65 . 65		33.4 33.4 33.7 34.6 34.6 34.7 34.7 34.7 34.7 34.7 34.7 34.7 34.7	70 40 80 80 30 70 30 140 150 160 160 160	26.50 26.40 0.00 27.10 27.08 27.12 27.07 27.26 27.31 27.31 27.54 27.54 27.54 27.54 27.54
•					350 400 500 600 700 900 1000		4 4	4.49 4.46 4.32 4.17 4.05 3.91		34.6 34.6 34.6 34.6 34.6 34.6	970 990 910 910 900	27.65 27.67 27.70 27.72 27.72 27.72 27.73

LATITUD	ε	LON	161700	ÞΕ	STAT	ION (GH) DAY	TIME) HR.	71	EAR		TATION
A6 54.0	N	043	28.1) W	04	09	16.0	1	971		10849
DEPTH	W	AVF	OBSE	AVA.	TIONS		/EATHE		CL	ou	D CODE
ROTTOM		DIR	HGT	PEI	R SE		CODE		ΤY	PE	AMT
1181		20	0	3			Х6		0		6
¥ĮN	D			90- TER			TEMP	•			
018	SPE	EΠ		AS)		DAY BULA	WE1		COD		DYN
18	20		10	86	Τ,	06.	07.	•			970.91
					10		3.35		34.0		

LATITUO	ÞΕ	LON	IG I TUI	nε		ION (GM) DAY		YEA		TATION UMBER
47 07.0) N	043	20.	0 W	04	09	14.3	197	1	10850
DEPTH TO	L	MAKE	ORSE	PVA	TIONS		EATHE	L	CLOU	D CODES
HOTTOM	L	DIR	HGT	9E	R SF	· L	CODE		TYPE	AMT.
1609	L	16	3	2			Х6		0	6
wi.	10			90-			TEMP			
DIR	SPE	ED		1FR 85)		AY BULA	WE T BUL		I S DDE	DYN NT
18	16	5	21	57	1	17.	07.			970.907
MESSEN TIME 18.1	3C #		ST IO.		0 EPTH 0 120 30 50 75 95 105 1250 250 300 400 500 700	•	TEMP 4.06 4.03 3.86 3.67 3.36 3.86 3.89 3.94 4.10 4.27 4.43 4.43 4.16 4.16 4.16	34, 34, 34, 34, 34, 34, 34, 34, 34, 34,	AL .030 .030 .050 .060 .180 .440 .460 .740 .870 .870 .910	27.03 27.07 27.09 27.22 27.38 27.39 27.41 27.46 27.66 27.66 27.66 27.66 27.69 27.72

LATIT	UDE	LON	וטידופו)F	STA	TION	TIME	Γ		ST	ATION
		1			но.	DAY	HR.	ľ	EAR		мвен
47 1A	. OH	043	22.0) W	04	09	20.3	1	971	1	0851
DEPTH TO		MAVE	ORSE	a V s	TION		WE AT HE	_	CL	000	CODES
BOTTO	<u>ا پ</u>	DIR	нат	PE	R SE		CODE		TY	PE	AMT.
3018		55	3	2			×6		0		6
v	IND		849				R TEMP	,			
910	ςp	EED	HE1			DRY SULA	WET		VIS	E	DYN HT
24	1	0	25	54		07.	07.			9	70.946
00-			0.		0 10 20 30 50 75 100 113 125 150 250 300 400 500 600 700		3.7A 3.77 3.56 3.45 3.20 3.36 3.18 3.36 4.14 4.20 4.17 4.42 4.46 4.41 4.42		33 - 6; 33 - 6; 34 - 0; 34 - 0; 34 - 2; 34 - 5; 34 - 6; 34 - 6; 35 - 6; 36 - 6; 36 - 6; 37 - 6; 37 - 7; 38 - 7; 38 - 7; 38 - 7; 39 - 7; 30	30 30 50 70 60 60 60 60 60 60 60 60 60 60 60 60 60	26.890 27.07 27.11 27.14 27.19 27.31 27.36 27.40 27.47 27.53 27.54 27.64 27.64 27.68 27.68 27.68 27.68
					900 900		4.02 3.87 3.76		34.8(34.9) 34.9)	0	27.71 27.75 27.76

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

							_															
No. DAY MR. VEAD NIJMRED						STAI						LATIT	וחב	1	IG T T LI	- 1	STAT					TATION
Name	LATITI	DDE	LON	вти	DΕ	MO.			YEAR			CMITI	JUE	Lon	10110		MO.			YFA		
Note	47 39	.00	043	24.	0 W	04	09	22.8	1971	1	0852	48 02.	.0N	043	26.	nw	04	10	02.1	197	'1	10853
Note		1	AVF	ORSE	RVA	TIONS				OUL	CODES			WAVE	ORSE	RVAT	IONS				CLOU	D CODES
NIND BARO- NETER DRY NULL RULR CODE CODE NIND RAPO- NULL RULR CODE CODE NIND RESENDER CAST DEPTH TEMP SAL SIG-T TIMF NO. STATE		<u> </u>	DIR	HGT	PE	R SE				PE	AMT.		, -	DIR	HGT	PER	SEA				TYPE	AMT.
NIND BAPO DEG C NIND BARO DEG C NIND	3219	-	18	3	2	+		X 6			6	3109		33	0	2			×6	-	0	6
No.			-			+-	1				1		-			·		A T 6	TEMO	, -		
No.	w	IND		_	-		-	_				¥I	[ND									
MESSENGER CAST DEPTH TEMP SAL SIG-T MESSENGER CAST DEPTH TEMP SAL SIG-T TIME NO. 22.8 0 4.45 33.950 26.93 . 10 4.37 33.920 26.91 00.5 10 4.17 33.940 26.93 00.4 13 4.54 33.920 26.91 00.5 20 4.41 33.960 26.95 . 30 3.62 33.820 26.91 00.5 50 4.27 33.970 26.95 . 30 3.30 3.34 33.970 27.05 0. 50 4.27 33.970 26.96 . 30 3.30 3.34 33.970 27.05 0. 75 3.11 34.020 27.12 . 50 3.03 33.940 27.05 0. 75 3.11 34.020 27.17 . 75 2.76 33.990 27.15 0. 125 3.29 34.300 27.32 . 100 2.55 34.100 27.23 0. 125 3.29 34.300 27.32 . 100 2.55 34.100 27.23 0. 125 3.29 34.300 27.32 . 100 2.55 34.100 27.23 0. 150 4.27 34.460 27.34 . 112 2.87 34.110 27.21 0. 150 4.25 34.600 27.59 0. 125 2.57 34.140 27.26 0. 1100 2.55 34.100 27.53 34.600 27.55 0. 125 2.57 34.140 27.26 0. 1100 2.55 34.100 27.53 34.600 27.55 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.26 0. 125 2.57 34.140 27.53 0. 125 2.57 34.140 27.53 0. 125 2.57 34.140 27.53 0. 125 2.57 34.140 27.55 0. 125 2.57 34.1	nin	SPE	EĐ			1 '						DIB	5P	EED								
Time No. 22.8	00	0.0		1	42	,	08.	07.		ç	970.970	33	1	8	1	49	0)4.	04.			970.953
22.8					(DEPTI	4	TEMP	SAL		SIG-T					0	EPTH	1	TEMP	9	SAL	SIG-T
00.5			,			0		4-47	33.9	10	26.89			,,	•••		0		4.16	33	750	26.80
20 4.41 33.960 26.94 20 3.62 33.820 26.91 30 4.40 33.970 26.95 30 3.34 33.970 27.05 50 4.27 33.970 26.96 40 3.59 33.990 27.06 100 2.45 34.020 27.17 75 2.76 33.990 27.06 125 3.29 34.300 27.32 100 2.55 34.100 27.23 150 4.25 34.400 27.34 112 2.87 34.110 27.21 160 3.81 34.450 27.39 125 2.57 34.140 27.21 170 4.40 34.610 27.46 150 2.78 34.350 27.41 182 4.33 34.610 27.46 193 4.47 34.710 27.53 200 4.38 34.600 27.45 200 4.38 34.700 27.53 215 4.11 34.660 27.53 250 4.57 34.780 27.57 235						9		4.45	33.9	50	26.93						1.0		4.34	33	3.920	26.91
30 4.40 33.970 26.95 30 3.34 33.970 27.05 50 4.27 33.970 26.96 40 3.59 33.990 27.05 75 3.11 34.020 27.12 50 3.03 33.990 27.05 100 2.45 34.020 27.17 75 2.76 33.990 27.12 125 3.29 34.300 27.32 100 2.55 34.100 2.75 150 4.25 34.440 27.34 112 2.87 34.110 27.21 160 3.81 34.450 27.39 125 2.57 34.140 27.26 170 4.40 34.610 27.46 150 2.78 34.350 27.41 182 4.33 34.600 27.46 150 2.78 34.350 27.41 182 4.33 34.600 27.45 200 4.38 34.700 27.53 200 4.35 34.600 27.45 200 4.38 34.700 27.53 201 4.35 34.660 27.52 238 4.76 27.59 215 4.11 34.660 27.53 250 4.57 34.780 27.57 235 4.21 34.750 27.59 300 4.36 3.820 27.63 250 4.22 34.760 27.59 300 4.41 34.880 27.67 300 4.33 34.820 27.65 400 4.41 34.880 27.67 317 4.40 34.850 27.65 50 4.57 34.880 27.67 317 4.40 34.890 27.65 50 4.60 4.21 34.890 27.67 300 4.35 34.890 27.66 600 4.21 34.890 27.75 317 4.40 34.890 27.66 600 4.21 34.890 27.75 318 4.01 34.890 27.68 700 4.09 34.900 27.72 319 4.13 34.890 27.68 800 27.75 310 3.82 34.890 27.72 1000 3.82 34.910 27.75 393 3.87 34.900 27.75 300 3.82 34.890 27.75	00.	5										00.4	4									
50	•											•										
75 3.11 34.020 27.12 50 3.03 33.940 27.06 100 2.45 34.020 27.17 75 2.76 33.990 27.12 125 3.29 34.300 27.32 100 2.55 34.100 27.23 150 4.25 34.440 27.34 112 2.87 34.110 27.23 160 3.81 34.450 27.39 125 2.57 34.140 27.21 170 4.40 34.610 27.46 150 2.78 34.350 27.41 182 4.33 34.610 27.46 193 4.47 34.710 27.53 190 4.39 34.600 27.45 200 4.38 34.700 27.53 200 4.35 34.680 27.52 238 4.76 34.800 27.57 215 4.11 34.660 27.53 250 4.57 34.80 27.57 235 4.21 34.750 27.59 300 4.31 34.800 27.57 250 <td>•</td> <td></td> <td>•</td> <td></td>	•											•										
100 2.45 34.020 27.17 . 75 2.76 33.990 27.12 125 3.29 34.300 27.32 100 2.55 34.100 27.23 150 4.25 34.400 27.34 112 2.87 34.110 27.26 160 3.81 34.450 27.39 125 2.57 34.140 27.26 170 4.40 34.610 27.46 150 2.78 34.350 27.41 182 4.33 34.610 27.45 200 4.38 34.710 27.53 200 4.35 34.680 27.52 238 4.76 34.830 27.57 215 4.11 34.660 27.53 250 4.57 34.830 27.57 235 4.21 34.750 27.59 300 4.36 34.820 27.67 270 4.22 34.760 27.59 400 4.41 34.880 27.67 270 4.22 34.780 27.65 500 4.61 4.63 34.880 27.67<	•											•										
. 125 3.29 34.300 27.32 100 2.55 34.100 27.23 150 4.25 34.440 27.34 112 2.87 34.110 27.21 160 3.81 34.450 27.39 125 2.57 34.140 27.26 170 4.40 34.610 27.46 150 2.78 34.350 27.41 182 4.33 34.610 27.46 193 4.47 34.710 27.53 190 4.39 34.600 27.45 200 4.38 34.700 27.53 200 4.35 34.680 27.52 238 4.76 34.830 27.59 215 4.11 34.660 27.53 250 4.57 34.780 27.57 235 4.21 34.750 27.59 300 4.36 34.880 27.67 270 4.22 34.780 27.59 400 4.41 34.880 27.67 300 4.33 34.850 27.65 500 4.23 34.780 27.67 300 4.33 34.850 27.65 500 4.20 34.850 27.66 500 4.39 34.850 27.67 317 4.40 34.850 27.66 500 4.36 34.880 27.67 317 4.40 34.850 27.66 500 4.36 34.880 27.67 500 4.42 34.880 27.66 500 4.27 34.880 27.68 400 4.41 34.880 27.67 500 4.42 34.880 27.66 500 4.31 34.890 27.68 400 4.41 34.880 27.67 500 4.42 34.880 27.66 500 4.31 34.890 27.70 500 4.42 34.890 27.68 600 4.27 34.890 27.68 600 4.27 34.890 27.68 600 4.27 34.890 27.68 600 4.27 34.890 27.68 600 4.27 34.890 27.68 600 4.27 34.890 27.70 900 3.92 34.890 27.70 900 3.92 34.890 27.72 900 3.92 34.890 27.72 900 3.92 34.890 27.72 900 3.92 34.890 27.72 900 3.92 34.890 27.75 900 3.92 34.890 27.76 900 27.75 900 3.82 34.890 27.76 900 27.75 900 3.82 34.890 27.76 900 27.75 900 3.82 34.	•											•										
. 150 4.25 34.440 27.34 . 112 2.87 34.110 27.21 160 3.81 34.450 27.39 . 125 2.57 34.140 27.26 . 170 4.40 34.610 27.46 . 150 2.78 34.350 27.41 . 182 4.33 34.610 27.46 . 150 2.78 34.350 27.41 . 182 4.33 34.610 27.46 . 193 4.47 34.710 27.53 . 190 4.39 34.600 27.45 . 200 4.38 34.700 27.53 . 200 4.38 34.700 27.53 . 200 4.38 34.700 27.53 . 250 4.35 34.680 27.52 . 238 4.76 34.830 27.59 . 215 4.11 34.660 27.53 . 250 4.57 34.780 27.57 . 235 4.21 34.750 27.59 . 300 4.36 34.820 27.63 . 250 4.22 34.760 27.59 . 400 4.41 34.880 27.67 . 270 4.22 34.780 27.61 . 460 4.42 34.880 27.67 . 270 4.22 34.780 27.63 . 460 4.42 34.880 27.67 . 317 4.40 34.850 27.63 . 463 4.36 34.880 27.65 . 500 4.36 34.880 27.65 . 500 4.36 34.880 27.68 . 400 4.45 34.880 27.65 . 500 4.36 34.880 27.68 . 400 4.45 34.880 27.66 . 600 4.21 34.890 27.70 . 500 4.42 34.880 27.68 . 700 4.09 34.900 27.72 . 600 4.27 34.870 27.68 . 700 4.09 34.900 27.72 . 600 4.27 34.880 27.68 . 700 4.09 34.900 27.72 . 700 4.01 34.890 27.70 . 700 4.01 34.890 27.70 . 700 4.01 34.800 27.70 . 700 4.01 34.890 27.70 . 700 3.82 34.910 27.76 . 700 4.01 34.890 27.70 . 700 3.82 34.910 27.76 . 939 3.87 34.890 27.72 . 1000 3.82 34.910 27.76 . 939 3.87 34.900 27.75 . 1000 3.82 34.910 27.76 . 939 3.87 34.900 27.75 . 1000 3.82 34.910 27.76 . 939 3.87 34.900 27.75 . 1000 3.82 34.910 27.75	•											•										
160 3.81 34.450 27.39 125 2.57 34.140 27.26 170 4.40 34.610 27.46 150 2.78 34.350 27.41 182 4.33 34.610 27.46 193 4.47 34.710 27.53 190 4.39 34.600 27.45 200 4.38 34.700 27.53 200 4.35 34.680 27.52 238 4.76 34.830 27.59 215 4.11 34.660 27.53 250 4.57 34.830 27.57 235 4.21 34.750 27.59 300 4.36 34.820 27.63 270 4.22 34.760 27.59 400 4.41 34.880 27.67 270 4.22 34.780 27.61 460 4.42 34.880 27.67 270 4.22 34.780 27.65 500 4.36 34.880 27.67 317 4.40 34.880 27.65 500 4.36 34.890 27.72 40	•											•										
170 4.40 34.610 27.46 150 2.78 34.350 27.41 182 4.33 34.610 27.46 193 4.47 34.710 27.53 190 4.39 34.600 27.45 200 4.38 34.700 27.53 200 4.35 34.660 27.52 238 4.76 34.780 27.57 215 4.11 34.660 27.53 250 4.57 34.780 27.57 235 4.21 34.750 27.59 300 4.36 34.820 27.63 270 4.22 34.760 27.59 400 4.41 34.880 27.67 270 4.22 34.780 27.63 460 4.42 34.880 27.67 270 4.23 34.780 27.63 463 4.34 34.880 27.67 317 4.40 34.850 27.65 500 4.36 34.890 27.70 400 4.42 34.890 27.68 700 4.09 34.900 27.72 50																						
. 190 4.39 34.600 27.45 . 200 4.38 34.700 27.53 . 200 4.38 34.700 27.53 . 200 4.35 34.680 27.52 . 238 4.76 34.830 27.59 . 215 4.11 34.660 27.53 . 250 4.57 34.780 27.57 . 235 4.21 34.750 27.59 . 300 4.36 34.820 27.63 . 250 4.22 34.760 27.59 . 300 4.41 34.880 27.67 . 270 4.22 34.780 27.61 . 460 4.42 34.880 27.67 . 300 4.33 34.820 27.63 . 463 4.36 34.880 27.67 . 317 4.40 34.850 27.65 . 500 4.36 34.890 27.65 . 500 4.36 34.890 27.66 . 600 4.21 34.890 27.70 . 500 4.42 34.890 27.68 . 700 4.09 34.900 27.72 . 600 4.27 34.870 27.68 . 800 4.01 34.890 27.68 . 800 4.02 34.900 27.73 . 800 4.01 34.890 27.70 . 900 3.92 34.890 27.72 . 1000 3.82 34.910 27.75 . 900 3.92 34.890 27.73 . 1030 3.82 34.910 27.76 . 931 3.81 34.900 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 34.810 27.75 . 931 3																						
200 4.35 34.680 27.52 23R 4.76 34.830 27.59 215 4.11 34.660 27.53 250 4.57 34.780 27.57 235 4.21 34.750 27.59 300 4.36 34.820 27.63 250 4.22 34.760 27.59 400 4.41 34.880 27.67 270 4.22 34.780 27.61 460 4.42 34.880 27.67 270 4.22 34.780 27.63 463 4.36 34.880 27.67 270 4.22 34.780 27.65 500 4.36 34.880 27.67 270 4.22 34.880 27.65 500 4.36 34.880 27.67 270 4.21 34.890 27.65 500 4.36 34.890 27.70 270 4.40 34.850 27.66 600 4.21 34.890 27.70 270 4.22 34.880 27.68 700 4.09 34.900 27.72 270 4.23 34.880 27.68 800 4.02 34.900 27.73 280 4.24 34.880 27.70 900 3.92 34.890 27.70 27.75 900 3.92 34.890 27.72 1000 3.82 34.910 27.76 281 381 34.900 27.74 282 383 34.890 27.75 27.76 939 3.87 34.990 27.75 283 34.890 27.75 284 395 34.890 27.75 285 386 387 34.910 27.76						182		4.33	34.6	10	27.46						193		4.47	34	.710	27.53
. 215 4.11 34.660 27.53 . 250 4.57 34.780 27.57 . 235 4.21 34.750 27.59 . 300 4.36 34.820 27.63 . 250 4.22 34.760 27.59 . 400 4.41 34.880 27.67 . 270 4.22 34.780 27.61 . 460 4.42 34.880 27.67 . 300 4.33 34.820 27.63 . 463 4.36 34.880 27.67 . 317 4.40 34.850 27.65 . 500 4.36 34.880 27.66 . 317 4.40 34.850 27.65 . 500 4.36 34.890 27.68 . 400 4.45 34.880 27.66 . 500 4.36 34.890 27.70 . 500 4.42 34.890 27.68 . 700 4.09 34.900 27.72 . 600 4.27 34.870 27.68 . 800 4.02 34.900 27.72 . 700 4.13 34.880 27.70 . 900 3.92 34.890 27.72 . 900 3.92 34.890 27.72 . 900 3.92 34.890 27.73 . 900 3.92 34.890 27.75 . 900 3.92 34.890 27.75 . 900 3.92 34.890 27.75 . 900 3.92 34.890 27.75 . 900 3.87 34.900 27.75 . 901						190		4.39	34.6	00	27.45						200		4.38	34	.700	27.53
. 235 4.21 34.750 27.59 . 300 4.36 34.820 27.63 250 4.22 34.760 27.59 . 400 4.41 34.880 27.67 270 4.22 34.780 27.61 . 460 4.42 34.880 27.67 300 4.33 34.820 27.63 . 463 4.36 34.880 27.67 317 4.40 34.850 27.65 . 500 4.36 34.890 27.68 400 4.45 34.880 27.66 . 600 4.21 34.890 27.70 500 4.42 34.890 27.68 . 700 4.09 34.900 27.72 600 4.27 34.870 27.68 . 800 4.02 34.900 27.72 700 4.13 34.880 27.70 . 900 3.92 34.910 27.75 900 3.92 34.890 27.72 . 1000 3.82 34.910 27.75 939 3.87 34.900 27.74 961 3.81 34.900 27.75 1000 3.82 34.890 27.75								4.35	34.6	80		•							4.76	34	.830	27.59
. 250 4.22 34.760 27.59 . 400 4.41 34.880 27.67 . 270 4.22 34.780 27.61 . 460 4.42 34.880 27.67 . 300 4.33 34.820 27.63 . 463 4.36 34.880 27.67 . 317 4.40 34.850 27.65 . 500 4.36 34.890 27.68 . 400 4.45 34.880 27.66 . 600 4.21 34.890 27.70 . 500 4.42 34.890 27.68 . 700 4.09 34.900 27.72 . 600 4.27 34.870 27.68 . 800 4.02 34.900 27.73 . 700 4.13 34.880 27.70 . 900 3.92 34.910 27.75 . 900 3.92 34.890 27.72 . 1000 3.82 34.910 27.76 . 961 3.81 34.900 27.74 . 961 3.81 34.900 27.75 . 1000 3.82 34.890 27.75	•											•										
. 270 4.22 34.780 27.61 . 460 4.42 34.880 27.67 . 300 4.33 34.820 27.63 . 463 4.36 34.880 27.67 . 317 4.40 34.850 27.65 . 500 4.36 34.880 27.67 . 400 4.45 34.880 27.66 . 600 4.21 34.890 27.78 . 500 4.42 34.890 27.68 . 700 4.09 34.900 27.72 . 600 4.27 34.870 27.68 . 800 4.02 34.900 27.73 . 700 4.13 34.880 27.70 . 900 3.92 34.90 27.73 . 800 4.01 34.890 27.72 . 1000 3.82 34.910 27.75 . 900 3.92 34.890 27.73 . 1030 3.82 34.910 27.76 . 931 3.87 34.900 27.74 . 932 3.87 34.900 27.75 . 1000 3.82 34.890 27.75	•											•					_				-	
. 300 4.33 34.820 27.63 . 463 4.36 34.880 27.67 . 317 4.40 34.850 27.65 . 500 4.36 34.890 27.68 . 400 4.45 34.880 27.66 . 600 4.21 34.890 27.70 . 500 4.42 34.890 27.68 . 700 4.09 34.900 27.72 . 600 4.27 34.870 27.68 . 800 4.02 34.900 27.73 . 700 4.13 34.880 27.70 . 900 3.92 34.910 27.73 . 800 4.01 34.890 27.72 . 1000 3.82 34.910 27.75 . 900 3.92 34.890 27.73 . 1030 3.80 34.910 27.76 . 939 3.87 34.900 27.74 . 961 3.81 34.900 27.75 . 1000 3.82 34.890 27.75	•											•										
. 317 4.40 34.850 27.65 . 500 4.36 34.890 27.68 400 4.45 34.880 27.66 . 600 4.21 34.890 27.70 500 4.42 34.890 27.68 . 700 4.09 34.900 27.72 600 4.27 34.870 27.68 . 800 4.02 34.900 27.72 700 4.13 34.880 27.70 . 900 3.92 34.910 27.74 800 4.01 34.890 27.72 . 1000 3.82 34.910 27.75 900 3.92 34.890 27.73 . 1030 3.81 34.910 27.75 939 3.87 34.900 27.74 961 3.81 34.900 27.75 1000 3.82 34.890 27.75	•											•										
. 400 4.45 34.880 27.66 . 600 4.21 34.890 27.70 . 500 4.42 34.890 27.68 . 700 4.09 34.900 27.72 . 600 4.27 34.870 27.68 . 800 4.02 34.900 27.73 . 700 4.13 34.880 27.70 . 900 3.92 34.890 27.72 . 1000 3.82 34.910 27.75 . 900 3.92 34.890 27.73 . 1030 3.87 34.910 27.75 . 939 3.87 34.900 27.74 . 939 3.87 34.900 27.74 . 961 3.81 34.900 27.75 . 1000 3.82 34.890 27.75 . 1000 3.82 34.890 27.75	•											•										
. 500 4.42 34.890 27.68 . 700 4.09 34.900 27.72 . 600 4.27 34.870 27.68 . 800 4.02 34.900 27.73 . 700 4.13 34.880 27.70 . 900 3.92 34.890 27.72 . 1000 3.82 34.910 27.74 . 939 3.87 34.900 27.73 . 1030 3.82 34.910 27.75 . 910 3.82 34.890 27.75 . 910 3.87 34.900 27.75 . 1000 3.82 34.890 27.75 . 1000 3.82 34.890 27.75 . 1000 3.82 34.890 27.75	•											•										
. 600 4.27 34.870 27.68	•											•										
. 700 4.13 34.880 27.70 900 3.92 34.910 27.74 . 800 4.01 34.890 27.72 1000 3.82 34.910 27.75 . 900 3.92 34.890 27.73 1030 3.80 34.910 27.76 . 939 3.87 34.900 27.74 . 961 3.81 34.900 27.75 . 1000 3.82 34.890 27.74												•									-	
. 800 4.01 34.890 27.72 1000 3.82 34.910 27.75 900 3.92 34.890 27.73 1030 3.80 34.910 27.76 939 3.87 34.900 27.74 961 3.81 34.900 27.75 1000 3.82 34.890 27.74												•										
. 900 3.92 34.890 27.73 . 1030 3.80 34.910 27.76 . 939 3.87 34.900 27.74 . 961 3.81 34.900 27.75 . 1000 3.82 34.890 27.74												•				1						
. 939 3.87 34.900 27.74 . 961 3.81 34.900 27.75 . 1000 3.82 34.890 27.74						900		3.92	34.8	90	27.73	•										
. 1000 3.82 34.890 27.74										_		•				•	, , ,					
	•																					
. 1010 3.81 34.900 27.75	•																					
	•					1010		3.81	34.9	000	27.75											

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITUI	DE L	, ON	GITUI	DF		CON COM DAY		YEAR		ATION	LATIT	JOE	LON	IG I TU	DE _	MO.	(GM	TIME T) HR.	YEAR		ATION JHBER
48 21.	0N 0	143	30.0	0 W	04	10	05.0	1971	1	0854	48 43	. ON	043	28.	OW	04	10	08.0	1971	1	0855
DEPTH	WAV	/E	ORSE	RVA1	TION!				ดบถ	CODES	DEPTH		WAVE	OBSE	RVAT	ION!				סטם	CODES
TO BOTTOM	01	IR	нат	PFF	R SE		PATHE!	TY	PE	AMT.	TO BOTTO	4	DIR	HGT	PER	SE	4	WE ATHE CODE		PE	AMT.
3374	33	3	1	2			Х6	0		6	3594		23	2	2			X2	0		6
WII	ND			RO-			R TEMP				w	IND			RO- TER			R TEMP EG C			
DIR	SPEED			TER 85)		DRY BULB	WET	VIS CODE		DYN HT	DIR	51	PEED		BS)		DRY BULB	WET			DYN HT
33	10		1	39		03.	03.		9	70.978	29		12	1	02	(03.	03.		9	71.027
MESSEN	GER	CA		1	DEPTI	4	TEMP	SAL		SIG-T	MESSER			ST IO.	D	EPTI	4	TEMP	SAL		SIG-T
TIMF 15.0		N	o.		0		5.74	33.8		26.73	08.0					0 10		6.50	33.9		26.68
00.4					10		5.18 4.53	33.7		26.71 27.00	00.4	4				20		6.56	34.0	00	26.71
•					20		5.99	34.3	50	27.06	•					30		6.58	34.0		26.71
•					30		8.05	34.7		27.09						47		5.76	34.1		26.96
•					47 50		8.22	34.7 34.8	-	27.03 27.16	•					50		6.09	34.1		26.92
:					60		8.55	34.7		27.02	•					75		7.02	34.3		26.90 27.10
					65		8.20	34.8		27.16	:					105		5.96	34.3		27.04
					7.0		8.46	34.8		27.12						125		5.09	34.0		26.95
•					75		7.84	34.8		27.19	•					132		4.46	34.3		27.21
•					85 100		6.29 7.27	34.5		27.16 27.17	•					150		5.39	34.4		27.18
					125		6.35	34.5		27.19						200		5.96 5.57	34.5		27.18
					150		4.80	34.5	80	27.39						215		5.94	34.4		27.17
•					165		4.48	34.4		27.35						230		5.27	34.5		27.31
•					195		6.38	34.9		27.48 27.47	•					240 2 5 0		5.06	34.6		27.40
•					250		5.41	34.8		27.53	:					267		5.79	34.8		27.45
					260		5.39	34 . A		27.54						300		5.24	34.8		27.52
					275		5.59	34.9	20	27.56	•					368		4.69	34.9		27.68
•					300		5.13	34 . A		27.56	•					390 400		4.94	34.8		27.60
4					327 400		4.23	34.7		27.60	•					440		4.91	34.8 34.9		27.62
•					500		4.41	34.8		27.65 27.67						450		4.77	34.8		27.62
					600		4.39	34.8		27.68						500		4.72	34.9	30	27.67
					700		4.21	34.9		27.71	•					600		4.51	34.9		27.70
					800		4.07	34.9		27.73	•					700 800		4.40	34.9		27.72
•					900		4.00	34.9		27.74	•					900		4.15	34.9		27.73
•					1000		3.91 3.89	34.9		27.74						000		4.04	34.9	_	27.77
•	. 1011						3.44	34.9	1 0	27.75						055		3.98	34.9		27.78

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

					STAT	ION (GMT			S.T	ATION	LATIT	IDE.	LOW	GITUD		TATI	ON T			6	TAT	ION
LATIT	UUE	LUN	IG I TUC	*	40.I	DAY		YEAR		MRER		,,,,	2011	01100			AY		YEA		UMB	
48 16	. ON	044	02.0	W	04	10	12.5	1970	1	0856	47 45	. ON	044	48.0	w (14 1	0 1	9.2	197	1	108	57_
DEPTH	\top	MAVE	OBSE	RVAT	IONS			CL	000	CODES	DEPTH	١,	SVA	OBSER	VATI	ONS				CLOU	0 C	ODES
TO MOTTO	<u>.</u>	DIR	нст	PFR	SEA		CODE		PE	AMY.	BOTTO	.	910	нот	PER	SEA	WE	CODE		TYPE	T	AMT.
2387	+	29	1	2	30	-	×1	+-	_	6	0240	-	23	-	3			XI	+	0	+	6
2301		27	<u> </u>	-		4.0				-	0240		23	3 1	•				+	0	+	
W	IND			RO-			TEMP G C				M	OMI	i	BAR	0-		DE	TEMP				
DIR	SPI	EEO		TER 95)		RY	WET			OYN	DIR	SPE	033	HET (HB		DF	lY.	WET	V	15	0	YN
	├				9	BULR	8UL	A COC)E	нт						91	LO	BUL	8 C	300		HT
30	21	0	1.	90	0	14.	04.		9	70.926	26	14	•	23	0	03		02.			970	.950
MESSE			AST	D	EPTH	4	TEMP	SAL		SIG-T	MESSE		CA		DE	PTH		TEMP	5	AL	S	16-7
12.		,	•0•		0		3.05	33.9		27.06	10.		N	0.		0		2.03	33	.690	2	6.94
00.	3				50		2.67	33.	080	27.11	00.					10		2.03		.690		6.94
•					30 40		2.82	34.0		27.13	•	-				30	- 7	2.03	33	.700	2	6.95
•					50		2.62	34.0	000	27.13	•					50		2.03		.720		6.97
•					53 61		2.79	34.	90	27.15						75		1.95		.630		7.05
•					75 95		2.65	34.		27.16	•					100		2.11	34	.220	2	7.17
•					100		2.64	34.	210	27.31	•				1	150	:	3.69		.730		7.45
•					110		3.26 3.45	34 .		27.41	•					165	- (1.19	34	.600	2	7.62
•							3.61	34 .		27.44	•					200		1.29		.810		7.63
•							3.51 3.41	34.	190	27.46	•				•	. 00		****				
•					191		3.90	34.		27.60												
					210		4.08	34.	770	27.62												
•					227 250		4.14	34.		27.63												
•					300		4.42	34.		27.67												
					500		4.45	34.	900	27.58												
					53A 500		4.42	34.		27.58												
					700		4.13	34 .	900	27.71												
	,				900		3.98	34. 34.		27.75 27.75												
•	•				000		3.75	34.		27.77												
	· .					ION		34.					Υ-		1		7 1 0 1	7.146				
LATITU	300	LON	617 UC	E L		(GHT)			ATION	LATI	TUDE	Lo	NGIT	JOE	SIA	(GM	TIME	•		ST	ATION
	\rightarrow			_	MO.	DAY	HR.	YEAR	NU	MBER			-		\dashv	MO.	DAY	HR.	YI	EAR	NU	MRER_
44 38.	ON	049	20.0	W	04	11	55.0	1971	1	0850	44 3	4.0N	04	9 07	.0W	04	11	22.6	5 19	971	1	0859
DEPTH	<u> </u>	SYA	OBSER	RVAT	IONS				Lour	CODES	NEPT	н	WAVE	ORSE	RVA	TION	s			CLO	DUD	CODES
HOTTO	•	OIR	HGT	PER	SEA		CODE		YPE	AMT.	9011		DIF	е не	PE	R SE		MEATE		TYE	DE	AHT.
0050		27	1	2			X4		0	6		-+		+	5	1 30	+				۲	
						ATE	TEMP	,			008	-	24	1	16	+		X1	_		\dashv	6_
W	INO			-05	_		B C			<u> </u>		WIND		8/	RO-			R TEN	IP			
OIR	SPE	03		TER BS1		DRY	WE'			OYN	DIR		PEED		TER		ORY	WE		VIS	T	DYN
					8	BULB	BU	-B CO	DΕ	HT		L'			,,,,,		BULP		JL 9	CODE	Ξ.	HT
27	10)	3	25	(04.	04	•	9	71.139	72		14	1)2A		03.	03			9	71.128
MESSE			ST	0	EPT	+	TEHP	SA	L	516-7	MESS	FNGF	R C	CAST		DEPT	м	TEMP		SAL		SIG-T
71M 21.		,	10.		0		1.67		320	25.87	71	MF		NO.							. 0	
00.					10		1.67	32.	320 320	25.87		. 7				0		1.37		32.49 32.49		26.00
•					15		1.67	32.	320	25.67	0.0					10		1.37	7 :	32.46		26.01
•					20 30		1.65		320 430	25.00		•				20 30		0.98	7 :	32.75	30	26.33
,					40		0.17	32.	650	26.24		•				40 50		0.07		32.82 32.82		26.37
•	•				50		0.19		660	26.25		•				50 54		0.12		32.92		26.38

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

	'111	NOI		11011		10.	01				
LATIT	IOE	LOI	461TUI	OF _		(GM1	TIME ()	,	/EAR		TATTON IMBER
44 32	. 0N	04	8 56.0	n w	04	1.1	23.5	1	97]		10860
DEPTH	T	WAVE	OBSE	PVAT	1045				c	.00	n cones
70 90110	- ٦	DIB	HGT	PER	SEA] '	COD		TY	PE	AMT.
0267	\top	24	1	2		Т	x j		(ī	6
W	IND			RO-		AIA	R TEM	Р			
DIR	SP	EED		TER 95)		RY UL A	WE BUI		C00		DYN MT
22	1	0	3:	2 A	0	3.	0.3	•			971.124
MESSEE TIME 23	4		AST NO.	D	EPTH 02018 0		0.43 0.43 0.43 0.43 0.01 0.01 0.14 0.01 0.17 0.70 0.55 0.08 0.17 0.57 0.66 0.77		32. 32. 32. 32. 32. 32. 33. 33. 33. 33.	780 780 7780 7740 7740 950 950 950 950 950 950 950 950 950 95	26.32 26.32 26.30 26.38 26.30 26.35 26.52 26.52 26.62 26.66 26.68 26.74 26.95 26.95 27.02 27.16 27.19 27.19

											_	
LATIT)DF	נחי	NGITU	DF	5TA	(GM T	TIME } HR.	Y	EAR		TATION
44 29	. ON	04	8 50.	04	04	17	2	01.5	1	971		10861
DEPTH		WAVE	ORSE	RVA	TION	5		EATHE	۵	CL	οu	D CODES
вотто	<u>-</u> ا	DIR	нет	PE	SE	Δ		CODE		TY	PE	AMT.
1811		24	1	5				κ0		n		6_
¥	IND			RO-			ATR OE	TEMP				
DIR	5 P	EED		TER AS)		BUI		WET BUL		V15		DYN
23	1	0	3	28		04	•	03.				971.030
MESSE TIM			AST NO.		DEPT	М		TEMP		SAL		516-1
00.	9				10			0.29		32.7		
00.	4				20			0.65		32.7	60	26.35
					30			0.70		32.7		
					5 0 7 5			0.30		33.5		
:					100			0.45		33.7	10	27.06
					125			1.07		33.8		
					150			1.27		33.9		
•					200			3.90		34.7		
- :					300			4.07		34.7		
					400			4.3R		34 . 8		
•					500			4.46		34.8		
					600 700			4.53		34.9		
٠					A60			4.37		34.9		
					900			4.29		34.9		
					1000			4.23		34.9		
•					1107			4.12		34.9	63(1 61.14

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

			STAT		TIME								STAT		TIME			
LATITUD	IL LO	NGITUDE	MO.I	(GM		YEAR	STATION NUMBER	LATĪTI	JUE	LOF	NG I TU	117)	MO.	DAY	IHR.	YFAR	57 NU	
44 26.0	ON 041	8 28.0W	04	12	02.9	1971	10862	44 23.	.04	041	3 12.	.nw	04	12	04.A	1971	1	0.6
DEPTH	WAVE	ORSERV	ATIONS	1		CL	OUD CODES	DEPTH	W	VAVE	OASE	PVΔ	TIONS	;		CL	מנוס	-
TD POTTON	DIS	HGT P	ERISEA		WEATHE CODE	R TY	PE AHT.	TO ROTTOM	.	DIS	Нет	PE	RSF		WEATHE!		PE	Γ
2975	24	0 2			× 0	n		3293		24	1	2			χn	10		
		·		ΔΙ	R TEMP					_		_	1	4]	R TEMP	1		r
WIN	40	HARO-			EG C			<u>~1</u>	מאו			RO-			EG C			
DIR	SPEED	(MRS	0	RY	WET			DIB	SPE	ED		RS))RY	WET			
			В	ULB	BUL	e con	E HT						-	ลบเ ค	PUL	9 000	E	
3	10	325	0	4.	03.		970.985	23	11]	128	()4.	03.	<u> </u>	9	7
ESSENG		451	DEPTH		TEMP	5AL	51G-T	4E55EN			45T		DEST	4	TEMP	SAL		
714F 02.9		40.	0		0.23	32.8	80 26.41	04.8		,	40.		0		4.03	33.0		
			1.0		0.17	32.9							10		4.03	33.0		
00.3			5.0		0.67	32.9		00.3	3				50		4.03	33.0		- 3
•			30		2.15	33.2		•					30 50		4.03	33.0		
•			50		2.77	33.5		•					87		3.30 6.50	33.4		
•			75 97		2.36	33.8							95		6.73	34.5		
•			100		5.30	34.2							100		6.60	34.5		
			117		3.97	34.3							105		6.85	34.5		
			125		4.25	34.3							110		6.80	34.5	40	
			132		3.82	34.3							112		7.01	34.6		-
•			150		4.77	34.6	40 27.44	•					121		6.58	34.7		
			155		4.90	34.6		•					125		6.80	34.7		- 3
•			173		4.00	34.5		•					135		6.80	34.5		- 3
•			182		4.38	34.6		•					150		6.20 5.65	34.5		
•			200 212		4.13	34.6		•					170		5.72	34.6		- 1
•			250		3.71 4.52	34.5 34.8							180		5.40	34.6		- 7
•			263		4.52	34.7							200		5.40	34.6		
			283		4.23	34.7							250		5.30	34.7		
			300		4.25	34.7							300		4.47	34.7		-
			400		4.42	34.8							325		4.42	34.7		-
			500		4.37	34.9							355		4.65	34.6		-
			600		4.33	34.9		•					375		4.65	34.5		
•			700		4.24	34.9							410		4.52	34.8		- 3
•			908		4 - 11	34.9		•					410		4.60	34.F		-
			800		4.02	34.9		•					500		4.47	34.5		- 1
•			1000		3.9R	34.9							600		4.33	34.5		
			1008		3.97	34.9	20 27.75	•					700		4.15	34.9		- 1
•								•					800		4.05	34.9		
•																		
*																		
:													900		3.99 3.92	34.9	920	

Table 1. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5–13 April 1971, prepared from NODC Listing No. 31–8245.—Continued

LATITUI	DE	FUV	iG I T U	nF	eTr Mn.	(GM	TIME T) HR.	YFAR	1	ATION ARER	LATITO	DF	FUV	161 TUE)F		10N (GM1 DAY		YFA	1 .	TATION JMRER
44 18.	0.4	047	46.	0 W (0.4	12	07.1	1971	10	1864	44 17.	0 N	047	7 30 - 0) W	04	12	08.9	197	1 :	0865
DEPTH	la la	AVF	OPSE	RVAT	ION'	5		CLO	oun	CODES	DEPTH		WAVF	ORSE	VAT	IONS		VE A THE		ะเบบเ	CODES
TO POTTOM		UID	нст	PFR	SE		WEATHE CODE		PE	AMT.	POTTOM	1_	010	нат	PEP	SFA		CODE		TYPE	AMT.
3526		24	1	2			× 1	n		6	3738	_	26	1	2			x ?	_	0	6
						AI	R TEMP				w T	ND			20-			EG C			
WI				RO- TER		n	FG C				OIR	SΡ	EED		TER 95)	1	RY ULB	WET		IS ODE	NYN
UIR	SPE	EĐ	(M	AS)	1	DRY BULB	WET		E	DYN HT	25	0	Я	3	22		8.	07.			271.112
26	1 1		3	2 R		04.	04.		97	1.096	MESSEN			4ST		FPTH		TEMP		L	51G-T
MESSEN	GER		157	DΙ	FPTI	Н	TEMP	SAL		51G-T	T14F			NO.		0		6.30		.540	26.38
714F 07.1		٨	10.		n		5.08	32.96		26.07	00.3	1				2 n		7.90 8.22	34	.060 .080	26.57 26.54
00.1					20		5.08 5.08	32.96		26.07	•					31 35		9.28	34	.400	26.67 26.59
•					30 35		5.08 5.08	32.96		26.07	•					50 72		11.73	35	.2A0	26.86 26.85
					50 72		7.19	33.9°		26.57	•					75		11.65 10.95 11.13	35	.090 .050	26.74 26.84 26.89
•					75 83		9.92	34.84		26.84	•					100		9.AR	34	.900	26.91
•					91		9.99 9.78	34.91 34.82	10	26.90 26.87	•					145 150 170		6.75 9.10 9.97	34	.890 .040	27.04
•					100		9.97	34.96	60	26.95	:					175		9.48 9.82	34	.980	27.04
•					125		9.52	35.00 34.80	60	26.98	•					200		9.54	35	.020	27.06
•					148 150		7.87 7.98	34.81 34.88	90	27.18	•					255 265		6.77	34	.700	27.24
•					157 182		8.23 7.27	34.81 34.71	30	27.13	•					275		6.74	34	.800 .680	27.32
•					200		7.25 7.47	34.89		27.29						31 n		5.69	34	.680 .760	27.36
•					250 300		5.73 5.47	34.62		27.31						355 372		5.47 6.19	34	.781 .920	27.49
					321 345		5.74 5.54	34.84		27.48						400 408		5.45 5.21	34	.830	27.52
•					361 400		5.64 5.37	34.87	20	27.48 27.58						461 500		5.59 5.54	34	.950	27.60
•	•				500		4.95 5.05	34.98	20	27.64	•					559 600		4.96 5.00	34	.920	27.68
•					500 700		4.95	34.96	50	27.67	•					612 700		5.15	34	.950	27.71
•				Å	900		4.47	34.97	50	27.71	•					900 940		4.24	34	.920	27.73
•	•						4.32	34.90	9.0	27.74 27.77						900		4.15	34	930	27.76
•	•						4.32	34.90	9.0	27.77					1	1018		4.00	32	.920	27.74

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

1 4 7 7 7 7	ine	1.0	vetti		STATI							LATIT	100		16] TH			IUN.	TIME			17701
[AT [T)	(LI)F	'''	4(+1 ++			DAY		YFAD		WEED WILUM		(0111.	11.15	F.11	1111) A Y		YFAR		MALHUM
44 14	. O N	044	5 5 A .	nw	04 1	7	11.7	1971	1	በዶለለ		44 03.	. 0 \	046	14.) W (14	12	16.1	1971	1	0867
			Once		1045			1	÷			OFPTH		WAVE	0000	DVAT	LONE	Т		1 0	OUD	CODES
HTG3U TO	L	WAVE	1	PAVI	[045	W	FATHER	Lu.		CODES		TΩ	-				1	↲ ,	WEATHE	₽ ├──		
POTTOS	4	DIB	HGT	PER	SFA		COBE	TYF	PF	ΔM T .		POTTOS	4	016	нат	PFP	SFA	\perp	COOF	۲	YPF	AMT.
3904		26	1	2_			x 2	0		6		3859		26			n		x 4		n	6
							TEMP												R TEMP			
	140			RO-		Ŋ۶	G C		_		_		INL	1		PN= TFR		n l	FG C		_	
UIB	ς ρ	FED		195)	DB		WET	VIS		DYN		Ulb	5	SPEED		95)	-	RY	WET	VI		DYN
-			-		HU	IL R	HULA	CODE	+	нт	-						8	JLP	BUL	B CO	10	HT.
27	0	Я	1	28	0.8		07.		9.	71.142	_	26		18	3,	??	0.	Α.	08.		٩	71.117
MESSEN			151	n	FPTH		TEMP	5AL		51G-T		15.	1				n 1 n		5.62	32. 32.		25.87 25.87
11us		,	10.		n		7.62	33.82	20	26.42		00.	>				50		5.32	32.		25.87
					10		7.69	33.91		26.48							30		4.93	32.		26.03
00.4	•				20		7.82	33.92		26.47							50		3.96	33.		26.22
•					27		7.89	34.13		26.63		*					61		4.43 3.74	33. 33.		26.45
					30 39		A.AA 9.49	34.41		26.50							67		4.10	33.		26.46
					51		1.35	35.14		26.84							75		3.73	33.		26.74
					75		2.00	35.22		26.78							84		4.32	33.		26.70
					100	1	3.12	35.56	0	26.82							94		3.53	33.		26.89
					117		3.11	35.55		26.81		•					100 110		4.13	33. 33.		26.89
•					125 150		2.95 2.39	35.52		26.82							125		4.41	34.		27.04
•					200		2.19 9.68	35.46		26.89							132		4.23	34.		27.13
					209		9.58	35.09		27.11							143		5.37	34.		27.08
					23R		0.07	35.19		27.11		•					150		5.35	34.		27.09
•					250		9.70	35.13		27.12							160 200		4.82	34. 34.		27.16
•					277		A.73	35.07		27.24		:					240		5.14	34 .		27.31
•					285 300		8.90 8.15	35.07		27.21							25 n		6.21	34.		27.38
:					310		8.06	34.99		27.21							255		6.25	34.		27.32
					120		A.13	35.00		27.27							285		4.65	34.		27.35
					377		5.59	34.82		27.48		•					300		5.22	34. 34.		27.44
•					195		6.65	34.94		27.44							317 343		6.00 4.95	34.		27.45
*					0.0		5.68	34.76		27.42		:					355		5.25	34.		27.49
					+16 •23		5.42 5.69	34.AA		27.55							3 A A		5.02	34.	780	27.52
					30		5.30	34.84		27.53							393		5.06	34.		27.55
					35		5.59	34.83		27.49							400		4.96	34.		27.53
•					443		5.09	34.A7		27.58		•					420 445		4.82 5.15	34. 34.		27.55
•					64		5.67	34.89		27.53							490		5.16	34.		27.61
•					500 500		5.46 5.03	34.95		27.60							500		5.35	34		27.64
					525		4.95	34.95		27.65							520		5.48	34.		27.63
					45		5.09	34.98		27.67							500		5.10	34.		27.65
					00		4.77	34.95		27.68							700 400		4.50	34.		27.69
					100	4	4.63	34.95		27.70							900		4.49	34.	950	27.72
•					130		4.32	34.93		27.72							100		4.10	34.		27.75
					168		37	34.94		27.72							130		4.10	34.		27.75
•					900 900		4.20 4.29	34.93		27.73												
					105		.29	34.96		27.74												

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITUOF	LON	GITU	DF.		(GM				MOITAT	•	LATITU	DF	LON	iG I TUI	DF L	STA	(G
			_	м0.	DAY	но.	YEAR	NI	JMRER			_				un.	OA
42 19.04	047	11.	ow	04	13	02.4	1971	1	0868		42 35.0	ואם	047	47.	ow	04	13
1	VAVE	ORSE	PVAI	TIONS				our	CODES		DEPTH	W	AVF	OASE	RVAT	104	s
AOTTOM	efd	нат	BER	SEA		WE 4 THE CODE		PE	AMT.		TO BOTTOM	(aIc.	HGT	ÞΕΒ	5F	Α
3996	0.0			0		× 0	0		6		3566	1	12	0	2		\top
MIND			90-			R TEMP					w11	۷D			PO-		Δ
DIR SPE	ED		TFA 95)	1 .	RY JULA	WET			DYN		nia	SPFE	0		TER 95)		DRY 8UL
23 04		3	18	1	0.	08.			971.054		13	06		2'	95		12.
02.4				0 100 20 30 30 30 30 30 30 30 30 30 30 30 30 30		6.91 6.772 7.055 6.159 7.273 7.300 9.000 9.005 5.705 5.449 5.367 5.447 5.367 5.410 5.219 4.830 4.200 4.000	33 - 7 33 - 7 33 - 7 34 - 7	390 370 370 370 370 370 370 370 370 370 37	26.08 26.30 26.31 26.30 26.64 27.06 27.06 27.06 27.13 27.13 27.13 27.10 27.22 27.34 27.36 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.51 27.53		MESSFN(TIMF 05.5 00.4	H H		ST 100.		EPT 0 10 20 30 55 56 57 80 89 910 10 12 50 11 12 50 11 12 50 11 12 12 12 12 12 12 12 12 12 12 12 12	

LATITUE	F	LON	IG I TU	DF _	STA:		(641 (641	TIME	١	FAR			ATION
42 35.0)N	047	7 47.	nw	04		13	05.6	1	971		10	0869
DEPTH	,	V AVF	NASFI	RVAT	104	s				CL	.ot)D	CODES
TO BOTTOM		DIB	HGT	₽E F	5E	Ą	٧	CODI		TY	PE	-	AMT.
3566		12	0	2				x 0		0	1	1	6
win	1D			PO-			A [F	C C	0				
nie	SPF	Εņ		95)			JLA JLA	WE'		V15			OYN HT
13	06	5	2.0	95		1 2	2.	10.				91	71.054
MESSENG	ER		IST 10.	C	EPT	4		TEMP		5 AL			51G - 1
05.5					00 100 300 505 505 655 75 655 75 80 89 91 102 210 1170 1170 1170 1170 1170 1170			6.17 5.64 6.17		32.8832.8132.8333.533.5333.5333.5333.5333.5333.533	100 400 400 400 400 400 400 400 400 400		25.83 25.87 26.05 26.05 26.67 26.84 27.02 26.97 27.03 27.05 27.10 27.15 27.37 27.33 27.44 27.37 27.36 27.53 27.45 27.53 27.53 27.66 27.53 27.66 27.66 27.73 27.74 27.76 27.77 27.77

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

Latitude																				
Depty Service Depty Service Depty Service Depty Service Depty Service Depty De	LATITU	DE	LOW	611006	<u></u>	(84	T)	YEAR			LATITUD	E L	04617	UĐ€		(GM 1	()	YEAR		
STOTOM CIST MEXICAL COST CO	42 54.	9N .	046	19.04	94	13	89.7	1971	100	670	43 02.0	N 0	40 33	.04	04	13	11.7	1971	1	0071
SOLITION DIA MIT PER SEC COOK TYPE ANY		T	IAVE	085ERV	ATION			a	000	C00E3		WAV	€ 005	ERVA	TIONS			CI	.000	CODES
		\vdash	OIR	H67 P	EN SE			71	rPE	AHT.		01	R NG	TPE	R SEA	1 '			PE	AHT.
Section Sect	3197	+	00		0	+	X0	١,	,	6	2749	11			0		н 0	1	,	6
DIR SPEED SPEED SPEE				8480							WIN	10		490-						
19	_	_	750	METE	* 	_	_	UT.					⊣ *	ETER	04		T	U7.	. T	AVN
11.7 1.0 1.0 27	01-	SPE		(1403								3, 220	Τ,	m037						
89, A 29 0.5 33.778 77.68	10		•	291		١٠.	00.		97	1.044	11	09		284	09	٠.	09.		9	71.076
LATITUDE LONGITUDE STATION TEAP STATION TEAP STATION TO STATION					10 20 48 50 62 73 75 100 110 110 120 205 220 250 250 600 600 600 1000		5.65 5.55 3.24 2.65 2.65 2.65 2.50 3.82 9.82 9.82 9.82 9.82 9.82 9.82 9.82 9	38.0 38.0 37.0 37.0 37.0 37.0 37.0 37.0 37.0 34.0 34.0 34.0 34.0 34.0 34.0 34.0 34	710	25.81 26.80 26.32 26.45 26.45 26.45 27.75 27.63 27.27.63 27.27.40 27.27.53 27.53 27.53 27.75 27.76 27.76 27.76 27.76	•			1	10 20 30 50 66 75 99 100 120 125 220 224 225 226 230 235 200 226 236 230 240 250 260 260 260 260 260 260 260 260 260 26		5.39 5.07 3.27 2.60 3.19 3.30 6.24 6.37 5.30 5.30 5.30 5.30 6.30	32 - 6 32 - 6 33 - 6 33 - 6 33 - 7 34 - 1 34 - 6 34	000 000 000 000 050 050 050 050 050 050	25.02 26.13 26.71 26.72 26.87 26.89 26.92 27.12 27.20 27.20 27.27 27.35 27.40 27.50 27.50 27.61 27.50 27.61 27.69 27.69 27.73
LATITUDE LONGITUDE STATION TIME (BRIT) PURA STATION MUMBER STATION MU											LATITUDE	Lo	W6 I T U	Oε [OHT		YEAR		
LONG																~' '	.		,	-0C =
BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOTTON BOT		_	_		1 erar	704	V 1 mm l				43 13,04	04	• •••	0 W	04 1	-	\rightarrow		⊢	
VAME OBSERVATIONS VAME OBSERVATIONS VAME OF VAME	LATITU	90E	LOW	617U0€	<u></u>	CONT	الت				DEPTH					,	15.0	1971	10	0073
BOTTOW OIR MOT PCR SEA CODE TYPE ANT. DIR SPEED CMS5 DRY MET VIS DIR MET					MO.	DAY	HIR.	YEAR	HUMBÉ	•	DEPTH TO	WAVE	0058	RVAT	IONS	,	EATHE	1971 CL	000	CODES
Part	43 84. DEPTH	9 N	648	46.64	MO.	DAY 13	13.9	1671	1607	2	DEPTH TO BOTTOM	WAVE	0058	RVAT	IONS	,	EATHE CODE	1971 CL	OUO PE	CODES
Name	43 84. DEPTH TO	•••	648	48.EV	HO. E4	DAY 13	13.9 EATMER	TEAR 1671 CLO	1607 UD CO	2	DEPTH TO BOTTOM	DIB	Her	PER	TOMS SEA	3 1 W	EATHE CODE X4	1971 CL	OUO PE	CODES
OIR SPECO CHS1 ORY SUE OVH OUR O	43 84. DEPTH TO BOTTON	•n	648 VAVE	48.EV OBSERV	HO. E4	DAY 13	13.9 EATHER CODE	TEAR 1871 CLO	1607 UD CO	2 065 HT.	0297N TO BOTTOM 1029	DIM	MOT MOT	PER PER TER	IONS SEA	a In DE	EATME COOE X4 TEMP	1971 CL TT	DUO PE	C00E5
10 10 10 10 10 10 10 10	43 84. DEPTH TO BOTTON 2174	6N	648 VAVE	48.EV OBSERV HGT PI 0 2	HO. E4 TIONS	DAY 13	HR. 13.9 EATMER CODE R4 TEMP	TEAR 1871 CLO	1607 UD CO	2 065 HT.	0297N TO BOTTOM 1029	DIM	MOT MOT	PER PER TER	IONS SEA A	a In DEC	EATMET CODE	1971 CL TT	DUO PE	CODES ANT.
18	43 be. DEPTH TO BOTTON 2174	en V	646 018	46.EV OBSERVI HGT PI 0 2 BAROMETEI	MO. E4 TTOMS	A18	HR. 13.9 EATHER CODE RA TEMP	TEAR 1871 CLO	1607 UD CO E A	0E5	0EPTN TO SOTTOM 1029 WIND 0IR SI	DIR	NOT	PER PER RO- TER (85)	TONS SEA A DR	a In DEC	EATHE CODE X4 TEMP C UET	1971 CL TT 6	DUD PE	CODES ANT. 6 DYN HT
MESSAMER CAST DEPTN TEMP SAL S10-T	43 be. DEPTH TO BOTTON 2174	en V	646 018	46.EV OBSERVI HGT PI 0 2 BAROMETEI	HO. E6 ATTOMS	AIR OE	HR. 13.9 EATMER CODE RA TEMP 0 C	TEAR 1871 CLO TYP 0	1607 UO CO E A	0E5 HT. 6	DEPTN TO BOTTOM 1029 WINO DIR SI	DIR	NOT	PER PER RO- TER (85)	DR BU	a In DEC	TEMP CODE X4 TEMP C WET BUL 11.04	1971 CL TY 6	1(0U0 PE 91	DYN HT 70.980 26.42 26.49
14-1	HE DEPTH TO BOTTON 2174	HO SPE	EEO EEO	46.EV OBSERV HGT PI 6 2 BAROMETE	MO. B6	A18 OE	HR. 13.9 EATNER CODE RA TEMP C C WET BULE	TEAR 1871 CLO TYP 0	1607 UD CO	0E5 HT. 6	DEPTN TO SO	DIR	NOT	PER PER RO- TER (85)	DR BUI	a In DEC	TEMP C WET BULL	1971 CL TT 6 V15 C00	1(000 PE 91	DYN HT 70.988
\$4.4	43 ba. DEPTH TO BOTTOM 21YA VI OIR 12	NO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	HO. E4	A18 OE	EATMER CODE RA TEMP 0 C WET BULB 18.	YEAR 1671 CLO TYP 0 WIS COOE	1607 UD CO E A OYI 971.	005 MT. 6	DEPTN TO SO	DIR	NOT	PER PER RO- TER (85)	DR BUI	a In OEC	TEMP TEMP TEMP TEMP TEMP TEMP TEMP TEMP	1971 CL TT 6 V15 C00	10000 PE 91	DYN HT 70.980 26.42 26.49 26.58 26.58
18	43 ba. 0EPTH 70 80170N 2174 VI 018 12 MESSEW 71 NC	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	NO. BE ATTOMS SEA SEA DEPTH	AIR DE	#R. 13.9 EATHER CODE R4 TEMP 0 C WET BULB 18. TEMP 5.07	YEAR 1671 CLO TYP 0 VIS CODE 5AL 32.66	0 OY H	9 2 0E5 MT. 6 6 MT. 6 6 MT. 7 630 6-7 .91	DEPTN TO SO	DIR	NOT	PER PER RO- TER (85)	DR BUI 11 6 10 20 30 30 56	a In DEC	TEMP TEMP TEMP TEMP TEMP TEMP TEMP TEMP	1971 CL TT 6 22.9 32.9 32.9 33.1 33.6 33.6	10 0UO PE 99 99 99 99 90 90 90 90 90 90	DYN MT 70.980 26.69 27.00 28.69 27.00 28.69 28.69 27.00 28.69 28.69 27.00 28.60 27.00 28.00 27.0
75 3.2 33.6 26 4.6 27.2 155 4.16 34.90 27.51 155 4.16 34.90 27.62 156 4.2 34.50 27.62 155 4.16 34.90 27.62 156 4.2 34.6 34.9 27.6 27.6 27.6 27.6 27.6 27.6 27.6 27.6	43 be. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	MO. B6 ATIONS EM SEA DEPTH 16 26	AIRY ULB	TEMP CODE 13.9 EATMER CODE R4 TEMP C WET BULB 18. 7EMP 5.25 5.14	YEAR 1671 CLO TYP 0	0 O O O O O O O O O O O O O O O O O O O	9 0E5 MT. 6	DEPTN TO SO	DIR	NOT	PER	DR BUI	a In DEC	TEMP C WET BUL! 11.00 1.00 0.62 0.58 0.71 0.01 0.20 0.84	1971 CL TY 6 V15 C00 32.9 32.9 33.0 33.6 33.6 33.6	10 0U0 PE 91 95 95 95 95 95 95 95 95 95 95 95 95 95	DYN HT 70.980 26.42 26.49 26.69 27.00 26.90 27.00
125 9.57 34.526 27.25 160 4.01 34.510 27.45 156 4.29 34.496 27.38 170 6.97 34.696 27.45 169 4.22 34.496 27.38 170 6.97 34.696 27.45 169 4.22 34.496 27.38 170 6.97 34.696 27.45 195 5.87 34.678 27.43 286 4.98 34.688 27.44 287 4.98 34.688 27.44 287 4.98 34.688 27.44 288 4.98 34.758 27.59 289 4.98 34.758 27.59 280 4.97 34.688 27.45 281 2.88 2.88 2.88 2.88 2.88 2.88 2.88 2	43 be. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AIR DE	#R. 13.9 EATHER CODE RA TEMP 0 C WET BULB 18. 7EMP 5.07 5.25 5.14 4.54 4.53 3.72	YEAR 1671 CLO 7YP 0	00 CO E A OT1. 51 E 25 E 25 E 26 E 26	0E5 MT. 6 MT. 6 6 0-7 .91 .97 .90 .15	DEPTN TO SO	DIR	NOT	PER	DR BUI 11 0 10 20 30 39 50 64 75 108 125	A IN DEC	TEMP B C WET BUL! 11.04 0.40 0.40 0.50 0.71 0.01 0.02 0.20 0.30 0.30 0.30	1971 CL TY 6 22.9 32.9 32.9 33.0 33.6 33.6 33.6 33.6 33.6 33.6 33.6	10000 PE 91 91 91 91 91 91 91 91 91 91 91 91 91 9	DYN HT 70.980 26.42 26.49 26.58 26.69 27.09 26.99 26.99 27.27 27.27
150	43 be. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	0 0 8 SEA DEPTH	AIR DE	HR. 13.9 EATHER CODE RA TEMP 9 C WET BULB 18. 7EMP 5.25 5.14 4.54 3.72 3.19	YEAR 1671 CLO 7YP 0 VIS CODE 5AL 32.65 32.65 32.65 32.65 33.36 33.56 33.56	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 2 0055 MT. 6 6 7 .91 .97 .98 .49 .75 .49 .75 .49 .78 .49	DEPTN TO SO	DIR	NOT	PER	TOMS SEA R DR BMI 11 6 10 20 30 30 30 55 66 64 100 125 1140 1250 1450	a In OE:	EATME COOP X4 TEMP B C WET BULL 11	1971 CL TY 6 VIS COO 32.9 33.9 33.0 33.6 33.6 33.6 33.6 33.6 33.6 33.6	10000 PE 91 90 90 90 90 90 90 90 90 90 90 90 90 90	DYN HT 70.980 26.42 26.42 26.69 27.00 26.69 27.00 27.00 27.37 27.37 27.37
195	43 be. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	0 SEA	AIR OE	HR. 13.9 EATMER CODE R4 TEMP 0 C WET BULS 18. TEMP 5.97 5.25 5.14 3.72 3.16 3.24 4.64 9.57	YEAR 1671 CLO 7YP 0 15 COOE 5AL 32.66 32.65 32.65 33.36 33.46 33.46 34.34 34.52	071. 071. 071. 071. 071.	8 2 0E5 MT. 6 6 7 . 91 . 97 . 98 . 49 25 25	DEPTN TO SO	DIR	NOT	PER	TONS 5EA 8 11 11 6 10 20 30 56 64 75 125 140 150 155 140	a In DEC	TEMP B C TEM	1971 CL YY 6 6 Y15 3 COO 32, 9 33, 0 33, 0 33, 0 33, 0 33, 0 34, 4 34, 5	10 0UO 0UO PE 99 99 68 88 88 88 88 88 88 88 88 88 88 88 88	DYN MT 70.980 26.42 26.42 26.49 26.69 27.09 27.19 27.37 27.38 27.37 27.36 27.37 27.36
256 4.02 34.72 27.52	43 be. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	0 8 1 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AIR OE	TEMP 0 C WET BUL 8 18. TEMP 5.07 5.25 5.14 4.34 3.72 3.16 3.2 4.64 7.4 4.22	YEAR 1671 CLO TYP 0 VIS COOE 32.05 32.05 33.36 3	NUMBE 1607	9 0055 MT. 6 6 007 007 007 007 007 007 007 007 007 007	DEPTN TO SO	DIR	NOT	PER	TONS SEA R DR BUI 11 6 10 20 30 30 30 56 64 73 100 125 100 125 100 1150 1150 1170	a In OEC	TEMP B C WET BUL! 11.04 0.40 0.50 0.20 0.84 2.02 0.84 4.16 4.16	1971 CL TY 6 32.9 32.9 32.3 32.3 33.0 33.0 33.0 33.0 34.0 3	10 OUD	DYN MT 70.900 26.42 26.42 26.69 26.69 27.00 27.00 27.37 27.37 27.37 27.41 27.37 27.42 27.42
343 4.77 34,866 27.61 200 200 200 200 200 200 200 200 200 20	43 be. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	0 84	AIR OE	TEMP 0 TE	YEAR 1071 CLO 7VP 0 VIS COOE 22.050 33.350 33.550 33.450 34.450 34.661	NUMBE 1607	8 2 2 0055 MT, 6 6 7 7 939 0 -7 1 939 0 -7 1 939 1 94 1 95 1 95 1 95 1 95 1 95 1 95 1 9	DEPTN TO SO	DIR	NOT	PER	TONS SEA R DR BUI 11 6 10 20 30 56 64 75 100 125 100 170 1100 170 1100 170 1100 170	a In DEC	TEMP B C WET BULL 11.04 0.40 0.50 0.71 0.20 0.50 0.71 0.20 0.50 0.50 0.50 0.50 0.50 0.50 0.50	1971 CL TY 6 8 32.9 32.9 32.9 33.0 33.0 33.0 33.0 34.1 34.4 34.9 34.9 34.9 34.9 34.9 34.9 34.9 34.9 34.9 34.9 34.9 34.9 34.9 34.9 35.0 36.0	10000 PFE 9: 9: 9: 9: 9: 9: 9: 9: 9: 9: 9: 9: 9:	DYN MT 70.980 26.42 26.42 26.69 27.00 28.99 27.19 27.27 27.37 27.37 27.42 27.45 27.47 27.47
- 400 4.61 34.900 27.65 - 988 4.54 34.918 27.66 - 988 4.54 34.918 27.68 - 600 4.59 34.910 27.67 - 786 4.20 34.918 27.72 - 600 4.59 34.930 27.72 - 600 4.20 34.930 27.73 - 600 4.20 34.930 27.73 - 600 4.20 34.930 27.73 - 600 4.20 34.930 27.73 - 600 4.20 34.930 27.73 - 600 4.20 34.930 27.73 - 600 4.20 34.930 27.73 - 600 4.20 34.930 27.73 - 600 4.20 34.930 27.73 - 600 4.20 34.930 27.73 - 600 3.90 34.930 27.75 - 600 3.90 34.930 27.75 - 600 3.90 34.930 27.75 - 600 3.90 34.930 27.75	43 be. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	000 100 100 100 100 100 100 100 100 100	AIR DE	13.9 13.9 13.9 26 ATMER COOK 184 1EWP 90 C 184 18. 7EWP 5.97 5.25 5.14 4.50 4.50 4.40 4.40 4.40	YEAR 1871 CLO 7YP 0 0 0 VIS COOC 1874 1874 1874 1874 1874 1874 1874 1874	OT HUMBE 1607	8 2 CC5 MT. 6 6 MT. 7 7 7 936 6-7 91 6-7 91 6-8 92 6-8 6-3 6-8 6-3 6-8 6-5 6-5 6-5 6-5 6-5 6-5 6-5 6-5 6-5 6-5	DEPTN TO SO	DIR	NOT	PER	TONS SEA R DR BUI 11 6 10 20 30 56 64 75 140 150 150 170 110 100 200 200 200 200 200 200 200 20	ain DEC	19.0 EATME COOK YEMP B C MET BULL 11.0 0.40 0.40 0.40 0.58 0.71 0.20 0.80 0.71 0.20 0.80 0.4	1971 CL TT 6 6 12.9 32.9 33.6 33.6 33.6 33.6 33.6 34.6 34.6 34.7	10 OUO PE 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	DYN HT 70.980 26.42 26.42 26.50 26.50 27.13 27.27 27.37 27.37 27.37 27.45 27.45 27.45 27.47 27.50 27.50
602 442 34-910 27-100 600 6-60 34-930 27-70 786 6-20 34-930 27-70 786 6-20 34-930 27-72 789 6-20 34-930 27-72 789 6-20 34-930 27-73 789 6-20 34-930 27-73 789	43 00. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AIR OE	13.9 EATMER COOP IN TEMP 0 C COOP IN TEMP 0 C C COOP IN TEMP 0 C C C C C C C C C C C C C C C C C C	YEAR 1071 CLO 7YP 0 0 0 1 1071 COOE 1 1071 1	NUMBE 1607	8 2 2 0055 MT. 6 6 6 7 7 936 6 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	DEPTN TO SO	DIR	NOT	PER	TONS SEA R DW BU 11 6 10 20 30 30 56 64 75 100 1129 1100 1170 1100 1170 1100 1200 200 200 200 200 200 200 200	a in DE	19.0 EATME COOPE X4 TEMP B C 11.0 40.40 6.40 6.20 6.	1971 1971 1 CL 177 6 6 177 187 187 187 187 187 187 187	100UO OUO OUO OUO OUO OUO OUO OUO OUO OUO	DYN HT 70.980 26.42 26.59 26.59 27.00 27.00 27.13 27.27 27.37 27.37 27.57 27.67 27.59 27.65 27.65 27.65 27.65 27.65
- 686 4.18 34.020 27.73 . 000 4.20 34,030 27.73 . 000 4.20 34,030 27.73 . 000 4.20 34,030 27.73 . 000 4.00 34.030 27.74 . 000 4.00 34.030 27.75 . 000 4.00 34.030 27.75 . 000 4.00 34.030 27.75 . 000 3.00 34.030 27.75 . 000 3.00 3.00 34.030 27.75 . 000 3.00 3.00 34.030 27.75	43 00. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	MO. 10 SEA 11 ONES SEA 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AIR DE RY ULB	13.9 13.9 13.9 EATMER COOP INC. 186 TEMP 0 C	YEAR 11971 CLO 7VP 0 0 1 1971 SAL 12:060 SAL 13:06 SAL 1	0 YM H H H H H H H H H H H H H H H H H H	8 2 2 2 5 5 6 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	DEPTN TO SO	DIR	NOT	PER	DRS SEA R R R R R R R R R R R R R R R R R R R	a In DEC	19.0 TEMP TE	1971 1 CL 177 6 0 32.9 32.9 32.9 33.0 33.6 33.6 33.6 33.6 34.7 34	100UO OUO OUO OUO OUO OUO OUO OUO OUO OUO	DYN HT 70.980 26.42 26.59 26.59 27.00 27.0
• \$48 4343 34.936 27.75 . 900 4.00 34.930 27.75 • 1886 3.90 34.926 27.75 . 940 3.99 34.930 27.75 • 1818 3.98 34.928 27.75 . 1888 3.90 34.938 27.75	43 00. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	MO. 1 10MS SEA 1 10MS	AIR DE	13.9 EATMER COOP IN TEMP O C C COOP IN TEMP O C C C C C C C C C C C C C C C C C C	YEAR 11971 CLO 7YP 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	DEPTN TO SO	DIR	NOT	RO-TER (95)	TOWS SEA R DR BMI 11 6 10 20 30 956 64 73 129 129 120 120 120 120 120 120	alm DEC	19.0 EATMC COOK TEMP B C 11.0 0.40 0.50 0.71 0.91 0.72 0.73 0	1971 1971	10 OUO OUO OUO OUO OUO OUO OUO OUO OUO OU	DYN MT 70.900 26.42 26.49 26.69 27.00 27.19 27.37 27.37 27.41 27.37 27.47 27.59 27.59 27.59 27.59 27.59
• 1818 3.90 34.928 27.75 . 1000 3.90 34.938 27.75	43 00. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	MO. B4 NT 10MS SEA SEA 1 0 0 8 1 1 0 16 1 1 0 16 1 1 1 17 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AIR DE	13.9 EATMER COOP IN TEMP O C C COOP IN TEMP O C C C C C C C C C C C C C C C C C C	YEAR 11971 CLO 7VP 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	DEPTN TO SO	DIR	NOT	PER	TOWS SEA	ain DEC	19.0 EATMC COOK TEMP B C 11.0 0.40 0.50 0.71 0.91 0	1971 1971	10 OUO OUO OUO OUO OUO OUO OUO OUO OUO OU	DYN MT 70.900 26.42 26.49 26.69 27.00 27.00 27.45 27.37 27.41 27.37 27.42 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.45 27.47 27.50 27.59 27.79 27.77
	43 00. DEPTH TO BOTTON 2176 WI 018 12 MESSEW TING 14-1	HO SPE	EEO IN IS	HGT PI BARO- HETE (HBS	MO. B4 NT 10MS SER SEA 1 0 0 8 1 1 0 16 1 16 1 17 1 10 1 1	AIR VULB	13.9 13.9 13.9 13.9 14.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00 16.00	YEAR 11971 CLO 7VP 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NUMBE 1607	8 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	DEPTN TO SO	DIR	NOT	PER PO- TER PO	TOWS SEA	ain DEC	19.0 EATMC COOP TEMP B C TEMP	1971 1971 1 CL 177 6 6 177 132,0 132,0 133,0 133,0 133,0 133,0 134,	10 OUO OUO OUO OUO OUO OUO OUO OUO OUO OU	DYN MT 70.980 26.42 26.69 27.99 27.00 28.99 27.19 27.27 27.37

Table I. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 5-13 April 1971, prepared from NODC Listing No. 31-8245.—Continued

								2.020			. 01 0410.										
LATITUD	E	LONG	61700	DE L	STATI	GMT		YEAR		ATION 4BER	LATITUI)F	LO	NGITI	IDE	STAT	(GM	TIME T)	YEAR		ATION MRFR
43 19.0	N	049	17.0) ¥	04 1	13	18.5	1971	10	3874	43 22.	0 N	04	9 23.	. O W	04	13	19.7	1971	1	0875
DEPTH	WA	VE	OBSE	RVAT	1005			1	OUD	CODE 5	DEPTH		WAVE	ORSE	RVAT	rion	5			ดบก	CODES
TO BOTTOM		IR	HGT	PER	SEA	WI	CODE	TYF	PE	AMT.	POTTOM		DIP	не	PER	SF	Δ	COOF		PF	AMT.
1097	1	3	0	2			x1	0		6	0565		13	n	2	_		×1	0)	6
WIN	۷D			R0-			TEMP				WI	NO_			ARO-			R TEMP			
DIR	SPE	ED.		TER R5)		RY ULB	WET	VI5	Ε	DYN	DIR	SP	EED		FTER MRS)		DRY BULF	WET BUL	NIS B COD		DYN
12	08		2	61	1	1.	10.		9	71.099	12	n	8		247		11.	10.		9	71.155
MESSENG TIME	GER		5T	ח	EPTH		TEMP	SAL	-	SIG-T	MESSEN	GFR		AST NO.	1	DEPT	н	TEMP	546	-	51G-T
18.0					0		0.52	32.60		26.22	19.1					0		1.62	32.7		26.18
00.2					20		0.36	32.7		26.34	00.2					10 15		1.62	32.7		26.18
•					30		0.57	32.7		26.36	•					50		1.52	32.7		26.19
•					50 55		0.99	32.9		26.49 26.54	•					30 45		0.80	32.8		26.26
•					75		0.85	33.0		26.61	•					50		0.77	32.9	960	26.51
					100		0.23	33.2		26.75	•					60		0.72	32.9		26.51
•					125		0.07	33.4		26.96 26.94	•					75 100		0.73	32.9		26.53
•					200		0.27	33.5 33.8		27.17	•					110		0.77	33.1		26.66
					250		2.09	34.2		27.35						1.25		0.67	33.1		26.70
•					300		3.78	34.6		27.58	•					150		0.48	33.8		26.76
•					400 500		4.19	34.7		27.61 27.63	•					200		0.43	33.0		26.84
•					600		4.39	34.8		27.66	•					242		1.06	33.6		27.12
					700		4.47	34.9		27.68						250		1.07	33.6	058	27.11
•					800		4.40	34.9		27.69	•					264		0.99	33.8		27.17
•					900		4.26	34.9		27.70 27.72	•					300 326		2.32 3.09	34.7		27.52
:					1049		4.22	34.9		27.72						372		3.32	34.9		27.51
											•					400		3.64	34.6		27.57
											•					44R 500		4.0R 4.11	34.		27.62
											•					554		4.17	34.		27.62
					STAT	TON	TIME		-												
LATITUD	Ε	LONG	SITU		JTMI	(GMT			SI	TATION											
					MO.	DAY		YEAR		JMBER		_				STAT		TIME			
43 25.0	N	049	30.0	ow l	04	13	20.4	1971	١,	10876	LATITUD	٤	LON	IGITU		40. J	(GMT		YEAR		TION BER
DEPTH			DBSE					CL		CODES	43 26.0	N	049	46.	0 W (04	13	21.2	1971	10	877
BOTTOM	D	IR	HGT	PER	SEA		CODE		PE	AHT.	DEPTH TO	W	AVE	OBSE	RVAT	IONS	,	IEATHER	CL	OUD	CODF5
0161	1	3	0	2			X1	0)	6	HOTTOM		DIR	HGT	PER	SEA		CODE	TYF	E	AMT.
WIN	D		BAR	20-			TEMP G C				0060		13	n	S			X1	0		6
				IFR	-	0.			_								AIR	TEMP			

LATITU	IDE	LON	(GITU	DF		(GM	r)		STAT	TON											
					MO.	DAY			NUMBE		LATIT	IIN E		NGITU		STAT	(GM)	TIME		STAT	
43 25	0N	049	30.	ow	04	13	20.4	1971	1087	76		.,,,,		40110		MO.		HR.	YEAR	NUMBI	
DEPTH	1	IAVE	OBSE	RVAT	IONS	5		CLO	UD CO	DDES	43 26	. ON	04	9 46.	0 W	04	13	21.2	1971	108	77
OTTOM	.	DIR	HGT	PER	SE		EATHE CODE		E	AMT.	DEPTH TO		WAVE	OBSE	RVAT	IONS	- 1	WEATHER		OUD CO	DDF5
0161		13	0	2			×1	0		6	ROTTO	м	DIR	нет	PER	SEA		CODE	TY	E /	AMT.
				l		AIF	R TEMP			_	0060		13	n	s			×ı	0		6
WI	ND		BAF	RO-			6 C	_	Д.								-	R TEMP			
DIR	SPE	ED	(ME		1 0	DRY	WET	VIS	ומ	YN	- W	IND			RO- TER		DE	EG C			
					E	BULB	BUL			41	OIR	5	PEED		85)		RY	WET	VIS		ľN
12	0.8	3	24	7	1	1.	10.		971.	.192				-		H- H	ULR	BULF	CODE	-	47
MESSEN	CEO				50-4						12	1	08	2	44	1	1.	10.		971.	202
TIME			IST 10.	U	EPT	1	TEMP	SAL		IG-T	MESSFI			AST	D	EPTH	1	TEMP	SAL	51	G-T
20.4	•				10		2.01 0.75	32.59 32.65		5.07	7 I MI 21.2		•	40.		n		2.05	32.66	A 24	
00.1					50		0.45	32.71		6.20	£ 1 0 /	-				10		2.03	32.65	-	.12
•					30		0.15	32.74		.30	00.	l				15		2.03	32.64		.10
•					50		0.13	32.80		.36	•					20		1.49	32.64	0 26	.14
•					75		0.31	32.87		.42	•					30		1.00	32.63		.16
•					100		0.50	32.97		.51	•					36		0.57	32.68		.23
•					125		0.57	33.16		•67	•					50 56		0.49	32.73		27
•					145		0.59	33.24	0 56	.73	•					סכ		0.48	32.73	0 26	.27

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.

LATITU	DE	LON	GITU	DF L	STAT	(GMT	TIME) HR.	Y	FAR		HOITA	
47 00.	0 N	046	44.) w	05	12	21.0	1	971	1	0878	
DEPTH	T	WAVE	OBSER	TAVS	IONS				CL	OUD	CODES	
TO BOTTON		DIS	HGT	PER	SEA	۳	CODE		ΤΥ	PE	AHT.	
1113	+	09	1	2	-	-	¥6		0		6	
						AIB	TEHE	,				
W1	NO		AA!	90- 1FR		OΕ	G C					
ero	58	PEED		351		RY ULB	WE T		VIS	E	OYN HT	
09	_	12	2	20	 	4.4	03.			-	70.906	
MESSEN			51		FPTH		TEHP		5AL		51G-T	
LIME	•		10.	U	10		1.45		33.0	30	26.46	
21.0					15		1.44		33.0	30	26.46	
00.6	ŝ				21 33		1.24		33.0	80	26.43	
					50 53		0.98 0.69		33.2	30	26.63 26.67	
:					55 64		0.34		33.3		26.80 26.91	
					67 69		0.21		33.6	50	27.03	
:					72 75		0.07		33.6	90	27.07	
:					77		0.80		34.2	70	27.18	
					81		1.59		34.1	20	27.35 27.24	
					87 89		2.13		34.5		27.63 27.43	
					93		2.92		34.3	30	27.38 27.36	
•					104		2.87		34.3	40	27.40	
					107 112		3.14 3.39		34.5	80	27.51 27.46	
•					116 128		3.63 4.15		34.5		27.47	
					137 140		4.29 4.19		34.6	10	27.47	
•					142		4.14		34.6	30	27.50	
					148		4.19 4.16		34.6	90	27.49 27.47 27.42	
					151 154		4.03		34.5		27.49	
					160 163		3.96		34.7		27.63 27.60	
•					166 169		4.35		34.7	40	27.57 27.52	
					171		4.25		34.7	40	27.58	
					177 189		4.38 4.72		34.7 34.8	10	27.57 27.58	
•					19] 198		4.67		34.7		27.56 27.55	
					201 204		4.09		34.6	30	27.51	
•					204		3.89		34.8	10	27.68	
					550		4.30		34.8	90	27.67	
					223 225		4.46		34.9	30	27.70 27.76	
•					228 233		4.94 4.98		34.9		27.67	
:					243 247		4.80		34.9		27.64 27.61	
					251 256		4.47		34.9	20	27.70	
:					261		4.38		34.9	80	27.68	
•					267 274		4.37		34.8	160	27.67	
					281 307		4.16		34.9		27.70	
•					312 327		4.33		34.9	120	27.71	
					343 355		4.87		35.0	30	27.74	
					376		4.78		34.9	90	27.72 27.73	
:					409 450		4.50		34.9	90	27.74 27.75 27.76	
:					514 557		4.44		34.9	90	27.76	
:					612 655		4.30		34.9	80	27.76	
					717 769		4.1A		34.9	160	27.76	
:					803		4.13 4.08		34.9	40	27.76	
					863 905		4.01		34.9	30	27.76 27.76	
:					964 004		3.96 3.89		34.9	0.63	27.76	
											•	

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATIT	JOE	LON	GITU	DE	STAT	ION (GH)	TTHE	YI	EAR		ATION MOER
47 00	٠0١	046	57.0	DW.	05	13	01.2	1	971	1	0879
DEPTH	Ŀ	AVE	OASE	RVA	TION				CLO	ψO	C00£5
90770	٠ 🗆	019	MG T	PE	R SE	١,	CODE	"	TYP	E	ANT.
1094		00	1	5			xe.		0	7	6
V	I NO		BAF		Τ		TEMP				
DIR	SPE	€O	ME1	151		RY	WET BUL	В	VIS CODE	Γ	OYN HT
0.9	11		50) 3	1	3.4	03.	,		٥	71.010
MESSE	vG€ A	CA		-	DEPT		TENP	_	SAL	_	516-1
01.2		N	0.		0		1.20		12.74		26.20
00.	9				50		1.23	1	07.50 02.66	0	15.45
:					30 50		0.77	1	12.70 12.86	0	26.24
:					5A 75		1.08		3.00		24.62
:					100		0.25	1	3.64	4	27.04
:					135		0.46	1	13.85	0	27.10
					150		0.98	3	4.40	0	27.33 27.46
					238		2.97	3	4.53 4.54	0	27.53
:					300		4.13	- 3	14.80	0	27.56
					500		4.45	3	14.9] 14.92	0	27.69
					700		4.45	- 3	14.93 14.93	0	27.71
					900		4.25	3	14.93 14.93	0	27.73 27.74
					000		4.02 3.98	3	4 . 94	0	27.76
										•	
LATIT	300	LON	11 10	30	STA NO.	TION (GM	TIME T)	V	EAR		TATION
46 59	ON	841	16.	••	09	13	02.0	t	971		1.0000
DEPTH		041	14.	-	-	13	02.0	1	971 GL	Ц.	0 00005
	L	_		-	TION	3	WEATHE		a	out	CODES
DEPTH	L	IAVE	0055	RVA	TION	3	CODE		CL TY	out	D CODES
0236		OIR	HST	PE	TION	A	CODE	n	a	out	CODES
DEPTH TO BOTTO	L	OIR	HST 2	PE 2	TION	A	CODE	n	CL TY	out	D CODES
0236		OIR OB	H&T 2 BAI	PE 2	TION	A	CODE X6		CL TY	PE	D CODES
DEPTH TO BOTTO	IND	OIR OB	DAMES (146	PE 2	TION	AZI	ZATHE CODE		CL TVI	PE	AHT.
DEPTN TO SOTTON OF THE STORY OF	IND SPE	OIR OB	DOSET HEY BAI HEY (HE	PE 2 RO- TER DS1	TION	A ZIO	X6 TEMPES C		CL TVI	PE	ANT. B DYN HT
DEPTH TO	IND SPE	OIR OB	DOSET	PE 2 RO- TER DS1	TION R SE	A ZIO	X6 TEMP	8 2	CL TVI	PE	DYN HT 071-101 010-7
DEPTN TO SOTTON OF THE STORY OF	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PE 2 RO- TER DS1	TION SE	A ZIO	WEATHE COOR X6 R TEMPES C WET BULL 02. TEMP 1.23 1.20 0.01	8 2	CL TVI 0 0 1719 C0000 SAL 32,7732,7732,77	PE	D CODES ANT. 8 DYN NT 171.101 816-7 26.25 26.26
DEPTH TO BOTTON BEST OF THE BSC OF TIME OF SE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PE 2 RO- TER DS1	T I ON SE	A ZIO	WEATHE COOK X6 R TEMPES C WET BULL 02. TEMP 1.23 1.20 0.61 0.73	8 2	CL TVI 0 0 VII 9 CODE SAL 32,77 32,77 32,77 32,77 32,77 32,77 32,77	DUI PE	DYN HT DYN HT 271.101 010-7 26.25 26.25 26.25
DEPTH TO BOTTON OZ36 W: DIR PROSENT TIME OZ, G	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PE 2 RO- TER DS1	T I ON R SE 10 10 21 29 31 34 39	A ZIO	VEATHE COOR X6 R TEMPES C WET BUL 02. TEMP 1.23 1.20 0.61 0.76 0.75 0.67	8 2	CL- TVI 0 419 CODE 32,77 32,77 32,77 32,77 32,77	DUI PE	D CODES ANT. B DYN NT 171.101 010-f 36.25 26.26 26.27 26.27 26.26
DEPTH TO BOTTON OZ36 W: DIR PROSENT TIME OZ, G	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	A ZIO	WEATHE COOK X6 R TEMPES C WET BULL 02. TEMP 1.23 1.20 0.61 0.76 0.72 0.46 0.74	8 2	CL TVI 0 0 VII 9 CODE SAL 32,77 32,77 32,77 32,77 32,77 32,77 32,77	DUI PE	DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	A ZIO	WEATHE CODE X6 R TEMPES C WET BULL 02. TEMP 1.23 1.20 0.01 0.70 0.73 0.20 0.45 0.73	8 2	CL. TVI 0 0 VII 1 CODE SAL 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71	DUI PE 10 10 10 10 10 10 10 1	DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	A ZIO	WEATHE CODE X6 R TEMPES C WET BULL 02. TEMP 1.23 1.20 0.01 0.70 0.73 0.20 0.45 0.73	8 2	CL. TVI 0 0 VII 1 CODE SAL 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71 32,71	DUI PE 10 10 10 10 10 10 10 1	DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	A ZIO	WEATHE CODE X6 R TEMPES C WET BULL 02. TEMP 1.23 1.20 0.01 0.70 0.73 0.20 0.45 0.73	8 2	CLL TYI 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DUI PE	DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	ATO OI OI OI OI OI OI OI OI OI OI OI OI OI	#EATMECOOC #6 TEMP 1.23 0.73 1.20 0.73 0.75 0.70 0.76 0.70 0.70 0.70 0	8 2	#19 COOD #AL 32,77 32,77 32,77 32,77 32,77 32,77 32,77 32,77 32,87 32,77 32,87 32,87	PE 10 10 10 10 10 10 10 1	DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	ATO OI OI OI OI OI OI OI OI OI OI OI OI OI	#EATMECOOC #6 TEMP 1.23 0.73 1.20 0.73 0.75 0.70 0.76 0.70 0.70 0.70 0	8 2	CL. TYI 0 0 VIS 9 CODD SAL 32,71 32,71 32,74 32,71 32,74 32,71 32,71 32,71 32,71 32,71 32,71		DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	AII DONY MALO	VEATME COOK 76 R TEMP 26 C C VET 90.4 1.23 1.20 0.61 1.20 0.73 0.73 0.73 1.84 0.75 1.84 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.1	8 2	CL. TYI 0 0 VIS 9 CODD SAL 32,71 32,71 32,74 32,71 32,74 32,71 32,71 32,71 32,71 32,71 32,71		DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	AII DONY MALO	VEATME COOK 76 R TEMP 26 C C VET 90.4 1.23 1.20 0.61 1.20 0.73 0.73 0.73 1.84 0.75 1.84 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.1	8 2	CL. TYI 0 0 VIS 9 CODD SAL 32,71 32,71 32,74 32,71 32,74 32,71 32,71 32,71 32,71 32,71 32,71		DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	AII DONY MALO	VEATME COOK 76 R TEMP 26 C C VET 90.4 1.23 1.20 0.61 1.20 0.73 0.73 0.73 1.84 0.75 1.84 1.10 1.10 1.10 1.10 1.10 1.10 1.10 1.1	8 2	CL. TYI 0 0 VIS 9 CODD SAL 32,71 32,71 32,74 32,71 32,74 32,71 32,71 32,71 32,71 32,71 32,71		DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	AZI OLOMY BULL B	WEATHER COOK COOK COOK COOK COOK COOK COOK COO	8 2	CL. TYI 0 0 VIS 9 CODD SAL 32,71 32,71 32,74 32,71 32,74 32,71 32,71 32,71 32,71 32,71 32,71		DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PER 2	R SE	AZI OLOMY BULL B	WEATHER COOK COOK COOK COOK COOK COOK COOK COO	8 2	CL. TYI 0 0 VII CODD SAL 32,7(32,7(32,7(32,7(32,7(32,7(32,7(32,7(32,7(DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	PE 2 2 PO-TER BS1	7110N 9E 110N	AZI OLOMY BULL B	WEATHER COOK COOK COOK COOK COOK COOK COOK COO	8 2	CL. TYI 0 0 VII CODD SAL 32,7(32,7(32,7(32,7(32,7(32,7(32,7(32,7(32,7(DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	RVA PE 2 RO- TEN DS1	7 TION 9 SE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AZI OLOMY BULL B	WEATHER COOK COOK COOK COOK COOK COOK COOK COO	8 2	CL. TYI 0 179 179 179 179 179 179 179		DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOI BESSEN WITH THE SECOND BESSEN TIME SECOND BESSEN TIME SECOND BESSEN BE	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	RVA PE 2 RO- TER BS1	TION SE	AII ON YOUR AII AII AII AII AII AII AII AII AII AI	MEATHER COOK TO THE TENT OF TH	8 2	CL. TYI 0 179 179 179 179 179 179 179		DYN HT DYN HT 010-f 26-25 26-26 26-26 26-26 26-26 26-26 26-26 26-26 26-26
DEPTH TO BOTTOIL BOTTO	INO SPE	OIR OB	DOSET HEY BAI HEY (HE	RVA PE 2 2 RO FER BS1	7 TION 9 SE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AII OU	WEATHER COOK COOK COOK COOK COOK COOK COOK COO	8 2	CL. TYI 0 0 VII CODD SAL 32,7(32,7(32,7(32,7(32,7(32,7(32,7(32,7(32,7(DYN HT DYN HT 010-f 26-25 26-26 26-27 26-27 26-28 26-28 26-28

LATITO	OE	LON	1G T T U	0E _	STA1	10H 16H	TIME T)	,	EAR		ATION
46 58.	. он	041	04.	0 M	05	13	04.0	1	971	1	0881
DEPTH	T	NAVE	ORSE	RVAT	1045	T			CL	ouo	C00€5
10 801104	. -	018	MGT	PER	SE		E 4 THE		TY	39	AMT.
0500	+	09	1	2		\top	14		0		6
w1	NO			R0-		A11	TEMP	•			
01R	SPE	E0		TFR MS)		RY JUL 8	NE1		V15		OYN
0.0	15	5	1	73	(1.1	00.	0		9	71.064
HESSEN TIME	10ER	CA	57	0	EPTI	•	TEMP		SAL		51G-T
04.0)				11		1.29		32.7		26.22
00.4	,				23		1.29		32.7	20	26.22
:					32		1.10		32.60		24.19
					40		0.72		32.79	50	24.20
					46		0.36		32.5	90	26.29
					52 54		1.12		32.6	90	24.29
:					60		1.04		32.0	90	24.47
:					74 77		1.17		32.90 32.91	90	24.54
•					86		1.14		33.0		24.59
:					89		0.73		33.20	0	26.74
					16		0.61 A.56		33.22		24.73
					105		0.49		33.40		26.86
:					119		0.21		33.45	50	24.09
•					122		0.40		33.49		26.93
					127		0.02		33.6	10	27.00
:					131		0.30		33.6: 33.7		27.01 27.07
•					147		0.76		33.79	50	27.00
					158		0.95		33.74 33.79	90	27.10
					176		1.03		33. <i>6</i> 0		27.16
					190		1.23		33.94	0	27.21
:					204		1.45		34.00 34.1	0 0	27.24
:					240		2.04		34.2	10	27.36
					252 270		2.76		34.3; 34.69	50	27.43
:					284		3.20		34.4		27.50
:					310		3.35		34.59	90	27.55
•					331 352		3.71		34.66		27.50
					378		4.20		34.0	00	27.63
•				,	607		4.24		34.0	0	27.64

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

						-					
LATITU	DE	LON	ig i tu	DE	STA MO.	TION (GM)	TIME	\ _\	EAR		ATION
46 56.	0 N	047	30.	0 W	05	13	06.0	-	971		0882
DEPTH	Τ,	VAVE	OBSE	RVA	TION			_	CL		CODE
TO BOTTOM		010	HGT	PE	R SE		CODE		ΤΥ	PE	AMT
0190		9	0	2			×4		0		6
wī	ND			?∩ -			TEMP	•			
DIR	SPE	03		TFR 95)		DRY PULB	WE 1 AUL		VIS	Ε	DYN HT
09	15	;	11	59	(1.1	00.	0		9	71.12
7 JMF 06.0		N	о.		9 20 23 26 32 34 48 51 54 60 63 77 79 82 93		1.29 1.29 1.26 1.05 1.01 0.90 0.74 0.37 0.54 0.50 0.80 0.91 1.06 1.18		32.60 32.60 32.60 32.60 32.60 32.60 32.60 32.60 32.60 32.70 32.70 32.80 32.80 32.80 32.80 32.80 32.80 32.80 32.80	60 60 60 70 60 70 60 70 60 70 60 70 60 70 70 70 70 70 70 70 70 70 70 70 70 70	26.1 26.1 26.1 26.1 26.2 26.2 26.2 26.2
•					103 127 130 133 150 153		0.98 0.60 0.49 0.31 0.13 0.26		33.09 33.20 33.20 33.21 33.41	00 50 70	26.60 26.75 26.75 26.75 26.85 26.89

)F	1.04			CTAI		_				
		NG I TUI	DE	MO.	CON CON		Y	FAR		TATION JMRER
)N	04	7 49.	0 W	05	13	0A.5	1	971		10883
١.	WAVE	ORSE	PVAI	TIONS	- [MEATH	ъ	CL	nui	D CODES
	OIB	нст	PER	SF				ΤΥ	PF	AHT.
	04	1	2			X 4		0		6
۷D							•			
SPE	FFD	_								DYN
17	5	1.	49		01.1	0.0	. 0			971.119
BER			(8 10 13 21 24 27 35 51 54 60 71 76 79 80 93 103	1	TEMP 1.26 1.25 1.25 1.25 1.25 1.24 1.04 1.05 0.79 0.31 0.45 0.54 0.96 0.51 0.44		32.7 32.7 32.7 32.7 32.7 32.7 32.7 32.7	220 220 220 220 230 230 230 230 230 240 240 240 240 240 240 240 240 240 24	51G-T 26.22 26.23 26.23 26.23 26.23 26.23 26.25 26.25 26.26 26.25 26.42 26.42 26.52 26.63 26.69 26.70 26.79
	SPI	OTR 04 OD SPFED 12 GER C	01R HGT 04 1 1D PAI SPEED (MI	01R HGT PER 04 1 2 10 MARO- METER (MBS) 12 149 6ER CAST (OIR HGT PER SF. O4 1 2 D	DIR HGT PER SEA 04 1 2 A 10 MARO METER SPFED (MBS) 12 149 01.1 GER CAST DEPTH NO. 8 10 13 21 24 27 32 35 51 54 60 71 76 79 85 90 93 103 104 125	OIR HGT PER SFA CODE	OIR HGT PER SFA CODE	DIR HGT PER SFA CODE TY	OIR HGT PER SFA CODE TYPE

LATITU	IDE	LON	IG I TU(DE	STAT	ION (GMT	TIME) HR.	Y	EAR		ATION MBER
46 52.	.0N	048	04.0	W	05	13	10.0	1	971	1	0884
DEPTH TO		MAVE	ORSE	RVA1	TON		EATHE	. 0	CL	000	CODE
BOTTOM	4	DIR	HGT	PER	SE		CODE		ΤY	PE	AMT
0126		04	1_	2			X4		0		6
wı	TND.			20-			TEMP	•			
DIR	50	EED		TER PS)		DRY BULA	WE 1 BUL		V15		DYN HT
09	1	0	19	52		2.2	00.	6		9	71.11
MESSEN TIME 10.0)		151	· ·	7 10 25 30 33 35 58 61 63 71 77 83 81	1	TEMP 1.53 1.52 1.51 1.52 1.52 1.51 1.51 1.17 0.79 0.07 0.38 0.55 0.68 0.96 1.08 0.65 0.48		5AL 32.7 32.7 32.7 32.7 32.7 32.7 32.6 32.6 32.7 32.8 32.8 32.8 32.8	20 20 20 20 20 20 20 20 20 50 70 70 60 90	51G- 26-2 26-2 26-2 26-2 26-2 26-2 26-3 26-4 26-4 26-4 26-6

LATITU	IDE	LON	IG T T U1	DF	MO.		GMT) AY HR.		FAR		ATION MRFP
47 00.	0 N	048	31.0	n w	05	20	02.3	1	971	1	1845
DEPTH TO		AVF	HRSE	QVA'	riov		.=		CL	าบก	COOF
BOTTOM		Dio	нс≢	PF	SF		EATHE CODE	2	TYF	PE	AMT
0106		0.0			n x4				0		6
AINO				?n-			R TEMP				
NIR	SPE	Ευ		1ER 351	1 .	DRY NULR	WET BULI	a	VIS CODE		DYN
17	0.4		31	11	(P.9	08.	9		9	71.11
02.3					0 3 10 20 30 45 50 63 70		3.90 3.90 1.84 1.47 1.33 1.09 0.19 0.71 0.72	3 3	32.59 32.58 32.58 32.61 32.60 32.58 32.88	0 0 0 0 0 0	25.9 25.9 26.1 26.1 26.1 26.1 26.4 26.4

Table 11. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITU	DE	LON	G]TUI	DE _	STA MO.	TION (GM)	_				ATION MBER
47 00.	0 N	048	17.	0 W	05	20	03.5	1	971		0886
DEPTH TO		WAVE	OBSE	RVAT	100		√EATH	<u> </u>	CL	מטמ	CODES
МОТТОН		DIR	HGT	HGT PER SEA CODE			_	TY	PE	AMT.	
0117		0.0	0				х4		0		6
MIND			BAF	-			R TEM	Р			
DIR SPEED		EED	METER (MB5)		DRY		WET BUL		VIS		DYN
00	0	0	50	96		10.0	09	.4		9	71.107
03.5	03.5				9 15 18 20 23 26 31 34 37 50 53 56 61 67 78		3.86 3.03 2.35 2.03 1.61 1.64 1.27 1.27 1.09 0.91 0.43 0.04 0.15 0.66		32.6 32.6 32.6 32.6 32.6 32.6 32.6 32.6	10 90 50 10 50 30 60 30 90 60 40	25.94 25.84 25.96 26.10 26.14 26.15 26.18 26.18 26.18 26.28 26.28 26.35
•					81 87 102		1.11		32.8 32.9 33.1	80	26.46 26.55 26.66

LATĪTU	DE	LON	IG I TUI	DE		(GM)				HOTTATION
				_	MO.	DAY	HR.	YEAR	7 1	IUMBER
47 00.	.ON	048	05.	OW	05	20	05.1	197		10887
DEPTH TO		VAVE	OBSE	RVAT	100	- 1	#EATHE		CLOU	D CODE
HOTTON	4	DIR	HGT	PER	SE.		CODE		TYPE	AMT
0137		14	0	S			X4		0	6
WI	IND			RO-			R TEMP			
DIR	OIR SPEED		METER (MBS)			DRY BULB			IS DDE	DYN HT
13	0	6	5	95		10.0	09	.4		971.09
MESSE!			AST	(EPT	н	TEMP		AL	51G-
05.	1				9 15		3.85		.620	
00.	2				18		2.34		.340	
•	-				20		1.78		.660	
•					32		1.28		.670	
					34		1.14		.680	
					42		1.07		.700	
•										
•					45		1.00	32	.670)
•					45 48		1.00		.670	
•					48 50		0.70	32	.600	26.2
•					48 50 55		0.70 0.26 0.34	32 32	.600 .690	26.1 26.2 26.3
•					48 50 55 59		0.70 0.26 0.34 0.48	32 32 32	.600 .690 .750	26.1 26.2 26.3 26.3
•					48 50 55 59 77		0.70 0.26 0.34 0.48 0.99	32 32 32 32	.60(.69(.75(.81(26.1 26.2 26.3 26.3 26.4
•					48 50 55 59		0.70 0.26 0.34 0.48	32 32 32 32 33	.600 .690 .750	26.1 26.2 26.3 26.3 26.4 26.5
•					48 50 55 59 77 88 94		0.70 0.26 0.34 0.48 0.99 1.21 0.93 0.70	32 32 32 32 33 33 33	.600 .690 .750 .810 .830 .010 .120	26.1 26.2 26.3 26.3 26.4 26.5 26.6 26.6
•					48 50 55 59 77 88 94		0.70 0.26 0.34 0.48 0.99 1.21 0.93	32 32 32 32 32 33 33 33	.600 .690 .750 .810 .830 .010	26.1 26.3 26.3 26.3 26.4 26.5 26.6 26.7 26.7

LATIT	JDE	LON	(G] TU	DΕ	STA	TION (GMT			EAR	STATION NUMBER	
47 00	. ON	047	48.	0 W	05	20	06.4	1	971	1	8880
DEPTH	1	IAVE	085E	RVA	TION		WEATH	FD	CL	ouo	CODES
BOTTO	4	DIR	HGT	PE	R SE		COD		TY	PΕ	AMT.
0168		14	0	2		•	X4		0		6
Ψ:	IND			RO- TER			R TEM EG C	Р			
DIR		AS)	1	DRY OULO	WE BU		VIS CODE		DYN HT		
13	0.	7	2	95		10.0	09	. 4		9	71.102
MESSEL			AST NO.		OEPT	н	TEMP		SAL		51G-1
06	4	•			13 15 18 21 24 29 32 49 52 55 58 69 75 78 87		3.13 2.66 2.40 1.80 1.56 1.50 1.41 1.03 0.65 0.51 0.40 0.40 0.83		32.46 32.5 32.5 32.6 32.7 32.6 32.7 32.7 32.7 32.8 32.8 32.9 33.1	40 90 60 90 10 40 40 60 60 60 20	25.66 26.06 26.06 26.16 26.16 26.26 26.26 26.26 26.36 26.36 26.36 26.44 26.55
•					100 125 156		0.80 0.27 0.21		33.3 33.4	00	

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

-	-1				C T A I	7.1.00	TIME	Ι-			
L A T T T I J D F		{	GITU	DF	MO.	(GM)		,	rFΔD		MAEH
46 50.0	,	047	33.	n w	05	20	08.2	1	971	1	0889
NEPTH TO	w	ΔVF	ORSE	PVΔ	TIONS		EATHE		CI (טוור	CODES
AUTTON		DIP	нст	PE	R SF		CODE		TY	PF	AMT.
0208		19			0		¥4		0		6
NINI	1			PN-			G C)			
UIB =	PF	FΛ		35)		PY PY	WET		V15 CODE		NYN HT
17	٥5		41	4	(7.2	07.	2		q	71.076
00.1					12 15 17 20 23 24 32 35 43 51 53 54 74 74 94 94 94 111 111 111 115 116 116 116 116 116		3.31 3.043 2.043 2.04 1.75 11.03 0.764 0.01 0.55 1.11 1.02 1.12 1.12 1.14 0.74 0.89 0.16 0.16 0.16 0.16 0.16 0.16 0.16 0.16		32.61 32.51 32.66 32.66 32.77 32.77 32.77 32.77 32.77 32.77 32.77 33.00 30 30 30 30 30 30 30 30 30 30 30 30 3	90 90 90 90 90 90 90 90 90 90 90 90 90 9	25.9A 25.9A 26.03 26.03 26.11 26.12 26.22 26.26 26.27 26.42 26.44 26.55 26.43 26.63 26.63 26.63 26.63 26.63 26.63 26.63 27.00 27.00 27.00 27.00 27.00

LATITU	OF	LON	161TUI	OF	STAT	ION (GMT				5	TATION
					MO.	DAY	HR.	Y	FAR		UMAFR
47 01.	0 N	047	7 14.0) W	05	20	09.7	1	971		10890
DEPTH TO	L	VAVE	ORSE	2 V A 1	TIONS	l .	FATHE	D	CL	راه	n cones
POTTOM		DIB	нат	PFF	SFA		CODE	-	ŤΥ	PF	AMT.
0 380		14			n		¥4		0		6
wī	NO		RAF			ATP DF					
UIB	SPE	En	(MF	15)		PY ULB	WET BUL	A	V15		DYN _HT.
16	10)	3(11		7.A	07.			Т	971.077
09.7					9		3.41		32.6	20	25.98
					12		3.35		32.6	20	25.98
00.4					14		3.16		32.5 32.5		25.94 25.99
					20		2.82		32.5		26.04
•	•						2.15		32.5	70	26.04
•	•						1.82 1.23		32.4	60	25.98 26.12
:	•				29 31		1.01		32.5	90	26.14
•	•				36		0.59		32.6	90	26.24
•					51 56		0.25		32.7	00	26.27 26.29
:					59	0.81		32.A	20	26.40	
•					77	1.28		32.9	90	26.56	
•					A] A 3		1.20		32.9		26.56 26.59
					86		1.20		33.1		26.65
•					93		1.05	33.1	50	26.68	
•					95 101		0.79	33.2	90	26.71 26.72	
					127		0.04		33.4	80	26.91
					135		0.11		33.4	70	26.89
•					146		0.03 0.16		33.5 33.5		27.00 26.98
					152		0.20		33.6		26.99
					177		0.54		33.7	10	27.06
•					182		0.34		33.7	40	27.10
•					191		0.42		33.8 33.8		27.14 27.18
					197		0.73		33.8	60	27.17
					202		0.80		33.8	90	27.19
•					205 208		0.84 0.52		33.8 33.8		27.19 27.15
•					211		0.31		33.9		27.23
					219		0.33		33.9	30	27.25
•					222		0.61		34.1	10	27.38
•					228 228		0.9A		34.0 34.0	10	27.28 27.34
					233		1.42		34.1	30	27.35 27.38
٠					239		1.46		34.1	90	27.7A
					244 251		1.80 2.41		34.7 34.3	50	27.42 27.44
	•				277		2.60		34.3	90	27.46
					300		2.83		34.4 34.5	60	27.49
					323 3.05 34 326 3.23 34					10	27.57 27.57
					112		3.33		34.6	30	27.59
					338		3.57		34.7	10	27.63
•					345 351		4.07 4.25		34.A		27.66

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

pareu	1101	1 110.		200111	_							
LATITI	IDF	LON	GITU	OF L		GMT		Y	FAR		ATION MRER	
47 01.	.01	047	02.0	n w	05 2	0	11.3	1	971	1	0891	
пертн		WAVF	ORSE	2 V A T	1045				CI (חווכ	COOFS	
TO ROTTON		DIR	нст	PER	SFA	W	CODE	H	TYF	o F	AMT.	
1102		14			n		X 4		0		6	
wi	חח			20 -		AIR DE	TEMP					
UIB	SPI	FED		7FR 35)	DR BU		WET RUL	А	V 15	F	DYN HT	
16	0	6	3() A	0.7	• B	07.	Ą		9	71.023	
11.1	3				19		2.16		32.5		26.00	
00.3	3				22 25		1.67 1.38		32.5°	70 26.08		
•					31		1.00		32.6	9 O	26.21	
					34 36		0.85 0.55		32.69 32.64		26.19 26.20	
•					39		0.33		32.7	30	26.28	
•					53 61		0.53 1.35		32.84		26.33 26.44	
•					63		1.39		32.94	40	26.52	
:					77 90		1.11		33.27		26.74 26.80	
•					83 85		0.88	33.410		26.89		
•					91		0.56 0.21		33.3		26.86 26.83	
•					94 97		0.55 0.94		33.20		26.75	
•					99		0.91		33.3° 33.40	50	26.85 26.93	
•					102 105		0.68 0.12		33.56	9.0 6.0	27.01 27.05	
•					107		0.19		33.6	20	27.01	
•					110 113		0.18 33. 0.02 33.				26.95 27.00	
					116		0.18		33.7	00	27.08	
					126 144		0.48 0.55		33.69		27.05 27.13	
•					147		0.69		33.80	60	27.18	
•					153 157		0.73 0.93		33.90		27.21 27.21	
					160		0.74		33.4	50	27.16	
•					163 167		0.33 0.15		33.A		27.17 27.25	
•					177		0.61		34.0	70	27.35	
•					180 186		0.88 1.47		34.17		27.37 27.39	
•					195		1.79		34.2	40	27.41	
•					201 22 7		2.25 2.61		34.49 34.49		27.43 27.51	
•					251 261		3.11 3.03		34.5		27.54 27.53	
•					278		3.40		34.6	50	27.59	
					302 325		3.57 4.10		34.7		27.62 27.64	
:					352		4.32		34.8	40	27.65	
•					379 403		4.40 4.43		34 . A		27.66 27.67	
					460		4.53		34.9	10	27.68	
:					510 562		4.53 4.47		34.9		27.70 27.70	
•					614		4.38		34.9	30	27.71	
•					667 750		4.29 34.				27.72 27.73	
•	•						4.11		34.9	20	27.74	
					917		4.10		34.9		27.74 27.74	
:					971 024		3.9A 3.94		34.9		27.75 27.75	
•				1	.,, 4				14841	. ,,	7	

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

L & T T	JOE	LON	161711	DE		IUN (UN)	TIME	¥1	F 4 9		ATTON URFR
47 00.	0N	044	4A.	04 0)5	20	12.9	1	971	-1	0892
DEPTH		WAVE	ORSE	PVAT	IONS		rE ATHI		cu	ისი	CODES
HOTTON	4	DIR	нат	PER	SEA	1 '	COOL		TY	PE	AHT.
1152	7	00			0	┢	¥ 4		n		6
				•	_	ATS	7 TEMI	,			
	מאו			PO- TFR		Df	:G C			_	<u> </u>
010	51	PFEO	(4)	PS))L A	WE.		V15	E	DYN HT
18		10	1	22		9.4	0A			\neg	70.994
12.9	_				10		3.75		32.5	20	25.87
00.					18		2.79		32.5	10	25.94 25.99
•					21 24 27		1.20		32.4	40	25.96
:					29		1.02		32.5 32.6 32.7	50 60	26.19
					35 3A		1.12		32.7 32.7 32.6	30	26.24
•					43		0.33		32.7	50 40	26.30 26.30
:					43		0.19		32.7	90	26.34
:					50 53		0.00 0.39 0.43 0.19 0.27 0.24 0.34 0.75 0.75 0.75 0.75 1.17 1.98 2.57 2.91 2.91			00	26.29 26.58
:					55 58		0.31		33.0 33.2	50	26.73
:					61		0.19		33.2 33.3	30	26.70 26.81
					69 71		0.35		33.4 33.5	60 30	26.91 24.94
•					74 77		0.27		33.4	9 n 4 0	26.90 26.94
:					80 82		0.21		33.5		26.70 26.91 26.91 26.90 26.90 26.96 27.08
					85 87		0.94		33.A		27.15 27.05
:					90		1.27		33.7	70	27.07
•					94		0.75		33.7	30	27.05 27.07 27.13
					102		0.96		33.A	90	27.19
:					105		0.87		33.8 33.9 33.9	50	27.15 27.21
					110 113		1.17		33.9	50	27.22
					121		1.54		34.0 34.0 34.1	50 90	27.22 27.27 27.27
					124 127		2.0A 2.57		34.2	A 0	27.32
:					131 134		2.91		34.2 34.1	A 0	27.31 27.26 27.13
:					137 140		2.55		34.0	90	61.1.1
					143 151		1.67		34.1	40	27.28 27.34 27.38
					160 163		2.11		34.2	70	27.41 27.46
					165 177		1.82 2.11 2.24 2.49 3.07		34.3	50	27.42
:					18n 183		3.29		34.5	50	27.52 27.48
					186		3.51		34.5		27.4A 27.53
:					192				34.5	70	27.48
					196 201		3.87 3.76 3.21 3.23 3.36 3.36 3.36 4.39 4.11 4.39 4.11 4.54 4.57 4.67 4.67 4.67 4.67 4.67 4.67 4.71 4.67 4.71 4.71 4.71 4.71 4.71 4.71 4.71 4.7		34.5	20	27.48 27.45 27.45 27.51 27.55 27.58 27.67 27.67 27.60 27.60 27.60 27.60 27.60 27.67 27.67 27.67 27.67 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70 27.70
					201 205 210 227 238 241 244 247 257 260 277 283 300		3.21 3.26 3.02 3.36 3.79		34.5	50	27.49 27.55 27.59 27.59 27.67 27.60 27.60 27.60 27.63 27.62 27.67 27.67 27.67 27.67 27.76 27.76 27.76 27.77 27.77 27.77
:					227 23A		3.36 3.79 4.01 4.32		34.7	00	27.58
					241 244		4.01		34.A	120	27.67
					257		4.19		34.7	140	27.59
					257		4.19 4.11 4.15		34.7	50	27.60
					277		4.01 4.32 4.39 4.19 4.11 4.15 4.41 4.54 4.67 4.68		34.8 34.7 34.7 34.7 34.7 34.8	120	27.62
					300 327		4.54		34.A 34.A 34.9 34.9	150	27.64
:					352		4.67 4.68 4.71 4.59 4.57		34.9	110	27.67
:					378 400 451		4.59		34.9	20	27.68
					506		4.57		34.9	40	27.70
					554 405		4.46		34.9	140	27.72
					405 458 713 755		4.46 4.34 4.27 4.20 4.16		34.9 34.9 34.9	710	27.65 27.67 27.68 27.69 27.70 27.72 27.72 27.73 27.73
					755		4.16		74.9	120	27,77

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITUE)F	LON	IG I TUI	DE L		GM T	TIME) HR.		5.40		TATION IMMER
47 00.0) N	046	33.0		05 2	\dashv	14.4	_	971	_	10893
DEPTH	T	AVE	OBSE						CL		
OT MOTTOR		DIR	нст	PER	5EA	W	EATHE CODE	R	TYI	PE	AMT.
0413		00			0		х4		0		6
	1					ATR	TEMP				
WIF			ME	TER		DE.		_		Т	1
DIR	SPE		(14)	95}	DR BU		BUL		V15	Ε	HT_
16	06	,	3	2.2	10	. 0	09.	4		(970.403
14.4					9 12 15 8 12 24 9 3 3 8 0 3 4 4 6 4 8 1 5 5 9 2 6 6 7 7 8 2 8 4 7 2 9 5 8 1 1 1 5 3 6 9 2 6 6 7 7 8 2 8 4 7 2 9 5 8 1 1 1 1 2 1 1 5 3 6 2 2 2 5 1 1 1 1 2 2 2 2 2 5 7 8 1 1 1 1 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3		5.01 4.96 4.75 2.63 2.05 1.59 1.59 1.68 1.75 1.10 1.89 1.89 1.89 1.81		32.9 9 32.77 32.97 32.97 33.00 30 30 30 30 30 30 30 30 30 30 30 30 3	9326210003330027700030303030303030303030303030	26.04 26.04 26.00 26.16 26.17 26.37 26.41 26.37 26.44 26.39 26.46 26.56 26.79 26.91 26.97 27.03 27.10 27.08 27.07 27.33 27.14 27.20 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.37 27.40 27.65 27.66 27.66 27.66

LATITO	JDE	LON	IG I TUI	OF -	STA	_1	ON GMT	TIME	YI	EAR		ATION IMBER
47 00	. ON	046	11.) W	05	2	20	16.4	1 '	971	1	0894
DEPTH		WAVE	ORSE	RVAT	ION	5			_	CL	ດເງເ	CODES
OT TOP	4	DIR	HGT	PER	SF	Δ	ľ	CODE	K	TY	PE	AMT.
0331		14	1	2				X 4		0		6
wi	[NO			20-			ATR	TEMP				
910				15)	1		PY JLR	WET RUL		V15 COD	Ε	DYN
17	0	6	31	15	:	10	0.0	09.	4		9	70.960
MESSEN TIME	-		ST IO.	C	EPTI	н		TEMP		5AL		51G-T
16.4	•				10			4.62		32.A		26.04
00.4	•				15			3.87 3.08		32.9		26.18
•					21			2.84		33.0	50	26.37
•					23 26			2.73		33.0°		26.41 26.41
•					29 32			2.68		33.2		26.53
					37			2.86		33.2	50	26.53
•					40			2.51		33.1 33.1		26.47 26.54
					47			1.44		33.4 33.5		26.77
:					53			2.26		33.6	60	26.91
•					55 75			2.49		33.6°		26.89 26.96
•					101			2.29		33.9	90	27.17
•					107			2.48		34.0 34.0		27.18
:					119			1.95		34.1 34.1		27.29
					134			2.08		34.2	20	27.37
•					140			2.68		34.3° 34.5		27.44
					146			3.97 4.37		34.6	50	27.54
					152			4.65		34.6	90	27.49
	•				177 202			5.25		34.7°		27.50 27.55
					227			5.19		34.89 34.89	90	27.59 27.59
•					249			4.69		34.8	20	27.59
•					252			4.57		34 . A		27.61 27.64
	•				302	277 4.47 34.850 302 4.61 34.890						27.66

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

#FSCHIGED CAST OFFITH TWW SAL SIG-T 20.0 13 6.64 13.450 26.25 119.0 15 6.29 31.450 26.25 119.0 15 6.29 31.450 26.25 119.0 15 6.29 31.450 26.25 119.0 15 6.29 31.450 26.25 119.0 15 6.29 31.450 26.45 119.0 15 6.29 31.450 26.45 119.0 15 6.29 31.450 26.45 119.0 15 6.29 31.450 26.45 119.0 15 6.29 31.450 26.45 119.0 15 6.20																***	201	7145			
The content of the											LATITU	DF	LON	IGITUR	DF _		(GH1	r)		1	
A7 0.0 N 0.45 0.6 0.7 0.5 20 10.0	LATITU	OF L	ONGII	rune				YFAR							,	10.	DAY	HR.	YEAR	NI NI	INDES
New York									+		47 15.	011	045	48.0	ו שר	15	20	20.0	1971	1	0896
No. Pop Mary Depty Mary Depty Mary Depty Dep	47 01.0	0 N 0	45 48	4.0₩	05 7	su	19.0	1971		10895	DEPTH	W	IAVE	OBSER	ZVAT	1045			C	LOUG	CODES
Note		WAV	F OP	FPVAT	11045				נוחו	n cones		-			1	1	۱ ۱			YDE	AMT.
10		0.1	o u/	7 056	SEA	\ \\			YPF	AMT.			UI#	ni, i		A 3F	+	CODE			-
No.		-	+-	-	1 // -	-		-		+	0278		14	0	2			¥ 4		n	6
Name	0274	14	n	2			¥4		n	-											
No. SPEED					-	•	-					ND I				-	DI	E0 C			<u> </u>
SPEFD	w 11	NU			-	DE	5 C	_			DIB	SPE	ED	(MI	95)				- 1		
16	Dio	SPEED			_		1					<u> </u>				- 8	ULM			\rightarrow	
##\$\$F\$ GEP CAST OFPTH TPMP SAL SIG-T 20.0 13 6.64 13.450 26.25 TIME NO. 15 6.29 31.450 26.26 19.0 21 3.05 12.960 26.28 00.1 18 5.29 31.450 26.4 00.2 29 24 27.1 12.990 26.13 12 15.84 31.510 26.4 00.2 32 2.53 31.200 26.48 1.24 1.25 1.25 1.25 1.25 19.0 31 31.39 31.340 26.45 1.25 1.25 1.25 1.25 19.1 31.39 31.30 26.46 1.25 1.25 1.25 1.25 1.25 19.2 32 2.53 31.200 26.46 1.25 1.25 1.25 1.25 19.3 31.39 31.340 26.46 1.25 1.25 1.25 1.25 19.4 4.2 31.610 26.4 1					91	ULA	PUL	B CC	UE		50	10)	3	18	1	0.0	09.	4		970.969
Type	16	06		315	11	0.0	09.	4		971.033					D	FPTH		TEMP	54	L	516-T
19	MESSEN	GER	CAST	١	DEPTH		TEMP	51	1	SIG-T			•	40.		13		6.64	33.	450	26.27
00.2 2 2.46 37,1 32.60	TIVE										4					15		6.29			26.24
00.2	[9.0											1									26.42
17	00.2															24		5.50			26.42
173 13.7 13.130 71.7 13.140 71.7 14.2 13.6 15 4.12 13.6 16 26.7 14.1 13.7 10.2 14.1 14.1 14.1 14.1 14.1 14.1 14.1 14	•										•										26.64
. 43 2.78 33.200 26.409	•										:					42		4.24	33,	630	26.70
. 46 2.32 33.570 26.79 . 49 2.64 13.330 26.61 . 52 1.15 33.150 26.8 . 55 0.47 33.310 26.75 . 72 2.85 33.740 26.8 . 55 0.47 33.310 26.84 . 57 0.11 33.410 26.84 . 78 2.73 33.850 27.16 . 60 0.57 33.840 27.16 . 80 2.42 33.790 27.0 . 61 1.46 33.850 27.12 . 81 2.20 33.840 27.0 . 65 1.57 33.560 26.88 . 86 21.6 33.800 27.1 . 68 0.87 33.610 26.88 . 88 2.29 34.000 27.1 . 68 0.87 33.610 26.98 . 88 2.29 34.000 27.1 . 71 0.71 33.600 27.04 . 91 2.42 33.930 27.0 . 74 0.74 33.730 27.07 . 94 2.38 33.900 27.1 . 75 2.88 2.88 2.99 34.000 27.1 . 76 1.15 3.080 27.16 . 18 2.96 34.800 27.2 . 92 2.14 33.980 27.16 . 18 2.96 34.800 27.2 . 93 2.78 34.600 27.16 . 93 2.78 34.600 27.16 . 94 2.38 33.900 27.1 . 93 2.78 34.600 27.16 . 13 3.44 20.27.2 . 10 2.57 34.600 27.2 . 10 3.79 34.800 27.16 . 11 32 3.42 34.210 27.2 . 10 3.79 34.800 27.16 . 11 32 3.42 34.210 27.2 . 10 3.79 34.800 27.16 . 11 32 3.42 34.210 27.2 . 10 3.79 34.800 27.30 . 11 32 3.42 34.210 27.2 . 10 3.79 34.800 27.30 . 11 3.79 34.800 27.30 . 11 3.79 34.800 27.30 . 11 3.79 34.800 27.30 . 11 3.79 34.800 27.30 . 11 3.800 27.37 . 12 3.800 27.37 . 13 3.800 27.37 . 14 4.900 27.37 . 15 4.900 27.38 . 16 4.900 27.39 . 17 3.800 27.39 . 18 4.900 27.39 . 18 4.900 27.39 . 18 4.900 27.39 . 18 4.900 27.39 . 18 4.900 27.39 . 18 4.900 27.39 . 18 4.900 27.39 . 18 4.900 27.39 . 18 4.900 27.39 . 18 4.900 27.39 . 18 4.900 27.30 . 18 4.900 27.39 . 18 4.900 27.30 . 18 4.900 27.30 . 22 28 4.91 28.800 . 23 28 4.900 27.30 . 23 28 4.91 28.800 . 23 28 4.900 . 23 28 28 28 28 28 . 22 28 4.91 28.800 . 23 28 28 28 . 22 28 4.91								33.	200		•										26.78 26.78
52 1.15 33.150 26.38 77 3.15 33.730 26.475 77 2.85 33.730 26.475 77 2.85 33.730 26.475 77 2.85 33.730 26.475 77 2.85 33.740 26.475 77 2.85 33.740 27.46 78 2.73 33.850 27.46 78 2.73 33.850 27.47 8.46 78 2.73 33.850 27.47 8.46 78 2.73 33.850 27.47 8.46 78 2.73 33.850 27.47 8.46 78 2.74 8.46 8.46 78 2.74 8.46 8.46 78 2.74 8.46 8.46	•										:								33.	680	26.76
55 0,47 33,310 26,75 72 2,85 13,740 26,98 76 0,11 33,410 27,16 80 2,42 33,790 27,0 60 0,57 33,840 27,16 80 2,42 33,790 27,0 61 1,46 33,850 27,12 81 82,20 33,790 27,0 65 1,57 33,560 27,12 81 82,20 33,400 27,1 6 81 1,57 33,500 26,88 81 86 2,29 34,000 27,1 6 81 1,57 33,500 26,88 81 86 2,29 34,000 27,1 71 0,71 33,690 27,04 91 2,42 33,930 27,1 71 0,71 33,690 27,07 91 2,42 33,930 27,1 74 0,74 33,730 27,07 91 2,57 34,660 27,32 102 2,57 34,660 27,2 79 2,05 33,960 27,16 118 2,46 34,180 27,2 92 2,14 33,980 27,17 122 3,76 34,180 27,17 122 3,76 34,180 27,17 122 3,76 34,180 27,17 122 3,76 34,180 27,17 122 3,76 34,180 27,17 122 3,76 34,180 27,18 131 3,28 34,200 27,1 122 3,76 34,200 27,1 122 34,200 27,1 122 34,200 27,1 123 34,200 27,1 124 34,200	•										•										26.83
60 0.57 33.840 27.16 80 2.42 33.790 27.0 63 1.46 33.850 27.12 83 2.20 33.840 27.0 65 1.57 33.630 26.88 86 2.16 33.400 27.1 68 80.87 33.630 26.98 88 2.29 34.000 27.1 71 0.71 33.690 27.0 94 2.38 33.990 27.1 74 0.74 33.730 27.0 94 2.38 33.990 27.1 74 0.74 33.730 27.0 94 2.38 33.990 27.1 75 1.15 34.080 27.3 2 102 2.57 34.060 27.2 79 2.05 33.960 27.16 118 2.96 34.180 27.2 92 2.14 33.980 27.1 129 3.76 34.300 27.1 129 3.62 34.210 27.2 129 129 129 129 129 129 129 129 129 12	•				55		0.47			26.75	:										26.92
63 1.46 33.850 27.12 83 2.20 33.840 27.01 65 1.57 33.560 26.888 86 2.16 33.900 27.1 66 0.87 33.560 26.98 87 88 2.29 34.000 27.1 71 0.71 33.690 27.04 91 2.42 33.930 27.1 74 0.74 33.730 27.07 94 2.38 33.990 27.1 75 1.15 34.080 27.32 102 2.57 34.060 27.2 79 2.05 33.960 27.16 118 2.96 34.180 27.2 92 2.14 33.980 27.17 129 3.76 34.180 27.2 93 2.78 34.100 27.21 129 3.76 34.340 27.3 93 2.79 34.100 27.21 132 3.42 34.200 27.3 95 2.73 34.190 27.28 137 3.34 32.29 27.3 101 3.28 34.290 27.3 101 3.28 34.290 27.30 137 3.34 34.290 27.3 101 3.28 34.290 27.30 140 3.25 34.330 27.4 117 3.44 34.790 27.30 140 3.25 34.330 27.4 118 4.19 34.440 27.37 151 4.29 34.50 27.4 119 4.45 34.630 27.47 156 4.32 34.50 27.4 110 4.45 34.630 27.37 151 4.29 34.500 27.4 1110 4.45 34.630 27.37 159 4.78 34.690 27.4 112 3.98 34.490 27.33 154 4.32 34.500 27.4 113 4.39 34.490 27.33 154 4.32 34.500 27.4 114 4.56 34.630 27.47 156 4.48 34.690 27.4 115 5.08 34.620 27.39 161 4.97 34.690 27.4 116 4.45 34.630 27.47 156 4.48 34.690 27.4 117 4.45 34.650 27.47 159 4.78 34.690 27.4 118 4.90 34.450 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.39 161 4.97 34.690 27.4 119 4.45 34.690 27.56 17.50 1	•										•										27.01
65	•										:										27.06
71 0.71 33.690 27.04 91 2.42 33.930 27.17 74 0.74 33.730 27.07 94 2.38 33.930 27.17 75 1.15 34.080 27.32 102 2.57 34.000 27.2 79 2.05 33.960 27.16 118 2.96 34.180 27.2 99 2.14 33.990 27.17 126 3.6 34.180 27.2 90 2.79 34.100 27.21 129 3.6 34.340 27.3 91 2.79 34.100 27.21 132 3.2 34.210 27.2 93 2.78 34.190 27.28 133 34.320 27.3 95 2.73 34.190 27.28 137 33.4 32.20 27.2 101 3.28 34.290 27.30 140 3.28 34.290 27.3 101 3.28 34.290 27.30 140 3.25 34.330 27.3 112 3.98 34.440 27.37 151 4.29 3.6 34.330 27.4 112 3.98 34.440 27.37 151 4.29 34.520 27.4 115 4.19 34.630 27.47 156 4.49 34.660 27.4 116 4.45 34.630 27.47 156 4.48 34.620 27.4 122 4.99 34.540 27.39 161 4.97 34.670 27.4 125 5.08 34.620 27.39 161 4.97 34.670 27.4 126 5.08 34.620 27.39 161 4.97 34.670 27.4 130 4.39 34.640 27.39 161 4.97 34.670 27.4 131 4.39 34.650 27.37 159 4.78 34.690 27.4 132 4.60 34.650 27.39 161 4.97 34.670 27.4 133 4.26 34.490 27.38 192 4.78 34.690 27.4 134 4.26 34.490 27.38 192 4.78 34.690 27.4 135 4.60 34.510 27.39 214 4.60 34.800 27.4 136 4.60 34.510 27.39 214 4.60 34.800 27.4 137 4.60 34.510 27.39 214 4.60 34.800 27.4 138 4.26 34.490 27.39 214 4.60 34.800 27.4 139 4.54 34.550 27.42 228 4.45 34.810 27.6 161 4.55 34.600 27.43 228 4.45 34.810 27.6 161 4.55 34.600 27.43 228 4.45 34.810 27.6 181 4.43 34.700 27.53 228 4.45 34.810 27.6 181 4.43 34.700 27.53 228 4.45 34.810 27.6 181 4.43 34.700 27.53 228 4.45 34.810 27.6 181 4.43 34.700 27.53 228 4.45 34.810 27.6	•						1.57			26.R8	•					RA		2.16			27.10
74 0.74 33.730 27.07 94 2.38 33.940 27.17 76 1.15 34.080 27.32 102 2.57 34.060 27.12 79 2.05 33.960 27.16 118 2.96 34.180 27.72 90 2.79 34.100 27.21 126 3.69 34.30 27.73 93 2.78 14.040 27.16 132 3.42 34.210 27.21 95 2.73 34.180 27.28 137 3.34 34.200 27.31 101 3.28 34.280 27.29 140 3.25 34.300 27.4 112 3.98 34.420 27.30 143 3.52 34.510 27.4 112 3.98 34.440 27.37 151 4.29 34.500 27.4 115 4.19 34.500 27.47 156 4.44 33.500 27.4 122 4.99 34.580 27.37 154 4.92 34.500 27.3 125	•										•										27.11
79 2.05 33.960 27.16 118 2.96 34.180 27.2 92 2.14 33.980 27.17 129 3.76 34.30 27.3 93 2.79 34.100 27.21 129 3.76 34.30 27.3 93 2.78 34.00 27.16 132 3.42 34.210 27.3 95 2.73 34.180 27.28 133 3.42 34.210 27.3 101 3.28 34.250 27.29 140 3.25 34.33 27.3 1107 3.44 34.260 27.30 140 3.25 34.33 27.3 1112 3.98 34.440 27.37 151 4.29 34.52 27.4 115 4.19 34.40 27.37 151 4.29 34.52 27.4 115 4.19 34.40 27.37 151 4.29 34.52 27.4 110 4.45 34.530 27.47 156 4.44 34.62 27.4 112 4.99 34.530 27.37 159 4.31 3.52 34.530 27.4 112 3.98 34.460 27.37 159 4.30 34.460 27.4 113 3.52 34.30 27.7 114 4.99 34.50 27.37 159 4.30 34.60 27.4 115 5.18 34.620 27.39 161 4.97 34.660 27.4 115 5.18 34.620 27.39 161 4.97 34.660 27.4 115 5.18 34.650 27.38 19.4 4.30 27.39 161 4.97 34.660 27.4 118 5.04 34.450 27.38 19.4 4.30 27.4 119 4.54 34.560 27.38 19.4 4.30 27.4 119 4.55 34.600 27.38 19.4 4.30 27.4 119 4.56 34.650 27.41 19.4 4.53 34.600 27.4 119 4.57 34.600 27.38 19.2 4.53 34.600 27.4 119 4.58 34.500 27.39 214 4.60 34.80 27.4 119 4.59 34.500 27.39 214 4.60 34.80 27.4 119 4.50 34.650 27.40 27.39 214 4.60 34.80 27.4 110 4.55 34.600 27.40 27.39 214 4.60 34.80 27.4 110 4.57 34.600 27.40 27.30 27.40 2											•					94		2.38	33.	.990	27.16
97 2.14 33.980 27.17 129 3.69 34.300 27.27 90 2.79 34.100 27.21 129 3.69 34.300 27.27 93 2.78 34.00 27.21 129 3.42 34.210 27.2 93 2.78 34.180 27.28 132 3.42 34.210 27.2 95 2.73 34.180 27.29 131 3.34 34.290 27.3 101 3.28 34.250 27.29 137 3.34 34.290 27.3 110 3.28 34.420 27.37 110 3.44 34.290 27.30 140 3.25 34.330 27.2 110 3.48 34.40 27.37 151 4.29 34.550 27.4 112 3.98 34.40 27.37 151 4.29 34.550 27.4 115 4.19 34.420 27.33 154 4.32 34.540 27.4 115 4.19 34.420 27.33 154 4.32 34.540 27.4 110 4.45 34.50 27.47 156 4.49 34.580 27.37 156 4.78 34.60 27.4 112 3.98 34.540 27.37 156 4.78 34.60 27.4 112 3.98 34.50 27.37 156 4.78 34.60 27.4 112 3.98 34.50 27.37 156 4.78 34.60 27.4 112 3.98 34.50 27.37 156 4.78 34.60 27.4 112 3.98 34.50 27.39 161 4.97 34.60 27.4 128 5.04 34.450 27.39 161 4.97 34.60 27.4 128 5.04 34.450 27.39 161 4.97 34.60 27.4 128 5.04 34.450 27.39 161 4.97 34.60 27.4 128 5.04 34.450 27.39 161 4.97 34.60 27.4 139 4.26 34.490 27.38 129 4.53 34.60 27.4 139 4.26 34.490 27.38 129 4.53 34.60 27.4 139 4.26 34.490 27.39 161 4.97 34.670 27.4 139 4.26 34.490 27.39 129 4.53 34.60 27.4 139 4.26 34.490 27.39 129 4.53 34.60 27.4 139 4.26 34.490 27.39 129 4.53 34.60 27.4 139 4.26 34.490 27.39 129 4.53 34.60 27.4 139 4.26 34.490 27.39 129 4.53 34.60 27.4 139 4.26 34.490 27.39 129 4.59 34.890 27.5 144 4.60 34.510 27.30 129 4.41 34.770 27.5 144 4.60 34.510 27.30 129 4.41 34.770 27.5 144 4.60 34.510 27.49 129 129 129 129 129 129 129 129 129 12	•										•										27.26
90 2.79 34.100 27.21 132 3.42 34.210 27.26 132 3.42 34.210 27.27 132 34.34 34.210 27.27 132 34.23 34.210 27.28 134 34.29 27.3 34.190 27.28 134 3.28 34.290 27.3 101 3.28 34.290 27.3 101 3.28 34.290 27.3 101 3.28 34.290 27.3 1137 3.34 34.290 27.3 1140 3.25 34.330 27.2 115 3.28 34.40 27.37 151 4.29 34.550 27.4 112 3.98 34.40 27.37 151 4.29 34.550 27.4 115 4.19 34.420 27.33 154 4.32 34.550 27.4 115 4.19 34.420 27.33 154 4.32 34.540 27.4 110 4.45 34.630 27.47 156 4.44 34.620 27.4 122 4.99 34.580 27.47 156 4.44 34.620 27.4 122 4.99 34.580 27.39 161 4.97 34.670 27.4 128 5.04 34.450 27.26 175 4.83 34.690 27.2 125 5.08 34.650 27.26 175 4.83 34.690 27.4 128 5.04 34.450 27.26 175 4.83 34.690 27.4 128 5.04 34.450 27.38 178 4.72 34.680 27.4 130 4.39 34.450 27.38 192 4.53 34.660 27.4 131 4.26 34.600 27.4 131 4.26 34.600 27.4 131 4.26 34.600 27.4 131 4.26 34.600 27.4 131 4.26 34.600 27.4 131 4.26 34.600 27.4 131 4.27 131 4.38 4.36 34.510 27.39 121 4.46 34.800 27.4 131 4.36 34.510 27.39 121 4.46 34.800 27.4 131 4.36 34.600 27.4 131 4.36 34.600 27.4 131 4.36 34.600 27.4 131 4.36 34.600 27.4 131 4.36 34.600 27.4 131 4.36 34.600 27.4 131 4.46 33.4 10.27 10.2 131 4.46 33.4 10.2 17.6 131 4.46 33.4 10.2 17.6 131 4.46 33.4 10.2 17.6 131 4.46 33.4 10.2 17.6 131 4.46 33.4 10.2 17.6 131 4.46 33.4 10.2 17.6 131 4.46 33.4 10.2 17.6 131 4.46 33.4 10.2 17.6 131 4.46 33.4 10.2 17.6 131 4.46 33.4 10.2 17.6 131 4.47 10.2 17.5 131 4.47 10.2 17.5 131 4.48 10.2 17.6 131 4.48 10.2 17.5 131 4.48 10.2 17.6 13	:										•					126		3.69	34.	.300	27.29
. 95 2.73 34.190 27.28 137 3.34 34.290 27.3 101 3.28 34.250 27.29 137 3.34 34.290 27.3 101 3.28 34.250 27.29 140 3.25 34.330 27.3 107 3.44 34.290 27.30 143 3.52 34.510 27.4 112 3.98 34.420 27.33 151 4.29 34.520 27.4 115 4.19 34.420 27.33 151 4.29 34.520 27.4 116 4.45 34.630 27.47 156 4.44 34.620 27.4 117 4.99 34.580 27.47 156 4.44 34.620 27.4 118 5.04 34.660 27.39 161 4.97 34.690 27.4 118 5.04 34.450 27.26 175 4.83 34.690 27.4 119 4.39 34.450 27.38 178 4.77 34.690 27.4 130 4.39 34.450 27.38 178 4.72 34.680 27.4 131 4.26 34.490 27.38 192 4.53 34.660 27.4 139 4.54 34.560 27.41 194 4.25 34.690 27.4 148 4.60 34.510 27.39 27.41 194 4.25 34.690 27.4 149 4.60 34.510 27.39 27.4 149 4.60 34.510 27.39 27.4 150 4.30 34.550 27.42 228 4.45 34.810 27.6 161 4.55 34.600 27.43 251 4.60 34.880 27.6 161 4.55 34.600 27.43 251 4.46 34.850 27.6 181 4.43 34.700 27.53 27.52 181 4.44 34.650 27.49 181 4.43 34.700 27.53 27.52 195 4.79 34.750 27.53 201 4.75 34.780 27.55 27.49 181 4.43 34.700 27.55 27.49 181 4.43 34.700 27.55 27.49 181 4.43 34.700 27.55 27.52 195 4.79 34.750 27.55 27.49 181 4.45 34.800 27.55 27.49 181 4.47 34.780 27.55 27.55 228 4.91 34.840 27.55	•				91		2.79	34.	100	27.21	•										27.31
. 101 3.78 34.250 27.29 . 140 3.34 34.290 27.30 . 140 3.25 34.330 27.30 . 140 3.25 34.330 27.30 . 140 3.25 34.330 27.30 . 140 3.25 34.330 27.30 . 140 3.25 34.330 27.30 . 140 3.25 34.330 27.30 . 151 4.29 34.50 27.40 . 115 4.19 34.420 27.33 . 151 4.29 34.520 27.40 . 115 4.19 34.430 27.47 . 156 4.44 34.620 27.40 . 122 4.99 34.580 27.47 . 156 4.44 34.620 27.40 . 125 5.08 34.670 27.39 . 161 4.97 34.670 27.40 . 128 5.04 34.450 27.26 . 175 4.83 34.690 27.40 . 128 5.04 34.450 27.26 . 175 4.83 34.690 27.40 . 130 4.39 34.450 27.38 . 178 4.72 34.680 27.40 . 134 4.26 34.450 27.38 . 192 4.53 34.660 27.40 . 139 4.54 34.560 27.41 . 194 4.25 34.690 27.40 . 139 4.54 34.510 27.39 . 214 4.60 34.800 27.40 . 148 4.36 34.510 27.39 . 214 4.60 34.800 27.40 . 148 4.36 34.510 27.39 . 214 4.60 34.800 27.40 . 150 4.30 34.550 27.42 . 228 4.45 34.810 27.40 . 151 4.36 34.620 27.47 . 151 4.44 34.70 27.53 . 151 4.44 34.70 27.53 . 151 4.46 34.850 27.40 . 161 4.55 34.600 27.42 . 228 4.45 34.810 27.40 . 161 4.55 34.600 27.42 . 228 4.45 34.810 27.40 . 161 4.55 34.600 27.47 . 175 4.44 34.650 27.47 . 175 4.44 34.750 27.53 . 185 4.61 34.750 27.52 . 195 4.79 34.750 27.53 . 201 4.75 34.780 27.55 . 228 4.91 34.840 27.55 . 228 4.91 34.840 27.59 . 228 4.9	•										•								34	.290	27.32
107 3.44 34.790 27.30 112 3.98 34.440 27.37 115 4.19 34.420 27.33 1151 4.29 34.520 27.4 115 4.19 34.420 27.33 1154 4.32 34.540 27.4 119 4.45 34.630 27.47 119 4.45 34.630 27.47 119 4.45 34.630 27.47 119 4.47 34.690 27.4 119 4.48 34.690 27.39 110 4.49 34.450 27.26 1119 5.04 34.450 27.26 1119 5.04 34.450 27.38 110 4.39 34.450 27.38 110 4.39 34.450 27.38 110 4.39 34.460 27.38 110 4.20 34.680 27.41 110 4.25 34.680 27.41 110 4.25 34.680 27.41 110 4.25 34.680 27.41 110 4.25 34.680 27.41 110 4.25 34.680 27.41 110 4.25 34.680 27.42 110 4.36 34.510 27.36 110 4.30 34.550 27.42 110 4.46 34.800 27.42 110 4.46 34.800 27.42 110 4.46 34.800 27.43 110 4.36 34.600 27.43 110 4.37 34.680 27.42 110 4.46 34.850 27.42 110 4.46 34.850 27.42 110 4.46 34.850 27.42 110 4.47 34.650 27.47 110 4.48 34.700 27.53 110 4.75 34.780 27.53 110 4.75 34.780 27.55 110 4.75 34.780 27.55 110 4.75 34.780 27.55 110 4.75 34.880 27.57											•										27.31
. 112 3.98 34.440 27.37 151 4.29 34.520 27.4 . 115 4.19 34.420 27.33 154 4.32 34.540 27.4 . 119 4.45 34.630 27.47 156 4.44 34.620 27.4 . 122 4.99 34.580 27.37 159 4.78 34.690 27.4 . 125 5.08 34.620 27.39 161 4.97 34.670 27.4 . 126 5.08 34.450 27.38 161 4.97 34.670 27.4 . 130 4.39 34.450 27.33 178 4.72 34.680 27.4 . 131 4.39 34.450 27.33 178 4.72 34.680 27.4 . 134 4.26 34.490 27.38 192 4.53 34.660 27.4 . 139 4.54 34.560 27.41 194 4.25 34.690 27.5 . 148 4.36 34.510 27.36 20.2 4.41 34.770 27.5 . 148 4.36 34.510 27.39 214 4.60 34.800 27.4 . 150 4.30 34.550 27.42 228 4.45 34.810 27.6 . 161 4.55 34.600 27.42 228 4.45 34.810 27.6 . 167 4.36 34.620 27.47 . 175 4.44 14.650 27.47 . 181 4.43 34.700 27.53 . 181 4.43 34.700 27.53 . 181 4.43 34.750 27.55 . 228 4.91 34.830 27.57	•				107		3.44	34.	290	27.30											27.47
. 119 4.45 34.630 27.47 156 4.44 34.620 27.4 . 122 4.99 34.580 27.37 159 4.78 34.690 27.4 . 125 5.08 34.620 27.39 161 4.97 34.670 27.4 . 128 5.04 34.450 27.33 161 4.97 34.670 27.4 . 130 4.39 34.450 27.33 178 4.72 34.680 27.4 . 1314 4.26 34.490 27.38 192 4.53 34.660 27.4 . 132 4.60 34.510 27.38 194 4.25 34.690 27.5 . 148 4.36 34.510 27.36 202 4.41 34.770 27.5 . 148 4.36 34.510 27.39 214 4.60 34.800 27.4 . 150 4.30 34.550 27.42 228 4.45 34.810 27.6 . 161 4.55 34.600 27.43 228 4.45 34.810 27.6 . 161 4.55 34.600 27.43 251 4.46 34.850 27.6 . 161 4.55 34.600 27.43 251 4.46 34.850 27.6 . 161 4.55 34.600 27.53 . 167 4.36 34.620 27.47 . 175 4.44 34.650 27.49 . 181 4.43 34.700 27.53 . 185 4.61 34.720 27.53 . 187 4.91 34.840 27.59 . 239 4.95 34.830 27.57	•															151		4.29	34	.520	
. 122 4.99 34.580 27.37 . 159 4.78 34.690 27.4 . 125 5.08 34.620 27.39 . 161 4.97 34.670 27.4 . 128 5.04 34.450 27.26 . 175 4.83 34.690 27.4 . 130 4.39 34.450 27.33 . 178 4.72 34.680 27.4 . 131 4.26 34.490 27.38 . 192 4.53 34.660 27.4 . 134 4.26 34.510 27.36 . 202 4.41 34.770 27.5 . 148 4.36 34.510 27.36 . 202 4.41 34.770 27.5 . 148 4.36 34.510 27.39 . 214 4.60 34.800 27.4 . 150 4.30 34.550 27.42 . 228 4.45 34.810 27.6 . 161 4.55 34.600 27.43 . 251 4.46 34.850 27.6 . 167 4.36 34.620 27.47 . 175 4.44 34.650 27.47 . 181 4.43 34.700 27.53 . 185 4.61 34.720 27.52 . 195 4.79 34.750 27.53 . 201 4.75 34.840 27.59 . 239 4.95 34.830 27.57					110			34.	630	27.47	•										
. 128 5.04 34.450 27.26 . 175 4.83 34.690 27.46 . 130 4.39 34.450 27.33 . 178 4.72 34.680 27.4 . 131 4.26 34.490 27.38 . 192 4.53 34.660 27.4 . 139 4.54 34.560 27.41 . 194 4.25 34.690 27.5 . 145 4.60 34.510 27.36 . 202 4.41 34.770 27.5 . 148 4.36 34.510 27.39 . 214 4.60 34.800 27.4 . 150 4.30 34.550 27.42 . 228 4.45 34.810 27.4 . 251 4.46 34.850 27.4 . 161 4.55 34.600 27.43 . 251 4.46 34.850 27.6 . 167 4.36 34.600 27.43 . 251 4.46 34.850 27.6 . 167 4.36 34.650 27.47 . 175 4.44 34.650 27.49 . 181 4.43 34.700 27.53 . 185 4.61 34.720 27.52 . 195 4.79 34.750 27.53 . 201 4.75 34.780 27.55 . 228 4.91 34.840 27.59 239 4.95 34.830 27.57	•															159		4.78	34	.690	27.48
. 130 4.39 34.450 27.33 . 178 4.72 34.680 27.4 . 134 4.26 34.490 27.38 . 192 4.53 34.660 27.4 . 139 4.54 34.560 27.41 . 194 4.25 34.690 27.5 . 145 4.60 34.510 27.36 . 202 4.41 34.770 27.5 . 148 4.36 34.510 27.39 . 214 4.60 34.800 27.5 . 150 4.30 34.550 27.42 . 228 4.45 34.810 27.6 . 161 4.55 34.600 27.43 . 251 4.46 34.850 27.6 . 167 4.36 34.620 27.47 . 175 4.44 14.650 27.47 . 181 4.43 34.700 27.53 . 181 4.43 34.700 27.53 . 185 4.61 34.720 27.53 . 185 4.61 34.750 27.55 . 228 4.91 34.840 27.59 . 239 4.95 34.830 27.57											•										
. 139 4.54 34.560 27.41 . 194 4.25 34.690 27.5 . 145 4.60 34.510 27.36 . 202 4.41 34.770 27.5 . 148 4.36 34.510 27.39 . 214 4.60 34.800 27.5 . 150 4.30 34.550 27.42 . 228 4.45 34.810 27.5 . 161 4.55 34.600 27.43 . 251 4.46 34.850 27.6 . 167 4.36 34.620 27.47 . 175 4.44 34.650 27.49 . 181 4.43 34.700 27.53 . 185 4.61 34.720 27.52 . 195 4.79 34.750 27.53 . 201 4.75 34.840 27.59 . 239 4.95 34.840 27.57	•				130		4.39	34,	450	27.33						178		4.72	34	. 680	27.48
. 145 4.60 34.510 27.36 . 202 4.41 34.770 27.5 148 4.36 34.510 27.39 . 214 4.60 34.800 27.5 150 4.30 34.550 27.42 . 228 4.45 34.810 27.5 161 4.55 34.600 27.43 . 251 4.46 34.850 27.6 167 4.36 34.620 27.47 . 251 4.46 34.850 27.6 175 4.44 74.650 27.49 . 27.53 181 4.43 34.700 27.53 185 4.61 34.720 27.52 195 4.79 34.750 27.53 201 4.75 34.840 27.59 239 4.95 34.830 27.57	•										•										
. 148 4.36 34.510 27.39 . 214 4.60 34.800 27.5 150 4.30 34.550 27.42 . 228 4.45 34.810 27.6 161 4.55 34.600 27.43 . 251 4.46 34.850 27.6 167 4.36 34.620 27.47 175 4.44 14.650 27.49 181 4.43 34.700 27.53 185 4.61 34.720 27.52 195 4.79 34.750 27.53 201 4.75 34.780 27.55 228 4.91 34.840 27.55 239 4.95 34.830 27.57																			34	.770	27.59
. 161 4.55 34.600 27.43 . 251 4.46 34.850 27.6 . 167 4.36 34.620 27.47 . 175 4.44 34.650 27.49 . 181 4.43 34.700 27.53 . 185 4.61 34.720 27.52 . 195 4.79 34.750 27.53 . 201 4.75 34.780 27.55 . 228 4.91 34.840 27.59 . 239 4.95 34.830 27.57	•				148		4.36	34.	510	27.39						214		4.60	34	.800	27.58
. 167 4.36 34.620 27.47 . 175 4.44 34.650 27.49 . 181 4.43 34.700 27.53 . 185 4.61 34.720 27.52 . 195 4.79 34.780 27.53 . 201 4.75 34.780 27.55 . 228 4.91 34.840 27.59 . 239 4.95 34.830 27.57	•										•										
. 181 4.43 34.700 27.53 . 185 4.61 34.720 27.52 . 195 4.79 34.750 27.53 . 201 4.75 34.780 27.55 . 228 4.91 34.840 27.59 . 239 4.95 34.830 27.57					167		4.36	34.	620	27.47											
. 185 4.61 34.720 27.52 . 195 4.79 34.750 27.53 . 201 4.75 34.780 27.55 . 228 4.91 34.840 27.59 . 239 4.95 34.830 27.57	•																				
. 195 4.79 34.750 27.53 . 201 4.75 34.780 27.55 . 228 4.91 34.840 27.59 . 239 4.95 34.830 27.57																					
. 228 4.91 34.840 27.59 . 239 4.95 34.830 27.57					195		4.79	34.	750	27.53											
. 239 4.95 34.830 27.57	•																				
e COC 4011 3400 OC CIONO	•				252		4.71	34.	830	27.60											

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

						L		~ -			20 2000
LATIT	บกิร	1 01	iG I TU	DE L		(GMT	TIME	 	EAR		ATION
47 30	. ON	045	43.	\rightarrow		_	22.3	-	971	_	0897
DEPTH		WAVE	DASE								CODES
TO	.	DIB	нст	PER	1	۳	EATHE CODE			PE	AMT.
0285	\dashv	14		_	n	-	X 4	_	0		6
						AIR	TEME	,			
- W	INU			PD-		ŊΕ	G C			_	
UIB	۲	PEED		AS)	7) 9)	JL A	WE1		V15		NYN HT
21		08	3:	22		0.0	19.			+	70.968
22.	<u>. </u>				, B		5.94		33.1		26.09
00.4					11 14		5.92		33.0	70	26.07 26.39
•					16 21		5.48 5.08		33.4	80	26.44
•					24		4.94		33.4	80	26.50
•					27 29		4.67		33.3	70	26.43 26.50
•					32 35		3.99 4.19		33.5		26.63 26.65
•					38 41		4.17 3.94		33.5	10	26.61 26.56
•					46		3.12		33.5	30	26.73
•					51 77		2.57		33.6 33.8		26.86 27.02
•					80		2.23		33.8	30	27.05
:					82 85		2.32		33.9 33.9		27.10 27.10
•					90 93		2.55		33.9 33.8		27.08 27.06
					95		1.90		33.9	80	27.19
:					99 101		2.67 3.52		34.5		27.56 27.50
					104		4.45		34.5	00	27.37
:					107 110		4.76 4.85		34.4		27.32 27.29
•					112		5.05		34.5		27.31 27.28
:					127		5.15		34.4	90	27.28
					129 132		5.09 5.17		34.5		27.30 27.35
•					135		5.35		34.5	90	27.34
•					140 143		5.38 5.04		34.5		27.31 27.18
•					146 152		4.56		34.4		27.28 27.30
					154		4.01		34.4	30	27.36
:					157 161		3.95		34.4		27.35 27.38
•					163		3.95		34.5	10	27.43
					166 170		3.97 2.97		34.2		27.23 27.37
•					172 176		2.93 3.70		34.4		27.46 27.65
					178		4.31		34.6	90	27.53
					181 184		4.69 5.00		34.7		27.57 27.48
•					186 189		4.80		34.6	90	27.42
					192		4.81		34.7	30	27.51 27.51
					194 198		4.79		34.6		27.50 27.45
•					0.05		4.44		34.6	90	27.52
					222 225		4.47		34.7		27.55 27.56
•					227 238		4.30		34.7		27.59 27.62
					252		4.49		34.A	50	27.64
٠					258		4.2R		74.P	20	27.63

	. 10.	.—0	111111	icu								
LAT]TUP	F	LON	ig I T (ii	DF	STA:	(ON GMT	T[M]) HR.		FAR		TATION JMRER
47 43.0	KI	045	41.	0 W	05	2	0	23.	8 1	97]		10A9A
NEPTH TO	١	₽ ΔVF	ORSE	PVAI	FTON	ς		EAT	HER	CL	กบเ	CODES
POTTOM		010	нст	PER	SF	Δ		co		TY	PE	AMT.
0 30 7		00			0			x 4		0		6
WIN	ก			RO- TER			A I R	G C	MP			
UIB	SPE	EED		95)	- 1	9U	Y LA		ET ULA	V15		DYN HT
24	0.	7	3	22		0 7	۰.۹	0	7.8			970.964
23.8					10 13 15 18 21 24 27 29 33 35 39 42 44 47 53 56 67 75 81 11 12 12 12 12 12 13 11 16 16 17 11 11 11 11 11 11 11 11 11 11 11 11			4.9844.2 44.8 44.8 44.8 44.8 11.8 46.8 11.8 11.8 11.8 11.8 11.8 11.8 11.8 1	23497091071798610795628024669672234652	32.77 322.73 322.75 322.66 322.77 322.66 322.67 322.66 322.67 322	500000000000000000000000000000000000000	26.00 25.94 26.00 26.01 26.13 26.29 26.29 26.23 26.60 26.64 26.60 26.69 26.84 27.16 27.20 27.20 27.20 27.44 27.49 27.53 27.51 27.51 27.53 27.56 27.56 27.56 27.60 27.64

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATTE	IJΕ	LON	iGT tul) F		GMT	TIME) HD.	Y			NTION ABER
4R 01.	011	045	44.0) w	05 2	1	02.4	1	971	1 (1899
DERTH		WAVE	OBSE	2 V A T	1045	T '		_	rin	חנו	CODES
POTTON		DIR	нат	DEB	SFA	w	CODE	2	TYP	F	AMT.
0619		0.0			n		¥ 4		n		4
Ψī	NU		A A F			A [R	TEMP G C				
DIR	51	PEED		15)	DR	Y LB	WET BUL	4	VIS CODE		DYN
25	(14	37	"?	06	. 7	06.	,		Q	70.937
02.4					А		5.10		32.84		25.98
00.4	,				10 13		4.93 3.41		32.6A 32.6A		25.A7 26.02
•					16 18		2.37		32.A4	0	26.24
•					21		2.42 2.90		33.07 33.12		26.42
•					24 27		2.83 2.64		33.13 33.14		26.44
•					32		2.52		33.13	0	26.46 26.46
•					35 38		2.43		33.15 33.15		26.48 26.48
•					40		2.30		33.14	0	26.49
•					43		1.98		33.12 33.21		26.49 26.60
					49		1.29		33.29	0	26.68
					51 54		0.97 0.70		33.39 33.44		26.78 26.84
					60		0.63		33.59	0	26.96
					62 65		0.81 0.81		33.650 33.710		27.00 27.04
•					70		1.25		33.86	0	27.14
					73 76		1.60 1.82		33.921 33.841		27.17 27.08
					79		1.40		33.80	0	27.08
					81 84		1.04 1.30		33.850 34.050		27.14
•					87		2.06	•	34.09	0	27.27
:					99 95		2.30 1.81		34.12 33.96		27.27 27.18
					9A 100		1.60		34.05		27.27 27.28
:					106		1.78		34.07 34.10		27.29
•					114		1.64 1.83		34.161 34.221		27.35
					129		3.11		34.48	0	27.39 27.48
•					135 138		3.91 4.22		34.63 34.60		27.53
					142		4.30		34.62	0	27.47
•					149		4.72 4.72		34.691 34.691		27.48 27.48
•					159		4.79		34.73	0	27.51
					176		5.10 5.01		34.77: 34.78:		27.51 27.52
					187	1	5.16		14.80	0	27.52
					190		5.03 4.99		14.7A: 14.84:		27.52 27.57
					204	1	5.28		14.96	0	27.55
					226 251		5.04 5.13		34.971 34.901		27.59 27.61
					217 302		4.96		34.92	0	27.64
					320		5.06 4.62		34.95 34.90		27.65 27.66
					362 383		4.56		14.91	n	27.68
					417		4.62 4.54		14.93 34.93		27.69 27.70
•					470 555		4.46 4.35		14.97	n	27.71
•					177		4 . 17		34.92	()	27.71

045	(MF	PER PER PER PER PER PER	10NS SEA	CGMT DAY	FATHE CODE	P	<u> </u>	NI OUT	TATION IMBER 10900 CODES
DIR DIR 14 PFFD 0A CAS	HGT 0 RAI	PER PER PER PER PER	IONS SEA	ATF	CODE X4	р	CL TY	nur	CODES
DIR 14 PEFD 08 CAS	HGT 0 RAI ME	PFR 2 70- 758	SEA	ATF	CODE 44		ΤY	99	AMT.
PEED OA CAS	O RAF	2 RO- TER RS)	D	ATF	CODE 44				-
PEFD OA	HF.	70- TFR 95)	1		TEMP	<u> </u>	n		6
na CAS	(MF	TFR 95)	1			,			
na CAS	(MF	95)	1						
R CAS	31		В	RY ULR	WE1 BUL		V15		NYN HT
		15	0	7.2	07.	. 2			970.935
.44		n	FPTH		TEMP		54L		516-1
	•		17 24		3.12		32.5		25.95 26.03
			26 29		1.31		32.6	60	26.17
			32		1.01		32.6		26.22
			35 38		0.36		32.9	0.19	26.43
			40		0.09		33.0		26.55
			43		0.02		33.2	10	26.69
			52		0.16		33.3	30	26.83 26.98
			64 79		0.19		33.8	0.0	27.15
			86		1.18		34.2		27.38
			93		1.76		34.2		27.44
			100 104		1.59		34.3		27.45
			107		1.84		34.3	180	27.51
									27.52
			141		3.01		34.5	10	27.52
									27.50
			153		2.49		34.5	00	27.55
									27.59
			188		3.36		34.6	90	27.6
									27.65
					4.29				27.6
					4.36				27.66
									27.68
			356		4.46		34.9	10	27.69
					4.46				27.69
			462		4.45		34.9	30	27.7
									27.7
			906		4.01		34.9	0.50	27.79
		1	024		3.87		34.9	20	27.76
				114 128 141 145 149 153 174	114 128 141 145 149 153 174 181 188 202 227 253 277 307 326 356 185 414 462 508 659 906	114	114	107 1.84 34.7 114 2.56 34.4 128 2.86 34.5 141 3.01 34.5 145 2.69 34.4 149 2.49 34.4 153 2.49 34.5 174 2.63 34.5 181 2.94 34.6 188 3.36 34.6 202 3.63 34.6 202 3.63 34.7 227 4.09 34.8 277 4.36 34.8 307 4.40 34.8 336 4.46 34.5 385 4.46 34.5 385 4.46 34.5 385 4.46 34.5 385 4.46 34.5 385 4.46 34.5	107 1.84 34.380 114 2.56 34.470 128 2.86 34.510 141 3.01 34.510 145 2.69 34.450 149 2.49 34.470 151 2.49 34.500 174 2.63 34.560 181 2.94 34.630 188 3.36 34.690 202 3.63 34.710 227 4.09 34.810 227 4.09 34.810 227 4.09 34.840 277 4.36 34.860 307 4.40 34.890 356 4.44 34.900 356 4.46 34.920 414 4.46 34.920 415 4.46 34.920 416 4.46 34.920 417 4.40 34.930 350 4.41 34.930 350 4.42 34.930 350 4.42 34.930 365 4.30 34.930 365 4.30 34.930 365 4.30 34.930 366 4.30 34.930

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATTTUN	F LO	NG1TU	DF L		(GMT		Y		STAT:		LATTI	IDF	LON	GITUE	F		IOM:		YFA		TATION
48 39.0	N 04	5 44.	nw i	05	21	07.1	1	971	109	01	48 19.	ŋN	046	SA.	w	05	21	13.1	197	+	10902
DEPTH	WAVE	OBSE	PVAT	IONS	\top	·		CLO	UD CI	00E5	DEPTH	П	WAVE	OBSER	VAT	IUNS	T		1	1.00	n cones
TO BOTTOM	DIR	нст	PER	SEA		CODE		TYP	E .	AMT.	POTTON	4	010	нат	PER	SFA		EATHE CODE		TYPE	AMT.
1094	14			0		X 4		С		6	1904		00			0		x 4		n	6
AIN	n		RO-			R TEMP					w	INN)	A A F				F TEMP			
DIS	SPEED		TFR 85)		RY UI.A	WET		V15 CODE		YN HT	nie	5	SPEED	MF 1 (MF			PY IULR	WET BUL		IS DDE	DYN
25	06	3	15	0	7.A	07.	A		970	.901	17		04	31	А	1	1.1	10.	6		970.922
07.1				161 224 3336 4493 3675 4675 1027 1027 1027 1027 1027 1027 1027 1027		3.21 2.37 2.12 1.91 1.91 1.67 1.25 0.58 0.01 0.17 0.18 1.36 1.61 1.61 1.81 2.54 3.69 4.16 4.29 4.16 4.10 3.97 3.97 3.75 3.77		32.69:32.91 32.91:32.96 32.91:32.96 32.97:33.29 33.29:33.29 33.29:33.29 33.29:33.29 33.29:33.29 33.29:33.29 33.29:33.29 34.31 34.31 34.31 34.92 34.92 34.92 34.92 34.92	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6.0566.3566.3666.3666.3666.3666.3666.366	13.					1179251444503444083833333334455566670111122233333744555666705175022233333744505177507513		4.055 3.215 2.668 1.67 1.581 0.30 0.001 0.03 1.46 2.11 3.568 3.791 4.36 4.37 4.31 4.36 4.37 4.31 4.36 4.37 4.31 4.38 4.31 4.31 4.31 4.31 4.31 4.31 4.31 4.31	32 32 32 33 33 33 33 33 34 34 34 34 34	. 6600 .6630 .6630 .6630 .6700 .6700 .7200 .7200 .7200 .7200 .7200 .7300	25.97 25.99 26.41 26.46 26.47 26.46 26.59 26.71 26.84 27.10 27.42 27.50 27.42 27.65 27.66 27.67 27.67 27.67 27.70 27.71 27.71 27.71 27.73 27.73 27.73 27.74 27.75

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

					STAT			TIME				
LATITU	JNF	1.04	4011nu)F	Mn.		SM T	HP.	l ,	FAR		ATION MRFR
		+		\dashv		⊢	-		-			
49 10.	, 0 N	047	7 15.0	ן שַּי	0.5	5	1	15.0	1	971	_1	0903
DEPTH		WAVE	ORSER	2 ∨ Δ 1	เบกล่อ	;				CLC	าบท	CODES
TO	, [910	нат	PEG	SEA		'n	FATHE COOF	P	TYP		AMT.
0937	\top	0.0			1	7					•	
1917				<u> </u>	0		_	¥ 4		0		6
w T	NO		RAF	20-		1	10 11					
	_		MF1	FR	\vdash	_	_	Τ	_		1	
DIR	ς ρ	EE0	(MF	15)		IUL		BUL		VIS CODE		DYN HT
17		4	2,	_						-		
17		4	31			0 .	0	08.	9	L	9	70.955
15.0					15			2.60		32.54	0	25.99
00.2					2n 23			1.35		32.57 32.46	0	26.10
•					25			0.31		32.65	0	26.23
•					29 31			0.43		32.86		26.38
•					34			0.04		32.65 33.17		26.69
•					37			0.80		33.26	0	26.76
•					39 42			0.92		33.36	0	26.85
•					45			0.52		33.46 33.67	0	26.92 27.08
•					47			0.04		33.59	0	26.99
•					53 56			0.17		33.62		27.01
					59			0.31		33.64 33.64	0	27.02
•					64			0.22		33.68	0	27.06
•					67 73			0.27		33.75		27.11
					76			0.60 0.59		33.81 33.81		27.14 27.14
					84			0.53		33.84		27.17
•					87			0.63		33.97		27.27
•					94			0.88 0.78		34.00 33.95	0	27.28 27.24
•					103			0.98		34.02		27.29
					105			1.16		34.13	0	27.36
•					10B			1.45		34.16 34.25		27.36
•					128			2.03		34.32		27.40 27.45
•					131			2.30		34.33	0	27.43
•					150 175			2.48		34.37 34.42	0	27.45 27.47
:					105			2.83		34.47	0	27.50
					226			2.95		34.50	0	27.52
:					252 278			3.09 3.38		34.56 34.65		27.55 27.60
:					300			3.77		34.74		27.62
•					324			4.00		34.79	0	27.65
					350 377			4.23 4.36		34.84 34.88		27.66
•					402			4.40		34.88 34.89		27.67 27.68
					453			4.42		34.91	0	27.70
•					502 555			4.40		14.92		27.71
:					607			4.26		34.97 34.93		27.72
					660			4.18		34.97	0	27.73
•					702 754			4.09		34.92 34.92	0	27.74
:					ROK			3.94		34.92		27.75 27.75

L A T T T 1 1 0 1	F	LOV	GITH	DF.	STA	(GH1					TATION
					MO.	D	ΔΥ	нΩ.	_ Y	FAR	NI	MAED
48 05.0°	V	047	26.0) W	05	2	1	16.7	1	971		10904
DEPTH TO	W	AVE	ORSE	PVΔ	TION	5		EATHE	0	Ct.	ດເມ	n confs
AULLUN		DIA	нст	PE	A SF	Δ		cone		TY	PE	AMT.
0457		0.0			0			¥4		n		5
w T NI	n			20- TFR			A T F	G C	•			
UIB	SPF	ΕU		35)) R R U	L P	WE1		VIS	F	DYN HT
18	n A		31	15		10	• 0	08.	9		(970.984
16.7					10 12 25 25 31 36 45 47 55 60 63 77 89 10 11 13 44 11 17 20 36 45 27 36 36 47 37 47 47 47 47 47 47 47 47 47 47 47 47 47			3.08 2.88 2.13 1.54 1.31 1.24 0.85 0.15 0.15 0.15 0.15 0.97 0.33 0.16 0.97 0.16 0.58 1.09 7.00 1.09 7.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00		32.55 32.55 32.56 32.56 32.66	07000000000000000000000000000000000000	25.92 25.93 26.02 26.10 26.15 26.15 26.07 26.37 26.37 26.30 26.43 26.70 26.93 27.10 27.26 27.35 27.35 27.35 27.37 27.47 27.50 27.67 27.63 27.63

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

			0	TATIO	א דד אר	F			_					5T4	-	TTME			
LATITU	חו וח	NG1THDE			SMT)	4		STATI		LAT [TI	DF LO	พดริธับ		4n.	(64	T)	YFAR		TATION
			+	'n. D:	AY HR.	Y	FAR	NIMBE	——		_			*1).	DAY	nw.	YFAL	NI NI	JMPFR
47 54.	0% 0.4	7 37.04	/ n	5 2	1 18.	۱ ا	971	1090	15	47 46.	04 04	7 41.	04	05	21	20.0	1971		10904
NEPTH	WAVE	OBSEBA	'ΔΤ1	045			CLO	un co	ONE 5	NERTH	WAVE	OPSE	₽V∧T	1049	5			רטטו	רחחדה
TO BOTTOM	nte	HGT P) F D	SEA	wEAT CO		TYP	<u>- </u>	MT.	TO ROTTOW	010	нат	PFP	SE		WEATHE CODE		YPF	AMT.
	1	7.01	7			JP,						-	-	1	+				
7776	00			n	۲4		n	_	6	0307	14	n	2	 		¥ 4	-	0	6
	_				ATR TE	4P						1				R TEMP	>		
	ND	PARC			DEG C					- 41	ND .		RO-	-	ח	EG C	-		
UID	SPEFN	(MDE		DRY	- 1	FT	VIS	DY		n1R	SPEED	(4	P5)		PY	WET			DYN
		-		800	. P A	JLA	CODE	Н	4 T					<u> </u>	AULA	AUL	.R C	OF.	нт
19	05	312		07.	. A 0	5.7	<u> </u>	971.	018	17	02	3	108		07.8	05.	. 7		971.048
18.4				Q	3.1	5	32.35	50 25	5.79	MESSEN	GER C	AST.	C	FPT	н	TEMP	54	ıL.	51G-T
00.1				11	3.0		32.45	0 25	S.RA	TTMF		NO.		Д		7 ((
00.1				14 20	2.7		32.44		5.90 5.03	20.0				11		3.44		580 260	25.94 25.72
				22	1.8	4	32.59	0 25	5.08	00.1				13		2.16	32.	400	25.90
•				31 24	1.3		32.64		5.15	•				16 19		1.45		400 550	
				47	0.9		32.66		5.19	•				22		1.36		. 550 . 650	
				52	0.6		32.48		.23					24		1.39		620	26.13
				55	0.2		32.58		5.17					33		1.05		500	26.14
				5 A 5 1	0.P		32.72		5.33 5.54	•				35 30		0.76		.560 .520	26.13
				63	0.2		33.17		5.67	:				41		0.43		700	26.30
				66	0.3	3	33.01	0 26	5.51					44		0.59	32.	740	24.34
•				69 72	0.7		32.88 33.08		5.46 5.63	•				47 51		1.01		630 830	26.26
				7 R	1.1		33.08		5.75	•				54		0.93		A10	26.43 26.41
				Rl	1.0		33.27		.78					59		1.19		A30	26.42
				იი	0.5		33.59		7.01					75		1.37		920	26.50
				03 06	0.3		33.60		7.02 7.04					91		1.46		950 150	26.53
				12	0.3		33.68		7.09	:				100		0.80		280	26.78
			1	15	0.1	5	33.69	0 27	7.08					103		0.65	33.	280	26.78
				27	0.1		33.75		7.13					105		0.54		270	26.76
•				32 32	0.0		33.86		7.22	•				108		0.74		320	26.81 26.82
				3.8	n . p		33.RA		7.18					114		0.70		450	26.91
				4]	0 . A		33.93		7.22					117		0.63		360	24.84
•				47 53	1.2		33.99		7.25 7.28	•				120		0.83		450 530	26.92 26.98
				76	1.7		34.17		7.35					126		0.61		560	26.99
			1	RA	1.9)	34.27	n 27	7.42					152		0.12	33,	780	27.14
•			-	яя	2.0		34.28		7.42	•				15A		0.13		820 860	27.19
				00 23	2.2		34.32		7.43 7.50					163		0.09		980	27.30
				26	2.4		34.44		7.51					169		0.41		000	27.30
				32	2.7	1	34.48		7.52					174		0.50		970	27.27
٠				51 55	2.9		34.52		7.53 7.55	•				177		0.52 0.98		030	27.32
				'77 '58	3.0		34.42		7.45					186		1.05		050	27.30
				77	3.1		34.55	0 27	7.54					195		1.22	34.	140	27.37
•				103	3.4		34.65		7.59	•				194		1.52		130	27.34
				105 108	7.5		34.72		7.63	•				201		2.24		160	27.36
,			,		, , ,			,	• • • •					253		2.45		380	

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

MO DAY HR VEAR NI	YPE AMT. 0 6 S NYN OF HT 971.103 600 25.82 600 25.93 500 24.05 500 24.05 500 26.05 500 26.10
NEDTH	LDUD CODES YPE AMT. 0 A 5 TYN 0F HT 971.103 600 25.83 74.05 750 26.05 750 26.05 750 26.16
TO ROTTOW OIP HGT PEP SEA WEATHER CODE TYPE 1256 14 0 1 X4 0 MIND RARD- DEG C MARY MA	YPE AMT. 0 6 S NYN OF HT 971.103 600 25.88 440 25.82 500 24.05 550 24.05 550 26.65 550 26.16
NOTED NOTED NOTED NOTED NOTED	5
NIND RARD NEG C NIND NEG C NIND NEG C	55
NINO RARD- NET DEG C	55
NEW	971.103 971.103 600 25.88 25.92 500 25.93 590 26.05 570 26.05 550 26.10 26.10 26.10
NIP SPEED (MRS) ORY MET VIS RULR COOF	971.103 971.103 600 25.88 25.92 500 25.93 590 26.05 570 26.05 550 26.10 26.10 26.10
18	971.103 600 25.88 440 25.92 500 25.93 500 26.05 570 26.05 550 26.05 540 26.10 590 26.16
21.6	500 25.88 25.92 55.00 25.93 590 24.05 570 24.05 550 26.05 540 26.10 26.16
. 12 1.58 32,440 00.1 15 2.89 72,500 . 270 2.24 72,590 . 271 2.08 72,570 . 273 2.08 72,570 . 31 0.98 32,540 . 34 0.68 32,590 . 47 0.12 32,590 . 52 0.66 72,640 . 57 1.15 72,710 . 50 1.30 32,740 . 75 1.49 32,830 . 101 1.25 32,940 . 122 1.02 33,040	440 25.82 500 25.93 590 24.05 570 24.05 550 26.05 540 26.10 590 26.16
20 2.24 32.590 21 2.08 32.570 25 1.77 32.550 31 0.98 32.540 34 0.69 32.540 47 0.12 32.590 52 0.66 32.640 57 1.15 32.710 60 1.30 32.740 75 1.48 32.830 101 1.25 32.940 122 1.02 33.040	590 24.05 570 24.05 550 26.05 540 26.10 590 26.16
. 47 0.12 32.590 . 47 0.12 32.590 . 52 0.66 32.640 . 57 1.15 32.710 . 60 1.30 32.740 . 75 1.49 32.830 . 101 1.25 32.940 . 122 1.02 33.040 . 125 1.02 33.040	570 26.05 550 26.05 540 26.10 590 26.16 590 26.18
. 47 0.12 32.590 . 47 0.12 32.590 . 52 0.66 32.640 . 57 1.15 32.710 . 60 1.30 32.740 . 75 1.49 32.830 . 101 1.25 32.940 . 122 1.02 33.040 . 125 1.02 33.040	540 26.10 590 26.16 590 26.18
. 57 1.15 32,710 . 60 1.30 32,740 . 75 1.49 32,830 . 101 1.25 32,940 . 122 1.02 33,040 . 125 1.09 33,070	590 26-18
. 57 1.15 32,710 . 60 1.30 32,740 . 75 1.49 32,830 . 101 1.25 32,940 . 122 1.02 33,040 . 125 1.09 33,070	64.0 24 74
. 75 1.48 32.430 . 100 1.25 32.940 . 122 1.02 33.040	710 26.33
125 1.09 33.070	740 26.36 930 26.43
125 1.09 33.070	710 26.36 710 26.33 740 26.36 930 26.43 940 26.51 040 26.59
127 1.02 33.090	170 26.62
. 127 1.02 33,070 . 125 1.09 33,070 . 127 1.02 33,030 . 136 0.09 33,160 . 142 0.68 33,190	140 26.43
. 127 1.02 33.090 . 136 0.00 33.160 . 142 0.68 33.160 . 144 0.74 33.220	040 26.49 070 26.42 090 26.43 160 26.68 190 26.70 220 26.73 240 26.74 290 26.78 490 26.78
147 0.70 33,240 150 0.75 31,290	240 26.74
. 177 0.31 33.490 . 201 0.34 33.700	90 26.93
. 144 n.72 31,270 . 144 n.76 31,270 . 147 n.70 31,240 . 150 n.75 31,240 . 177 0.31 33,440 . 201 n.4 33,740 . 228 n.40 33,840	
LATITUDE LONGITUDE (GMT) CT	STATION NUMBER
	10000
	OUD CODES
TO WEATHER	
2019 19 10 14 1	
	1 7
E ATO TENO	
WIND BARD- DEG C	
MIND RAPO- DEG C OID SPEED (MRS) DRY WET VIS	
UID COEED (MBC) DOA MELL AINTO CODE MALLED MELLED TOER CODE	E HT
WIND RADD- DEG C	970.R93
WIND RADD- DEG C	970.893 980 26.06
Name	970.893 980 26.06
NET	970.893 970
NET	970.893 970
Name	970.893 970
Name	970.993
Name	F
Name	RE WT
### No ################################	RE WT
### No ################################	RE WT
NET	HT

LATIT	ne	Ln•4	517111)F		104 (GM)		٧	FAR		ATION MOED
47 2B.	ŋ+	048	07.	-	05	21	23.5	1	971	1	0908
DEDIH TO	Ι.	AVE	nasei	₹V 4 T	in _{ri}		/E A THE		CL	000	CODE
POTTOM		010	нат	DED	551		CODE		ŤΥ	PΕ	AMT.
0183		14			n		114		0		6
41	ND.		Pas				TF4F				
UIB	SPE	En	IN			JUL P	WET RUL		v 15 con		DYN
18	0.6	1	3/	15	Ţ,	7.2	07.	5		q	71.10
23.5					159 227 315 441 55 55 57 107 147		3.21 2.58 2.20 2.01 1.15 0.90 0.77 0.03 0.79 0.81 0.90 1.15 1.44 1.22 0.17		32.5 32.5 32.5 32.6 32.6 32.6 32.6 32.7 32.7 32.7 32.7 32.7 32.7 32.7 32.7	00 90 90 90 90 90 90 90 90 90 90 90 90 9	25.91 25.91 26.01 26.01 26.1 26.1 26.1 26.3 26.3 26.3 26.3 26.3 26.3 26.3 26.3

LATET	ine	1.0	VG T T I I		STAT	[047 (647	TIME			C 1	ATION
					wn.	nav	4P.	٧	EAR		MBED
48 43.	D4J	04	9 57.	Dы	ns	22	10.7	1	971	1	10910
nepth	T	WAVE	ORSE	PVAT	1045				CL.	าบก	CODES
TO	-		нст	DFD	SFA	١.	ESTHE		_		
POTTO	+	DIP	M/51	DED	< F A	-	CODE			DF	AMT.
1820	L	19			0		¥ 4 ₆	_	٥		6
						ATD		,			
	ND			90- TFD		UE	G C	_			Ь
010	ςp	FEO		95)	n	QY	±€1	.	Ald		NYN
			ļ		R	UI R	ant	п.	COD	F	HT
17	1	2	2	64	0	6.7	06.	7		9	70.924
10.	,				10		3.49		32.4	40	26.01
					13		3.14		32.5		25.95
00.1					23		2.32		32.6		26.13
					25		1.84		32.4		24.16
					> ₽		1.41		32.9	40	26.39
					31		1.44		33.4		26.77
					34		1.49		33.4		26.79
*					44		1.49		33.6		26.96
:					47		0.77		33.6		27.03
					50		0.74		33.7		27.10
					57		0.85		33.8		27.19
					75		1.19		34 . 1		27.39
					102		1.67		34.3		27.49
					111		1.98		34.4		27.54
					124		2.36		34.5		27.57
					151		3.75		34.4		27.61
					179		3.48		34.7		27.45
•					200 227		3.97		34.7		27.46
					25 a		3.99		34.0		27.46
					274		3.99		34.8	20	27.67
					101		4.09		34.R		27.48
					371 355		4.11		34.4		27.6A
					407		4.10		34.A		27.48
					463		4.14		34.8		27.70
					SAB		4.28		34.9	10	27.71
					552		21		34.9		27.72
					410		4.25		34.9		27.72
					717 808		4.14		34.9		27.73
:					905		3.92		34.9		27.75
					004		1,94		34.9		27.76

Thata II in series ofern graphic state from stations complet by USCGC EVERGREEN, 12-25 May 1971, prepared from NODO Listing No. 31-5245.—Continued

				11.45				•		CT17774	1145		
			7.7			11.11.	22717	25 _ 24	SOT YOU	1541		=	*****
				-2.	= 7± 4	, .===				*I. I:*	-2.	*F12 4	-===
-2 77		**.*.	75 22	17.5	= -1	1.511	42 27		11.1.	15 22	14.1	1971	1:=15
-==-		*======	*		77		-52"-	- 4 - 7	TREET. 17	77.5			2 20222
				2							Estate		יארטר ח
2		-17 952		TOTE		24".	20175	- ::=	-51 252		Inne	***	14".
									-			_	
127-	.=	* 2		1 -	*	-	בלבי	15	2 >		7		4
													7
	-0-	2127-		77.40							7542	1	
		25753	-	-	_			-4-	- 4450-		G C		
777	2555.	4.55		* = ~	. = =	- 00	112	SPEED	(422	52+	427	915	- 42
			2012	2 _2	Enno	~ "				2.2.2	= (=		
12		24-	*==1	* * * *		371,324	2=	1.0	257	25.5	25.5		271.741
					= 1	515-1							
774					- 2		* 25020		ist t	EPTH	TEHP	SIL	519-7
13.		•	7		20,70	2+.73	1			1.1	3.31	32.530	25,31
				1.13	37.75						3.10	32.34:	
4.7	7		3.3	1,24	32		2.4	1			2.03	32,420	
				* 3	37.64						1.21	32.570	24.17
	•			*.5*	32.75						1,65	32.510	
	•			1.15	32.73						1.47	32.570	
	•			*.5	32,42		D				1.12	32.650	
	•			1.72	37.7.						1.62	32,410	
				1.2"	32,82						1.51	32.710	
			~ ~	1.33	33,24						1.27	32.441	
			100	1.25	32.27						0,27	32.740	
	•			1.15	33.24						1.15	32.750	
				1,11	33.22		•				1.31	32.700	
			1 + 2	1.72	33,37		•				1,48	32,960	
					33.51						1.45	33.070	
				1.37	33.45	24,51					1.21	33.210	
				1.55	22.48					7 =	1,98	33.260	
				1413	33.53						1.72	33,330	
	•			1 1 2	33.64						0.05	33.570	
	•			1.34	33.73						1.15	33.560	
				1.61	33.75						1.95	33.670	
				2.70	33.19						1.12	73,741	
			7 7 2	:.=-	33,24						0.54	33,980	
	-			1.29	34.11					113	0.45	34,020	27.29
	-			1.75	3-39						1.11	34.000	
				7.15	34.43						1.15	34,250	
				7, 1	34.53						1.69	34.320	
				3.==	3_,44						1.33	34.341	
			75.2	3.47	34,74		0				2.25	34,410	
				!-	3-175					245	23	34,475	27.54
				15	3-,75						2.71		1 27.55
	-			-,==	349						7.70	34.550	
			Z = C	* *	34.54						2.50		27.55
	0			2,37		27.72					3.23		27.57
	•		477	71		27.72					3.36		27.62
	-					77.73					3.45		27.5-
	-			1-		77.74				354	3,94	3-,740	27.65
						27.74					30		27.66
				-, -=		77,75					36		27.47
	-			- 25	04,10	27,75					3		27.49
	-			"]		27.75					2 - 7		6/054
	•		7 7	. = -		77.75							

There II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-5245.—Continued

						T + T 1	TO, 1	1965				
WARD CAN WARD WARD CAN C		~ =	O 1.	244							_	
The content of the			,						. :	212		
PROTECT STATE OF STATE PROTECT					_				_			
PROTECT STATE OF STATE PROTECT	15	* 4.	*_=	3.5		- = =		14 -	4	271	7	1513
STITTON CIS WAT SED CES COS TYPE SUT.				2 - •			1	2 - 4		- 1	-	
STITTON CIS WAT SED CES COS TYPE SUT.	rear.		-1.F	0555						- /	-	****
TYPE SATE STEEL STEEL TYPE SATE						-			- =	-		
TAME		, —	- 1-		555	55.						447
### ### #### #########################	-0.000		J			-		-				2 - 1
### ### #### #########################	- 245		15	7	3					-		
NEST	-			1								
NEST												
NET NAS NET				~ .	~~							
To Core Co	-	•						2				
RAJE SIGN DEPTH TEND SAL SIGN TIME NO.	5.75	e ~	550									~ ~ 0
## 15											_	
#ESCRIGED TAST TEPTH TEMD SAL SIGNT TIME NO. 11 3.84 32.551 25.86 11 13 3.87 32.521 25.86 11 13 3.87 32.521 25.86 11 14 3.57 32.241 25.86 11 18 2.37 32.461 25.86 11 1.86 32.510 26.01 24 1.46 32.401 25.86 11 32 41 1.46 32.401 25.86 11 32 41 1.46 32.401 25.86 11 32 41 1.46 32.401 25.86 11 32 41 1.47 32.401 25.86 11 32 41 1.47 32.401 25.86 11 32 41 1.47 32.401 25.86 11 32 41 1.47 32.401 25.86 11 32 41 1.47 32.401 26.21 26.21 32 32.701 26.35 11 32.401 26.25 11 3										-	•	-
#ESCRIGED TAST TEPTH TEMD SAL SIGNT TIME NO. 11 3.84 32.551 25.86 11 13 3.87 32.521 25.86 11 13 3.87 32.521 25.86 11 14 3.57 32.241 25.86 11 18 2.37 32.461 25.86 11 1.86 32.510 26.01 24 1.46 32.401 25.86 11 32 41 1.46 32.401 25.86 11 32 41 1.46 32.401 25.86 11 32 41 1.46 32.401 25.86 11 32 41 1.47 32.401 25.86 11 32 41 1.47 32.401 25.86 11 32 41 1.47 32.401 25.86 11 32 41 1.47 32.401 25.86 11 32 41 1.47 32.401 26.21 26.21 32 32.701 26.35 11 32.401 26.25 11 3	1 =	7	-	_			, -,		_		_	72
Tive 16.7 17. 18. 19. 19. 19. 19. 19. 20. 20. 20. 20. 20. 20. 20. 2	1.2	2			_ ′	,		1			~	1
Tive 16.7 17. 18. 19. 19. 19. 19. 19. 20. 20. 20. 20. 20. 20. 20. 2			- 1							5		
14.7		-				- 1 -		- 10-		3.2		- 1 1
13 3,87 32,52° 25,46 14 3,57 32,20 25,46 21 1,96 32,510 26,01 24 1,4 32,441 25,99 24 1,4 32,441 25,99 25 1,1 32 32,461 26,20 36 1,1 32 32,461 26,20 37 1,32 32,461 26,20 38 1,3 32,461 26,20 39 1,4 32,461 26,20 39 1,4 32,461 26,20 39 1,1 32,461 26,20 39 1,1 32,461 26,20 39 1,1 32,461 26,20 39 1,1 32,461 26,20 44 1,1 32,460 26,29 51 1,99 32,770 26,35 42 1,23 32,770 26,35 44 1,23 32,770 26,35 45 1,20 32,770 26,35 46 1,20 32,770 26,35 47 1,20 32,770 26,37 48 1,20 33,30 26,60 49 1,1 33,30 26,60 10 1,2 1,3 33,30 26,60 10 1,3 33,30 26,60 10 1,3 33,50 26,60 10 1,3 33,50 26,60 10 1,3 33,50 26,60 10 1,3 33,50 26,60 10 1,3 33,50 26,60 10 1,3 33,50 26,60 10 1,3 33,50 26,60 10 1,3 33,50 26,60 10 1,3 33,50 26,60 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,10 10 1,3 33,50 27,22 10 3,4 1,4 34,4 1,4 5,4 7,5 8 20 1,4 4,4 1,4 5,4 7,5 8 20 1,4 4,4 1,4 5,4 7,5 8 20 1,4 4,4 1,4 5,4 7,5 8 20 1,4 4,4 1,4 5,4 7,5 8 20 1,4 4,4 1,4 5,4 7,5 8 20 1,4 4,4 1,4 5,4 7,5 8 20 1,4 4,4 1,4 5,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 4,4 1,4 7,5 8 20 1,4 1,4 7 20 1,4 1,4 7 20 1,4 1,4 7 20 1,4 1,4 7 20 1,4 1,4 7 20 1,4 1,4 7 20			• •	- 8		1 -		3 - /		~~ ~		
11.1 14 3.57 32.20 25.44 19 2.37 32.367 25.96 10 1.96 32.510 26.01 24 1.46 32.440 25.96 27 1.73 32.440 24.73 29 7.47 32.520 26.11 20 7.47 32.520 26.11 21 32 32.620 26.20 25 7.15 32.620 26.20 26 7.17 1.79 32.620 26.20 27 1.79 32.620 26.20 28 1.19 32.770 26.35 28 1.20 32.771 26.35 28 1.20 32.771 26.35 28 1.20 32.771 26.35 29 1.47 32.771 26.36 20 1.48 32.620 26.51 20 32.771 26.36 21 1.20 32.771 26.37 21 1.20 32.771 26.37 22 32.771 26.38 23 32.771 26.38 24 1.23 32.771 26.38 25 1.20 32.771 26.38 26 1.20 32.771 26.38 27 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 26.38 28 1.20 32.771 27.77 28 1.20 33.770 27.77 28 1.20 33.770 27.77 28 1.20 33.770 27.77 28 1.20 33.770 27.77 28 1.20 33.770 27.77 28 1.20 33.770 27.77 28 1.20 33.770 27.77 28 1.20 33.770 27.77 29 1.20 33.770 27.77 29 1.20 33.770 27.77 20 1.20 32.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.77 20 33.770 27.70 20 33.770 27.70 20 33.770 27.70 20 33.70 20 33.70 20 33.70 20 33.70 20 33.70 20 33.70 20 33.70 20 33.70 20 33.70 20 33.70 20 33.70	7.										-04	
19						-		_				
21	111.	Ī				-						
24												
1.03 32,441 24,03 20 1.47 37,521 26,11 32 37,521 26,21 37 37,521 26,21 37 37,681 26,21 37 37,681 26,26 37 37,681 26,26 43 1.34 32,670 24,26 46 0.71 32,480 24,29 51 1.48 32,711 26,37 26,38 42 1.23 32,711 26,38 42 1.23 32,711 26,38 42 1.23 32,711 26,38 42 1.23 32,711 26,38 42 1.48 33,280 24,48 43 1.48 33,280 24,48 43 1.48 33,280 24,48 43 1.48 33,20 24,48 43 1.49 33,371 24,80 33,371 24,80 33,371 24,80 33,371 24,80 33,571 27,11 33,571 27,11 33,571 27,12 33,571 33,571 27,12 33,571 33,571 37,12 33,571 33,571 37,12 33,571											_	
20												
1										-		
15						-						
1.19 32,681 26.26 26.26 43 1.34 32.670 26.26 26.26 46 0.71 32.460 26.26 26.26 46 0.71 32.460 26.37 26.35 54 5.91 32.711 26.35 54 5.91 32.711 26.38 32.711 26.38 32.711 26.38 32.930 26.51 32.930 26.51 32.930 26.51 32.930 26.51 32.930 26.51 32.930 26.51 33.320 26.51 32.330 26.51 32.330 26.51 32.330 32.65 32.65 32.65 32.65 33.510 26.51 32.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 26.51 33.510 27.10 33.510												
10												
1												
10						_						
1												
1.23 32.77; 26.38 75 1.44 32.93; 24.51 79 1.45 32.93; 24.55 1.45 33.93; 24.55 1.46 33.33; 26.64 33.33; 26.67 33.33; 26.67 33.33; 26.67 33.33; 26.67 33.33; 26.67 33.33; 26.67 33.33; 26.67 33.41; 27.11 27.11 27.11 27.11 27.11 27.11 27.11 27.11 27.11 27.11 27.12 27						-		_				
75												
1.45 32.993 24.85 F1 1.4 33.791 24.64 93 1.14 33.240 24.78 94 1.94 33.371 24.81 1.7 1.93 33.320 24.87 1.7 1.93 33.320 24.87 1.7 1.9 33.571 24.87 1.7 1.9 33.411 27.11 1.3 1.9 1.9 33.570 24.97 1.3 1.3 1.3 33.641 27.12 1.3 1.3 1.4 33.640 27.12 1.4 1.3 33.640 27.12 1.5 1.3 33.741 27.11 1.5 1.4 33.860 27.12 1.5 1.6 33.861 27.15 1.6 1.7 33.861 27.15 1.7 1.9 33.861 27.15 1.8 1.9 1.9 33.861 27.15 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9												
										-		-
1.14 33,241 26.78 24 31 24 32 32 24 32 32 32 24 32 32												
1.24												
1 2												
115												
122 1.32 33.571 24.00 125 1.05 33.611 27.11 131 0.27 33.611 27.11 133 0.10 33.570 24.07 134 0.34 33.641 27.03 139 0.44 33.651 27.02 145 1.35 33.741 27.15 145 1.46 33.461 27.12 151 1.47 33.461 27.12 152 1.48 33.461 27.15 164 1.49 33.461 27.22 164 1.49 33.461 27.22 164 1.49 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.25 164 1.41 33.461 27.35 174 1.42 34.161 27.35 174 1.42 34.161 27.35												
125												
131 0,27 33,410 27,00 133 30,640 27,03 134 136,640 27,03 135 136 137,05 27,02 145												
133												
134 0.34 33.64: 27.13 139 0.44 33.640 27.12 145 0.33 33.640 27.15 144 0.35 33.740 27.10 151 0.46 33.740 27.10 151 0.46 33.740 27.16 165 1.17 33.950 27.22 193 1.47 34.010 27.26 194 1.41 33.950 27.22 195 1.40 34.071 27.24 206 207 1.40 34.071 27.35 214 1.40 34.071 27.35 214 1.40 34.21 27.35												
139 0 33.640 27.12 1-5 1.33 33.650 27.15 1-7 1.35 33.7-0 27.10 151 1 33.7-0 27.10 151 1 33.7-0 27.16 175 1 33.7-0 27.16 185 1 33.7-0 27.16 186 1 33.7-0 27.26 194 1 33.7-0 27.26 194 1 33.7-0 27.26 27.1 1 33.7-1 27.26 27.1 1 34.7-1 27.3- 27.1 1 34.7-1 27.3- 27.1 1 34.7-1 27.3- 27.1 1 34.7-1 27.3- 27.1 1 34.7-1 27.3- 27.1 1 34.7-1 27.3-	•									13.5	-	
1-5												
1-4 1.35 33.741 27.11 151 1.44 33.741 27.12 1.55 1.64 33.891 27.15 1.55 1.65												
. 151 0.44 33.751 27.12 . 175 1.04 33.451 27.15 . 125 1.15 33.451 27.22 . 126 1.15 33.451 27.22 . 127 1.47 34.712 27.22 . 128 1.47 34.712 27.22 . 218 1.48 34.712 27.22 . 218 1.48 34.712 27.25 . 218 1.48 34.712 27.35 . 218 1.48 34.712 27.35								1.37				
175 1.04 33,440 27,15 185 1.15 33,460 27,22 193 1.47 34.010 27,25 194 1.41 33,060 27,22 201 1.40 34.010 27,22 201 1.40 34.010 27,35 201 1.40 34.20 27,35 201 1.40 34.20 27,35												
135 1.15 33.050 27.22 197 1.17 34.010 27.25 194 1.1 33.02 37.22 200 1.2 33.01 27.22 201 1.2 34.140 27.34 204 1.4 34.151 27.35 210 1.4 34.2 34.3 27.35 214 1.7 34.2 37.33												
. 193 1 1 1 1 25 194 1 1 33.02 37.22 200 1 102 33.07 27.22 213 1 12 34.14. 27.34 204 1 12 34.75 27.35 210 1 12 34.20 27.35 214 1.72 34.20 27.41												
194 1.1 33.02 37.22 200 1.02 33.071 27.22 213 1.32 34.141 27.34 204 1.40 34.751 27.35 210 1.40 34.20 27.35 214 1.72 34.20 27.41												
. 200 1,08 33,071 27,24 . 213 1,32 34,140 27,34 . 204 1,40 34,751 27,35 . 214 1,72 34,20 27,33 . 226 2,12 34,280 27,41	D											
. 213 1,32 34,141 27,34 . 214 1,44 34,151 27,35 . 215 1,46 34,141 27,35 . 214 1,72 34,25 27,41								1 1		33.5		
. 214 1.44 34.751 27.75 211 1.45 34.140 27.35 214 1.72 34.21 27.41												
. 21° 1.45 34,143 27,35 214 1.72 34,2° 27,34 225 2.12 34,280 27,41						2,12						
. 21° 1,-h 3-,1-0 27,35 . 21- 1,72 3-,2° 27,34 . 22h 2,12 1-,280 27,-1						2 - 4		1.49		34.7	5 2	
. 214 1,72 34,755 75,34 . 225 2,12 14,785 27,41								1		71	43	
224 2,12 14,220 27,41						2]-				34.2	• •	
25" 2.5" 2.5"					:	>>-		2.12		7-,2	= :	271
						25-		2.~~				27.51

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

		1		<	TAT	ION	T	IHE	_			
LATÎTU	DF	LON	GITUNF	L		(GM1	(1)	P.	Y	FAR		ATTON
48 Oh.	0 N	049	29.0W	0	5	22	1	7.0	1	971	1	0914
DEPTH		WAVE	ORSERV	ATI	045					٦٦	ისი	CODES
TO BOTTOM		Dlo	HGT P	FR	5FA	7 `	d t	CODE	R	ΤY	PE	AMT.
0210	T	15	0 2					X4		0		6
	ND.		AVBD			A 11		TEMP				
			METE	R		DI	1				\top	L
D1R	51	FED	(MAS	<u>'</u>		RY ULA		RUL	А	V15	E	DYN HT
16	1	3	251		0	6.7		06.	7		9	71.073
MESSEN TT4F	GER			ne	РТН		T	EMP		SAL		SIG-T
17.0		^	0.		9			. 25		32.4		25.85
00.1					12		3	1.26		32.4 32.3	A 0	25.85 25.81
					17 20			.60		32.2 32.3		25.75 25.87
					23 25			.73 .48		32.5 32.5	40	26.05 26.06
					28		1	.40		32.6	40	26.15
•					31 36		1	.36		32.6 32.5	50	26.14 26.10
					39 44			.68		32.5 32.6		26.16 26.23
:					47 52			.15		32.6 32.6	70	26.24 26.26
					55 77		0	.67		32.7 32.9	0 F	26.33 26.52
					01		1	.08		33.8	90	26.80
•				1	21 21		0	.55 .56		33.4 33.4	30	26.89 26.89
					26 29			.32		33.4 33.5		26.92 26.97
•				1	32 37		0	.13		33.5 33.5	30	26.95
•				1	40		ŋ	.14		33.5	9.0	26.98
				1	51 69		0	.40		33.6 33.7	20	26.99 27.08
					72 77			•55 •62		33.7 33.7		27.08 27.08
		1		1			_		l		1	<u> </u>
LATIT	IDE	Lo	NG 1 TUDE	: L	40.	ION (GM	T	TIME HR.	Y	EAR		ATION MAER
47 41.	. ON	049	9 51.0W	,	05	22	1	20.4	1	97]	1	0916
DEPTH	Τ	WAVE	DASERV	AT	PNOI	, [_	CL	000	CODES
TO ROTTO	, T	DIR	HGT P	ER	SEA		w e	CODE			PE	AMT.
0093	+	18	1 2		-	+		14	_			6
		• • •		_	-	A 1		TEMP	_			-
W 1	DNI		MARD		_	D	EC	3 C	_		-	<u></u>
DIR		PEED	(MRS)		IUL A	_	WET AUL		V15		DYN HT
16	1	14	227		0	6.1		06.	1	<u> </u>	9	71.102
MESSEN TIME	-		51 ID.	DE	PTH	•		TEMP		546		51G-T
20.4					11			33		32.4		25.77 25.77
00.1	l				17 20		4	.23		32.4	20	25.74 25.70
•					22		2	.94		32.3	70	25.92 25.92
•					33		1	2.31		32.4	50	76.09
					35 41		C	.74		32.5 32.6	30	26.14 26.18
•					49 52			.72		32.6		26.21 26.18
					58 61		C	.04		32.6	00	26.20
					67 76		C	.79		32.7 32.7	50	26.35
					79		1	.14		32.7	50	26.33
•					82 85		1	.06		32.8 32.9	A 0	26.43 26.54
•					48		0	1.74		32.9		26.50

L	ATITU	0E	LDN	I G T T D	0F	STA	TION (GM)	TIME T)	Y	EAR		TATION JMRER
4	7 SR.	٥٧	049	36.	0 W	05	22	18.0	1	971		10915
וח	EPTH	L	WAVE	DRSE	RVAI	TON				CL	ดบเ	CODES
R	TO OTTOM		OIR	нст	PEF	SE		EATHE CODE		ΤY	PΕ	AMT.
_	0185		15	1	2			¥4		0		6
	wī	מט_			70- TFR		A I F	TEMP	•			
01	Į P	SPE	ED		95)		ORY BULA	WE1		V15		DYN
16	6	12	?	2	44		06.7	06.	. 1			71.099
ME	ESSENITIME TIME 1A.0 00.1	GEA		57	C	9 12 17 20 22 25 28 31 36 39 42 44 49 55 66 75 75 10 11 11 11 11 11 11 11 11 11 11 11 11	4	TEMP 3.07 3.06 2.37 1.80 1.55 1.44 1.52 0.74 0.74 0.74 0.74 1.64 1.67 1.13 1.43 1.67 1.18 1.70 0.87		54L 32.43 32.43 32.33 32.33 32.44 32.42 32.53 32.66 32.66 32.66 32.67 33.67 33.73 33.73 33.73 33.73	50000000000000000000000000000000000000	51G-T 25.88 25.87 25.83 25.68 25.94 25.97 25.97 26.04 26.07 26.18 26.27 26.29 26.39 26.43 26.59 26.70 26.73 26.73 26.73 26.73 26.73 26.73
						141 144 150 152 175		0.81 0.45 0.10 0.06 0.28		33.4 33.4 33.4 33.4 33.6	50 90 90	26.99 26.91 26.92 27.02

LATIT	IDE	FUL	1G1TU	DF		IDN (GMT		Y	EAR		ATION INRER
47 21	.0N	050	05.	0 w	05	22	22.9	ı	971	1	0917
DEPTH	1	WAVE	ORSE	ρVΔ	11005		EATH		CL	ისი	CODES
ROTTO	٦ [DIA	нст	PEI	SEA		CODE		TY	PE	AMT.
0073		18	0	2			х4		0		6
w	IND		ВАЯ				TEMP				
nia	5F	PEED	M15 (M15	TF# 35)		RY ULR	WFT		VIS COD	Ε	DYN
15	1	4	21	17	0	7.2	07.	2		9	71.109
MESSEN TIME 22.9			57 0.	Ċ	7 10		TFMP 4.57 4.56		5AL		51G-T 25.73
00.1					13		4.56		32.49 32.49		25.73
•					15 18		4.32		32.3		25.66
					21		3.18 2.64		32.1/ 32.4		25.63
•					31		2.28		32.5	20	25.99
•					44 50		1.80 1.45		32.50 32.40		26.04
					53		0.5A		32.36		25.98
•					56		20.0	-	32.59	90	26.19
•					59 67		0.24		32.70 32.71		26.29 26.35

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

Note								pared	froi	n N	ODC I	Listing No.	31-824	45.—Co	ntin	ued	l							
A	LATIT	UDF	Lan	GITUI	DE		GMT)	YEAR			-	LATITU	OF LO	NG I	เบก	F		(GM	T)	YEA			
	47 04	- 0N	048	39.6			\rightarrow			_			47 05.	0N 04	8 2	5.0	w	05	23	05.7	197	1	109	19
Note							<u> </u>	****					OEPTH	WAVE	DR	SER	VAT	ION	5	1		CLOU	10 C	ODES
No. ŤΠ	-	_				W		·					nie	Не	3 T	ΡĘŖ	SE	A			TYPE		AMT.	
No. Page P	0104												0117	16	5		2			X4		0		6
DIP SPEED	w	IND		A A	20-								41	ทก										
1. 0. 0. 0. 0. 0. 0. 0.	DIR	SPE	EΕΝ										DIB	SPEED										
12 5 5,22 12,480 25,19 55,70 15 4,53 32,580 25, 19 17 17 17 17 17 17 17			-							9	71.130	•	16	20		21	3		09.4	09.	4		971	.126
CATITION CONGITURE CONGI						12 15 17 20 26 32 38 44 52 58 67 71 75		5.62 5.26 3.49 2.94 2.91 2.36 1.87 1.73 1.39 1.07 0.34 0.01 0.10	32. 32. 32. 32. 32. 32. 32. 32. 32. 32.	480 120 050 500 520 520 520 580 580 630 760 740 950	25.64 25.39 25.51 25.93 25.95 26.03 26.05 26.09 26.22 26.23 26.32 26.32		TIMF 05.7	GFR C	AST NO.			15 18 21 24 26 32 35 40 49 52 54 67 68 76 86 90	Н	4.51 4.43 3.93 3.21 2.82 2.13 1.89 1.71 1.16 1.08 1.08 0.63 0.63 0.63 0.63 0.63	32 32 32 32 32 32 32 32 32 32 32 32 32	.580 .520 .350 .510 .520 .570 .570 .620 .620 .760 .850	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	IG-T 5.84 5.80 5.83 5.94 66.05 66.11 66.16 66.11 66.22 66.38 66.44 66.44
CATTITUDE CONSTITUTE CONS						TAT	IDN	TIME		1			LATITO	UDE L	ONG	TU	ne		(G	HT)	_	AR		
Note	LATIT	UDF	LON	GITH	OF L		(GMT	,	YFAR				47 07	.ON O	48 (2.	0 ₩	05	23	07.8	19	71	10	921
Note	47 06	.01	048	15.0	ס אינ)5 (23	06.7	1971	1	0920			WAV	E OF	SE	RVA	TIO	15	WEATH	ER -	CLO	עם (CORES
Note	DEPTH	-	VAVE	ORSER	RVATI	IDNS		•		LOUD	CODES			<u> </u>	R H	1GT	PE	R SI	EA			TYP	Ε	AMT.
Note		<u>,</u>	oro	нет	PER	SFA	W			YPF	AMT.		0155	15	1		2	+		Х4	_	0	_	6
Name	0134	_	15						+				u.	INO		ЯΔІ	8n-				Р			
NETER		110						TEMP	+-							ME	TFR		DRY	WE				DYN
BULR BULR CODE HT MESSENGER CAST DEPTH TEMP SAL ST.			EΠ	MET	TFR	DF		1	VI	5	DYN		15	10	+		 27	+		+		-	\vdash	
TIME NO.															CASI			DE D				SAL	-	SIG-T
	MESSEI TIMI 06.	NGER F 7	CA	ST	1 1 1	PTH 10 116 119 22 24 27 313 52 58 65 57 68 91 96 90 3 22 3		7EMP 4.51 4.44 3.30 2.79 2.46 2.11 1.62 1.20 1.05 0.04 0.81 1.15 1.15 1.15 0.91 0.93 0.86 0.81	SA 32. 32. 32. 32. 32. 32. 32. 33. 33. 33.	620 5500 3330 5570 490 6600 6600 6640 6640 6640 6640 6640	SIG-T 25.87 25.78 25.76 25.99 25.99 26.08 26.09 26.10 26.21 26.29 26.32 26.33 26.63 26.63 26.63 26.64		07.9	9	NO.			1° 11 20 20 20 20 20 20 20 20 20 20 20 20 20	55 77 77 77 77 77 77 77 77 77 77 77 77	4.21 4.10 3.34 2.28 1.81 1.60 1.51 1.43 1.20 0.87 0.67 0.24 0.61 0.81 1.15 1.37 1.17 0.44	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2.65 2.50 2.25 2.48 2.53 2.66 2.66 2.66 2.66 2.66 2.72 2.72 2.74 2.72 2.74 2.76 2.76 2.76 2.76 2.76 2.76 2.76 2.76	000000000000000000000000000000000000000	25.92 25.92 25.82 25.86 26.04 26.11 26.14 26.14 26.14 26.15 26.32 26.32 26.34

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITUD	F L	ONGI	TUC	PE L	MO.I	(GM)		V F		STATION NUMBER	LATITU	DF	LON	IG1TU	DF L		(GM)		\ \ \	FAR		ATION MBER
47 03.0	N O	47 4	2.0		05	23	09.1	_	971	10922	47 03.	0 N	047	21.0	+	05	23	10.6	-	971	_	923
			_	. 1			0	<u> </u>				1					1		1	- 1		
DEPTH TO	WAVE	F OR	SEF	PVAT	IONS		⊌E ATHE	ا ه	CLO	UD CODE	NEPTH 01		MAVE	OBSER	PVAT	104		VEATHE		CLO	מטמ	COOES
ROTTOM	DI	ΡН	GT	PER	SE		CODE		TYP	E AMT	ВОТТОМ		019	нст	PER	SE		cool		TYF	E	AMT.
0185	19	2		2			X 4		0	6	0280		15			1		X4		0		6
WIN	4D		RAF				R TEMP	7			W1	ND			2 0-		_	R TEM	0			
019	SPEEO			TER 35)		DRY BULA	WE1		V15 CODE	DYN	OIR	56	PEED		TER PS)		ORY BULB	WE.		V15		DYN
16	12		22	27		08.9	08.	9		971.12	16	(08	2:	24		08.9	08	.9		9	71.100
MESSENG TIMF 09.1 00.1	GER (CAST NO.			EPTI 10 16 19 22 24 27 30 33 52 55 56 61 64 66 84 101 127 153 163		TFMP 4.34 4.34 3.52 2.37 1.93 1.53 1.0.87 0.49 0.33 0.02 0.51 0.86 1.03 1.24 1.41 1.10 0.07 0.01 0.45		58L 32.62 32.54 32.47 32.47 32.49 32.69 32.69 32.69 32.69 32.69 32.69 33.04 33.04 33.04 33.04	0 25.8 0 25.6 0 25.6 0 25.9 0 26.0 0 26.0 0 26.1 0 26.2 0 26.3 0 26.3 0 26.4 0 26.6 0 26.6	30.6					17 20 23 31 33 39 42 457 50 53 56 69 75 92 101 1134 127 1139 147 1175 1175		3.6771.7730.6000.05200.34400.3500.45210.36400.3500.36400.30500.31400.6600.51		32.5/32.22 32.44 32.55 32.55 32.66 32.55 32.66 32.57 32.66 32.67 32.67 33.43 33.43 33.43 33.43 33.43 33.43	30 770 790 60 990 990 990 990 990 990 990 990 99	25.89 25.73 26.05 26.16 26.16 26.20 26.17 26.12 26.22 26.25 26.30 26.44 26.51 26.66 26.71 26.77 26.78 26.89 26.89 26.89 27.01
											•					203 212 214 225 253		0.66 0.83 1.00 1.14 1.38		33.8 33.9 33.9 34.0 34.0	50 40 00	27.17 27.24 27.22 27.26 27.27

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

- Trainer				23100			. 0=10				
LATITI	1DF	ŁON	IGITU	OF L		ON GMT	TIME) HR.	١	FAR		ATION MRER
47 02.	.01	047	00.	n w	05 2	3	11.9	1	971	1	0924
ПЕРТН		WAVE	ORSE	RVAT	1005				CLO	U0	COOFS
BUITUN IU	٠	DIR	нат	PER	SEA	W	FATHE CODE		TYP	E	AMT.
1001		15	2	2			X 4		n		6
wj	[אח			RO-		AIR DF		•			
DIR	SP	FED		TFR R5)	DR HU		WE1		VIS		DYN HT
15	1	2	2	34	0.8		08.		0.742	9	71.038
MESSEN			ST	n	EPTH		TEMP		SAL		516-1
11.0		N	10.		12		4.08		32.56		25.87
00.2	•				15 18		3.9A 3.49		32.53		25.46 25.75
•					21		2.64		32.29	0	25.78
:					23 26		1.76		32.3A		25.92
•					29		1.11		32.57	0	26.12
					31 37		0.55		32.59		26.13 26.15
					48		0.07		32.65	0	26.23
•					50 53		0.26 0.88		32.56		26.17 26.32
					56		0.96		32.84	0	26.43
•					74 77		1.38		33.02		26.59 26.75
•					90		0.65		33.37	0	26.85
•					93 96		0.29		33.43 33.38		26.88 26.83
•					101		0.16		33.40	0	26.85
•					126 130		0.22		33.58 33.59		26.98 26.99
•					138		0.10		33.73	0	27.10
•					140 143		0.34		33.73		27.09 27.12
•					146		0.54		33.84	0	27.17
					152 157		0.62		33.78		27.12
					160		0.27		33.84	0	27.18
•					163 165		0.45		33.99		27.30 27.27
					171		0.86		33.94		27.23
•					175		0.94		34.07		27.33
•					17 7 204		1.12		34.03		27.28 27.37
•					216		1.71		34.26	0	27.43
					227 230		1.99 2.00		34.31		27.45 27.46
•					245		2.85		34.49		27.52
					251 274		2.75 3.33		34.48		27.52 27.58
•					284		3.62		34.70	0	27.61
					303 327		3.99 4.09		34.76 34.78		27.63 27.62
•					352		4.17		34.80	0	27.63
					379 405		4.31 4.35		34.84		27.65 27.66
					450		4.44		34.89		27.68
•					50] 554		4.47		34.91		27.69
					507		4.44		34.92		27.70 27.70
•					652		4.39		34.92	0	27.71
					716 757		4.26 4.20		34.92		27.72 27.73
•				1	920		4.12		34.92	0	27.73
					963 903		4.10 4.08		34.92		27.74 27.74
										~	2

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

_								•			
LATITU	IOE	LON	ve4,tnu	F L	MO.	10N 16H	TIME HR.	٧	FAR		AT ION
47 03.	0.0	046	4A.0	w .	05	23	13.7	1	971	1	0925
DEPTH		WAVE	OBSER	VAT	IONS	1			CL	our	COOFS
TO BOTTOM		DIR	HGT	PER	SFA	1 '	FATHE CODE	H	TY	PE	AMY.
1189		15	5	2		T	¥ 4		0		6
WI	NO		AAR	0-		AIR					
OIR		PEEO	MET (MA	FR		RY	WET		V15	T	OYN HT
15	-	12	24	0		A.B	08.		COO	╅	70.948
MESSEN	GE		ST	DE	РТН		TEMP		5AL		51G-T
11HF 13.7		N	10.		10		4.24		32.59		25 - 85
00.3	1				16 18		4.21 3.89		32.50 32.30	0 9	25.83 25.70
:					21 24		2.82 2.21		32.50		25.74 25.98
					32 36		0.98		32.58 32.58		26.08 26.11
•					39 41		0.33		32.73	30	26.29
:					44		0.17		32.86	0	26.41
					47 50		0.64		32.97	0	26.52 26.65
•					52 55		1.03		33.22	0 70	26.74 26.78
					60 76		0.91 0.58		33.34 33.57	10	26.86 27.00
•					79		0.44		33.66	0	27.07
:					84 87		0.41 0.51		33.60 33.63	10	27.02
				1	89		0.48		33.69 33.90	0	27.10 27.22
				1	04		0.71		33.89	0	27.19
				1	16 27		0.65 0.91	- :	33.86 34.00	0	27.19 27.28
					3A 43		1.14		34.02 34.05	0	27.27 27.31
				- 1	46 50		0.86	- :	33.97	0	27.25
•				- 1	53		0.78		34.10 34.11	0	27.36 27.36
•				1	57 75		0.93 2.10		34.16 34.39	0	27.40 27.50
					79 90		2.30		34.37 34.37	0	27.47 27.49
				1	96 98		2.10	- 1	34.38	0	27.49
				2	01		2.73		34.54 34.53	0	27.56
:				2	05 08		2.76 2.91		34.58 34.52	0	27.60 27.54
					11		3.09 3.81		34.69 34.72		27.65
•				2	17		3.87	- :	34.63	0	27.53
•				2	22 20		3.81 4.25	-	34.68 34.87	0	27.58 27.68
•					29 26		4.59 4.61		34.81 34.80		27.59 27.58
				2	32		4.68		34.85	0	27.62
				5	38 51		4.57		34.80 34.82	0	27.59
				5	55 58		4.63	- 1	34.78 34.79	0	27.57 27.59
:				_	61 67		4.42		34.79 34.82	0	27.60 27.61
				2	76 85		4.53 4.52 4.67 4.69 4.54 4.51 4.57 4.71		34.84	0	27.62
				5	88		4.69	1	34.90 34.82	0	27.66 27.59
				5	91 97		4.54	-	34.83 34.86	0	27.62
•				3	01		4.51		34.85	0	27.64
•				3	10		.71	-	34.91	0	27.68
:				3	12 19		4.53	- 1	34.89 34.84	0	27.65 27.63
•					2A 55		4.53		34.86 34.90	0	27.65
•				3	77 04		.69	:	14.90 34.92 34.93	0	27.67
•				4	53	4	6.67 4.62	1	34.94	0	27.70
:				5	n 2 5 2		.52	-	34.94 34.94	0	27.71 27.71
•				6	09 54		.49 .36 .30		34.93	0	27.72
				7	11	4	4.23		34.93	0	27.73
				A	54 21		4.16 4.11		34.91 34.92	0	27.73 27.74
:					66 11	4	4.05 4.02	- 1	34.91 34.91	0	27.74
				9	57		3.90	-	14.91	0	27.74
				10	02		3.96		34.91	0	27.75

LATITU	OF	LON	iG I Ter		STAT	10N	TIME			5,	TATION
		L			MO.	DAY	HP.	Y	FAR		IMRER
47 03.	01	046	33.	ow	05	23	15.3	l	971	:	10926
OEPTH TO	1	WAVE	ORSE	RVAT	1005		EATH		CL	กบเ	CODES
ROTTOM		010	нат	PEB	SFA		coor		ŤΥ	PE	AMT.
0415		15	2	2			63		0	•	6
wī	NO		BAI	RO-		AIF)			
DIR		EED	ME	TFR RS)	<u> </u>	IR Y	WE1	_	VIS	ī	DYN
						ULA	AUL		coo		нт
15	13	2	24	40	(A.3	08	. 3		1	970.961
MESSEN TIME			151	O	EPTH	1	TEMP		SAL		51G-1
15.3		,	***		12		5.67		32.8		25.91
:					15		5.31 3.38		32.6		25.81 25.49
•					21		1.41		32.7		25.93
:					26		1.18		32.7	90	26.27
•					29 31		2.03		33.2		26.61
:					34		1.90		32.9	160	26.37
•					37		1.77		32.8		26.28 26.23
:					47		1.05		33.0	30	26.49
•					46 51		1.42		33.1	00	26.51
					54		1.10		33.2	50	26.69
:					57 63		0.47		33.3	50	26.94
:					65		0.42		33.6	30	27.00
:					71 76		0.40		33.7		27.10 27.13
					7 R		0.57		33.8	10	27.14
					82		0.67		33.8		27.20 27.21
					89		1.10		33.9	50	27.22
					100		1.14		34.0		27.31 27.29
•					108		1.34		34.1	60	27.38
					117 120		2.02		34.2		27.41
					125		2.13		34.3	00	27.42
:					150 153		2.93		34.4		27.51
					156		3.30		34.6	70	27.62
:					166 168		4.23		34.7	50	27.60
					174		4.17		34.6	60	27.53
					177 180		4.03		34.6		27.56
•					186		4.65		34.8	50	27.62
					202		4.66 4.84		34.8 34.8		27.62
					226		4.87		34.8	60	27.61
					251 279		4.91 4.90		34.9		27.64
					303		4.69		34.9		27.67

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITU	JDE	LON	IG ITU	DΕ		((SM1		,			ATION
		<u> </u>		\dashv	MO.	-	AY	HR.	-		_	MBER
47 03.	ON	046	11.0	W	05	2	3	17.1		1971	1	0927
DEPTH	L	WAVE	OBSE	RVAT	IONS		w	EATHE	R	CLO	UC	CODES
BOTTOM	ı	DIR	нст	PER	SE	A		CODE		TYPE		AMT.
0338		15	2	3				X4		0		6
WI	ND		BA1			AI	RE	G C				
DIR	SP	EED	(M	BS)		RY		WE1 BUL		VIS		DYN HT
15	- 19	6	23	4	. '	١,٠	i	11.1			9	70. 958
MESSE			45T NO.		DEPT	тн		TEMP		SAL		516-1
17.			• • •		1 9			3.25		32.19		25.65
					21			2.23		32.57		26.04
01.	1				21 26			1.91 2.50		32.96		26.38
:					20			2.69		33.46		.26.72 26.31
					31			2.26		32.99		26.17
					34			5.11		33.05	50	26.43
•					37			2.04		33.07		26.45
•					47			1.74		33.13		26.52
•					4 9			2.35 2.58		33.55		26.81 26.61
:					51			2.30		33.32		26.63
					53			1.98		33.46		26.76
					56			1.88		33.44		26.76
•					59			1.99		33.89		27.11
•					62 70			2.34		33.80		27.01
•					73			2.69		33.70		27.02 26.90
					76			2.06		33.73		26.98
					79			1.93		33.80		27.04
•					82			1.98		33.93		27.14
•					88 94			2.45		34.09		27.23
:					96			2.47		34.04		27.19
					99			2.83		34.10		27.21
•					105			2.86		34.14	0	27.24
•					110			2.91		34.16		27.25
:					143			3.30 3.79		34.35	0	27.36 27.46
					149			4.10		34.59		27.47
	•				152			4.13		34.64		27.51
•					155			4.26		34.67	0	27.52
•	•				177			4.67		34.76		27.55
:					197			4.95		34.85 34.78		27.59
					500			4.68		34.81		27.56 27.58
					224			4.57		34.82		27.61
•					252			4.46		34.85	0	27.64
•					278 302			4.38		34:86		27.66
•					302			4.36		34.88		27.68 27.68

	_	F								- 1		
LATITU	ÆЕ	:	LOI	NGITU	DE	STA	GM DAY	TIME IT)	,	YEAR		TATION UMBER
47 05	.0	н	04	5 51.	D W	05	23	19.3	,	1971		10928
DEPTH		W.	AVE	OBSE	RVAT	1015		VEATHE	P	CL	וטכ	D CODES
вотто	M	٥	11.R	HGT	PEF	SE.	_	CODE		TYF	E	AMT.
0289			17	2	3			X 6		0		6
w	INC)			RO-		AIF	E6 C	P			
DIR	S	PEE	0	ME"	BS)		RY	W E T		VIS	E	DYN
15		18		24	40	- 1	11.1	11.	-		\rightarrow	970,997
MESSE TIM		FQ		A5T NO.		DEPT	н	TEMP		5AL		51G-T
19.						10		6.08		32.9		25.94
00.	1					12 15		5.75 2.51		32.3		25.49 25.30
•						1 9 2 0		2.39		33.3	50	26.64
						53		3.54		33.2 33.4		26.53 26.59
•						26 28		3.47 2.80		33.1 33.1		26.43
•						31 33		3.11		33.4	0 0	26.62
						36		2.90		32.9	30	26.31 26.56
						39 42		2.01		33.0 33.1		26.42 26.57
:						45 48		1.11		33.7	90	27.09
•						50		1.80		33.6 33.8	20	26.98 27.07
•						53 56		2.27		33.9		27.15 27.10
:						58 64		2.67		33.9	0 0	27.06
						72		2.18		33.9	0 0	27.05 27.10
•						75 78		2.39		34.0		27.22 27.17
•						81 83		2.54		34.0	70	27.21
•						89		2.65		34.09	90	27.21 27.2 2
•						9.7 9.7		2.74 3.26		34.43		27.25 27.43
:						100		3.73 4.12		34.45	30	27.39 27.37
•						105		4.22		34.38	30	27.30
						109		4.37		34.56		27.42 27.37
						114		4.82		34.48		27.31 27.38
•						119		5.05		34.53	0	27.32
:						122 125		5.01 4.72		34.45		27.26 27.27
:						128 140		4.58 4.31		34.44		27.30 27.33
						142		4.29		34.48	0	7.36
•						149		4.46		34.57 34.51		27.42
:						151 153		4.47		34.41 34.53		27.30 27.41
:						157 168		4.53		34.58	0	27.42
•						174		4.67 4.87		34.61 34.66	0	27.43 27.44
:					176 179		4.84 4.77		34.61 34.59		27.41 27.40	
	•					196 199		4.40		14.5A 14.81	0	27.44
•						1772		5.14		34.90	0	27.59 27.60
						196 199		5.05 4.96		34.66 34.75		27.42 27.50
						203 200		5.09	-	34.79	0	27.52
					7	213		4.R7		34.82 34.71	0	27.56 27.48
					,	558 510		4.85 4.67		34.76 34.78		27.53 27.56
					č	51		4.19		14.81		27.62

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITO	OE_	LON	GITU	DE L	5TAT	TON (GM)	TIME T)	· ·	FAR	ST	ATION MPFR
45 51.	04	046	00.	эн (05	24	03.3	1	971	1	0929
NEPTH		WAVE	OBSE	744T	1045				CL	ดบถ	CODES
TO BOTTON	. -	910	HGT	RER	SEA		CODE		TY	PE	AMT.
	+	017	701	767	36-	+-		•		-	
3347				l	-			_			<u> </u>
			Bái			41		,			
	чD		ME.	TFR			EG C	_	-	1	
910	56	PEED	(14)	95)		ULA	WE1		V15		DYN
	_		-		H	-	_		100	-	
					<u> </u>	•		_	1	14	71.071
MESSEN TIME			51	00	EPTH		TEMP		SAL		516-7
03.3	1				10		9.39		33.1		25.64
00.4					53		9.28		33.1 33.0	40	25.60
:					27 30		7.48		33.1 33.1	90	25.49 26.06
					32		6.22		33.0	90	26.04
					35 38		5.76 5.88		33.3	10	26.26
•					40		5.44			10	26.27
:					47		5.19		33.2	90	26.13
:					49 52		4.60		33.2	20	24.38 26.46
•					55 58		3.94		33.3	60	26.51
					63		3.66		33.5	90	26.70
					67 70		4.56		33.9 33.8	90	26.94 26.79
•					72 76		5.10		33.9	40	26.77
:					76		5.46		34.0	30	26.68
:				1	99		6.61		34.3		27.01
				1	105		6.49		34.3	A0	27.02
					105		6.67		34.4	60	27.10
					123 125		7.04		34.6	20	27.14
•					126		7.35		34.6	20	27.10
:					135 137		7.06		34.6	40	27.15
•					140		7.07 7.14		34.6	40	27.15
:					147		7.12		34.6	30	27.13
:					150 153		6.63		34.5	20	27.18
:					156 158		6.68		34.6		27.18
					161		6.34		34.5	10	27.14
					164 177		5.73		34.5	40	27.18
:					183 186		5.86		34.5		27.23
:					191		5.67		34.5	60	27.26
					550 505		5.55		34.5		27.26
•					553		5.64		34.6	30	27.27
					554		5.45		34.6	10	27.34
				- 1	232 234		5.61 5.87		34.7		27.48
:					252		5.74		34.6	60	27.36
					595		5.46		34.7	10	27.41
•				- 7	269 272		5.06		34.6	70	27.40
•				- 7	276		4.88		34.5	90	27.43 27.39 27.43
				- 7	264		4.19		34.5	90	27.46
				- 7	292 295		4.32		34.7	10	27.54
•					302 317		4.73		34.7	0.0	27.49 27.47 27.49 27.54
:					322		4.45		34.5		27.49
•					326 354		4.47		34.7 34.6 34.6 34.9	20	27.58 27.58
					379		5.09		34 . 4	90	27.50
					401		5.20		14.9	60	27.62 27.45 27.47 27.49 27.71
•				,	50) 555		4.93		3403	40	27.47
					614 652		4.44		34.9	90	27.71
:					706		4.54		34.9	70	27.73
:					754 901		4.93 4.46 4.61 4.54 4.37 4.23		34.9	50	27.73 27.73
					855		4.16		34.9	10	27.74

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITH	DF	1.08	1517111	ne l	STA		мт	7 T M E .	٧	FAR		IATION IMAFA
45 55.	0%	046	20.0	n=	15	24		05.3	1	971	1	06.60
DEPTH	1	WAVE	ORSE	Q V A 1	104	5				CLI	ກບເ	CODES
TO POTTOM	\vdash	D1p	нат	PFF	SF		#1	CODE	A.	TY	PF	AMT.
1116	+				+	+					_	
41	NO.		RAF		T	Δ	TR DE	TEMP				
OIR	SPI	ED		1F0 95)	1	OR Y		WET		VIS	Τ	חציו
					'	aUt	_	ALIL	B	cone		мт
	<u> </u>		<u> </u>		1	•			_		_	71.135
05.1					11 17		10	0.13 0.13 9.84		32.90 32.90	0 0	25.32 25.32 25.35
00.2					24		7	7.01		12.68 12.96	30	25.35 25.83
					27		-	.37		33.09	50	25.99 26.08
					32		9	.55		33.14	0	26.16
:					34 37			.94		33.12 33.17		26.17
:					4 n 5 1			.69		33.19 33.23	50	26.27
•					53		2	2.13		33.25	9.0	26.61
:					56 59		1	7.79		33.20 33.38	9.0	26.62 26.78
:					63 65		C	.84		33.42 33.84	0	26.82
					68		3	.33		34.02	0	27.10
:					71 75		- 5	.40		34.11 34.29		27.08 27.09
					77 80		6	.15		34.35 34.26		27.05 26.92
•					83		6	.19		34.11	0	26.85
:					86 88		6	.87		34.26 34.64	0	27.02 27.18
					91 97		7	.37		34.50 34.56	0	26.99 27.03
•					100 103		7	.49 .66		34.65	0	27.07
:					106		7	.71		34.61 34.63	0	27.02 27.05
:					112 126		7	.43		34.65 34.65		27.06
•					134		7	.39		34.64	0	27.11
:					145		6	.83		34.60	0	27.12 27.15
:					147 150		7	.83		34.67 34.75		27.21 27.23
:					153 155		7	.25		34.69 34.68	0	27.16 27.17 27.26
:					164		7	.00		34.77	0	27.26
:					167 169		7	.30		34.79 34.77	0 0	27.24
:					175 187		7	.04		34.72 34.63	0	27.22
					193		- 6	.07	- 1	34.59	0	27+25
:					202 204		5			34.63 34.56		27.26
•					207 214		5	.51 .19	-	14.55 34.57	0	27.28
•					217		5	.21	:	34.5A	0	27.34
:					226 249		4	.79 .69		34.54 34.57	0	27.36 27.39
•					252 255		4	.53 .51 .68	1		0	27.40
					25A		4	68	1	14.64	0	27.45
					261 264		5	.15 .28 .20	1	14.77 14.69	0	27.50 27.42
					267 277		- 5	.38		14.72 14.76	0	27.46
:					283 286		- 5	. 40	- 1	4.76 4.69	0	27.46
					300		5	.20 .37	1	14.82	0	27.52
:					326 331		5	.08	3	14.81 14.81	0	27.55 27.54
:					352 377		5	.11	7	4.87	0	27.59
•					603		5	. 36	7	14.96	0	27.63
:				•	452 502		5	.03	3	14.95 14.98	0	27.65 27.69
:					551 505		4	. 7R	3	14.9R	n	27.71
					455		4	.41	3	14.96	0	27.73
					795 750		4	.27	- 3	14.94	0	27.74 27.73
					975 955		4	.21	1	14.97 14.95 14.93	0	27.75
					905 955		4	• 36 • 03 • 93 • 78 • 60 • 41 • 27 • 21 • 21 • 05 • 05	3	14.93	0	27.75
					305)	.92 .86	7	4.92	n	27.75 27.76

LATITHO	FL	n.	ve I T U r	DE _	STA	(G)	ч Т	114F)			5	TATION
					чо.	DA.	Y] 1	HP.	Y	FAR	N	UMBER
46 01.0	N 0	46	35.0	ne l	05	24		10.2	1	971		16901
DEPTH	₩ΔV	F	OBSE	2 V A 1	TON	5				CL	กบ	n confs
POTTOM	10	B	нст	PER	SF	Δ	W	EATHE CODE	9	TY	PE	AMT.
0595					T						_	
					\top	Δ	J A	TEMP			_	_
AIN	0		A A F	90- 1F9	\vdash		DF	в с			_	
DID	SPEED		(ME	95)		D AY AUL	R	WET		VIS	F	DYN
		_			\top				_		+	971.127
10.2			<u> </u>		 و		_	9.61		33.0	7.0	
00.2					19		•	9.54		32.A 32.R	70	25.38
00.2					23			A.24 7.22		32.4 33.1		25.29
•					29		- (6.97		33.1	90	26.02
•					32			7.12		33.3 33.4		26.11
					40		- (6.55		33.2	90	26.20 26.16
•					44		- 1	5.75		33.4	00	26.34
					51		- 2	5.36 4.83		33.3	10 50	26.32 26.41
•					54		- 4	4.25		33.2	31	26.38
:					59 63			3.95		33.5 33.5	10	26.63 26.64
					66		- 4	4.58		34.2	60	27.16
:					69 72			6.72 7.55		34.7 34.6	90	27.05
•					75			7.96		34.6	40	27.02
•					77 80		- 1	8.23 8.40		34.6	30	26.97
					83		- 1	8.83		34.6 34.8	00	26.98 27.01
:					86 89			8.93		34.7	40	26.95
:					98		j	8.90 9.5A		34.7 34.7		26.95 26.97
•					101		. (8.52		34.7	10	26.99
:					120		,	8.01 8.23		34.7 34.8		27.07 27.12
•					147			3.36		34.8	50	27.12
•					149		ŧ	8.12 7.63		34.7. 34.6		27.07 27.10
:					159			7.07		34.6	20	27.13
•					161 165			5.80 5.83		34.6	30 50	27.18
•					168			7.08			90	27.26
					179 200		9	5.87			30	27.25
:					201			5.72			70 80	27.30 27.30
					226		- 6	5.05		34.7	10	27.34
					241 246			5.71 5.70		34.6 34.7		27.37
					250			5.42		34.A	0 0	27.44
:					279		6	5.08		34.A 34.R	90	27.48 27.49
					125		- 5	5.60		34.A	70	27.52
					354 378			5.36 5.34		34.9 14.9	00	27.58 27.59
					415			5.11		34.9		27.62
•					459 509		- 4	4.78		34.9	10	27.66
:					557		4	.73 .58		34.9	50	27.69 27.71

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

										_	
LATITE	ıΩE	LUN	1G] TUI	DE	5TATI	GMT	TME	ļ	FAR		ATION MRER
46 05.	0 N	046	4A.	_	\rightarrow	_	1.9	Н	971	-	0932
DEPTH	T	WAVE	ORSE		-			٦	CLO	_	CDDE5
TO	. -	DIA	HGT	PFR	SEA	₩E	ATHE	Ω.	TYP		AMT.
1278	+	14	n	3	7, 4		04	_	0	_	6
16.						ATR	TEMP			_	
W1	NO.		AA!	90- TER		DEC				_	<u> </u>
010	51	PEEO		95)	0 R	IL 8	WET BUL	R	V15 CODE		DYN HT
14		08	S	44	11	.7	11.	7		٩	71.060
MESSEI	⊌GE!	9 (157	5	EPTH	1	LEMB		54L		51G-T
7 J M F	•		۱0.		9	10	1.17		32.86	0	25.28
00.2					1 A 2 1	10	1.10 3.78		32.46		25.25 25.19
•					24 29		7.17		32.94	0	25.96
:					35		7.21 7.50		33.33	0	26.10
					40		7.48				26.10 26.17 26.17 26.18
					45 48		7.32		33.44 33.53 33.56 33.25	0	
					50 53	9	91		33,56	0	26.33
:					56	è	5.41		33.12	0	26.17
•					59 61	- 4	5.40 5.41 6.78		33.25 33.12 33.43 33.36	0	26.48 26.45
					64 67	4	35				26.63
:					69	7	• • 52		33.68 33.64 33.67	0	26.68
:					73 76	- 4	4.55 4.41		33.67	0	26.70 26.83
:					79 A2	- 4	4.58		33.86	0	26.84
:					85		1.91		34.06	0	26.97
					91		4.35 4.52 4.53 4.54 4.54 4.54 4.57 4.57 4.57 4.57 4.57		34.29	10	27.02
					101		5.92 5.87		34.26	0	27.03
					106		5.66 6.08 5.93		34.39	0	27.11
					113		5.93		34.37	0	27.09
					116 119 122		5.89 6.08 6.07		34.50	0	27.19 27.14
					122 127		6.07 5.82		34.44	0	27.13
:					130		5.51		34.36	0	27.14
:					135 146 149		5.26		34.36	0	27.16 27.18
:					149 153	,	5.04		34.36	0	27.19
:					158		5.82 5.55 5.55 5.52 6.55 5.52 6.55 5.56 6.39 7.77 7.77 7.77 7.77 7.77 7.77 7.77 7		34 · 26 34 · 36 34 · 36 36	0	26.30 26.30 26.35 26.17 26.45 26.45 26.69 26.69 26.69 26.70 27.03 27.01 27.11 27.11 27.11 27.19 27.14 27.15 27.17 27.14 27.17 27.14 27.18 27.19 27.14 27.17 27.18 27.19 27.14 27.19 27.14 27.19 27.14 27.17 27.18 27.19 27.19 27.11 27.19 27.11
					162 166		5.5A		34.50	0.0	27.31
					169 172		5.62		34.56	70 50	27.29 27.28
					175		5.65				27.31
					187		6.39		34.75 34.85 35.04	3.0	27.43
					190 193		7.41		35.04	0	27.49
					202 208		7.71		35.04 35.04	0	27.37
:					211		7.62				27.29
					214 220 223		7.16		34.9	0	27.43 27.49 27.39 27.37 27.37 27.37 27.35 27.37 27.28 27.31 27.38 27.37 27.41 27.44
					225		6.48				27.28 27.31
:					22B		6.16		34.7	70	27.38
					234 237 230		5.45		34.71 34.61 34.70 34.70 34.80	0	27.41
					242		5.45		34.80	0.0	27.48
					248		5.95		34.90	0	27.46

							_					
LATITU	DF		LON	GITUC)E	5TA1	ION (GM	TIME T)	Y	EAR		TATION
46 13.	0 N	1	047	11.0) W	05	24	14.3	1	971		10933
DEPTH	Ì	w	AVE	OBSER	TAV	1019				CL	nu	CODES
TO POTTOM	ł	_	DIR	HGT	PER	55		WE ATHE		TY	PE	AMT.
1094		-	14			0		X4		0		6
		_				-	AI			<u> </u>		+
WI	NĐ			BAF				EG C			_	
DIR	56	PE	ED	(MS	15)		AUL8	WET		VIS COD	ε	DYN HT
14	(8 (24	. 4	,	9.4	09.	4		1	971.002
14.3						9		4.24		32.5	40	25.83
00.2						11 14 17		4.24 4.19 4.07		32.5 32.5 32.4	00	25.83 25.81 25.82 25.76
•						17		3.85		32.4 32.4	00 60	25.86
						21 24		2.74		32.5	30 80	25.96 25.96
•						27		2.37 2.16 1.85		32.6	10	26.08
•						33		1.85		32.5 32.3	30 60	26.03 25.93 26.09
•						36 47		1.31 0.91 0.59		32.3 32.5 32.6	30 30	26 10
						50 53		0.02		32.4	80	26.10
•						55		1.36		32.5	30	26.35
•						58 77		1.36 1.57 1.24		33.3	40	26.10 26.15 26.35 26.46 28.84
•						89 97		0.88		33.4 33.5	70	20.73
:						100		0.47		33.5 33.7	50	26.90
						105		0.01		77.7	าก	27.01 26.90 27.10 27.11 27.06 27.04 27.16 27.13
•						110		0.07		33.6 33.6 33.8	40	27.04
						116		0.15		33.7	90	27.16
•						119 124		0.18 0.16 0.47		33.6	70	27.05 27.18 27.31
•						124 127 130		0.47		33.8 34.0	10	27.31
•						133		0.78		33.8 34.0	50	27.32
•						139 144		1.40		34.0	90 10	27.31
•						147 150		1.63 1.91 2.24				27.47
						156 164		2.00		34.2 34.3 34.3	00	27.36
•						176		2.36 2.64 2.57		34 . 3	100	27.45
						181		2.61		34.4	50	27.50
:						168		2.84		34.4	60	27.50
:						202		2.84 2.83 3.63 3.61 3.99		34.4	90	27.52
•						227 257		3.61		34.7	40	27.62
:						278 303		4.20		34 . 6	30	27.21 27.32 27.31 27.33 27.47 27.35 27.42 27.45 27.47 27.50 27.50 27.50 27.62 27.66 27.66 27.66 27.66
•						328 354		4.20 4.31 4.37 4.41		34.8 34.8	60	27.68
•						375 402		4.41		34.8 34.8 34.9	00	2/.69
:						452 503		4.46		34.9	20	
:						552		4.40		34.9	30	27.72
						602 660		4.35 4.28 4.22 4.20		34.9	30	27.72
•						712 759		4.22		34.9 34.9 34.9	130	27.74
						806 853		4.16		34.9		27.74
:						924		4.16 4.14 4.11 4.10 4.08		34.9	30	27.74 27.74 27.74 27.74
					1	018		4.08		34.9	150	27.74

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

[Δ Τ] Τ :	IDE	I UN	1GT TU			GMT	TIME) HP.	Y	FAR		TATION IMAFR
46 1A	0.01	047	27.	n w	05 2	4	15.6	1	971	1	10974
ПЕРТН		WAVE	OBSE	RVAT	1005				CLI	บเ	CODES
ROTTO	,	DIB	HGT	PFR	SFA	W	EATHF CODE		TYF	E	AMT.
0556		0.0			n		x 4		n		6
WI	ND			RD-			TEMP				
DIB	51	PED		TFR 95)	DR AU		WET		VIS		DYN HT
14	-) A	2	34	09	. 4	08.	q		٩	71.033
15.6	,				13		4.30		32.56	0	25.84
00.2					19		4.04		32.55 32.43	0	25.86 25.80
					25		2.36		32.27	0	25.79
•					2A 31		1.57 1.15		32.46 32.53		26.00 26.08
•					34		0.87		32.61	0	26.16
•					37 51		0.62 0.93		32.59 32.70		26.16 26.32
•					53 56		0.94 0.75		32.87	0	26.45
•					59		0.77		32.86 32.82		26.43 26.41
•					65 76		1.05		32.84 32.98	0	26.43
					79		1.29		33.05		26.55 26.61
:					90 93		0.77 0.36		33.3A 37.44		26.86 26.89
					96	1	0.20		33.37	0	26.83
:					98 101		0.45 0.94		33.25 33.30		26.74 26.80
				:	103	(0.99		37.39	0	26.88
:					106 109		0.63 0.60		33.51 33.46		26.96 26.92
•					112	- (0.29		33.61	0	27.02
•					114 120		0.10 0.09		33.55 33.63		26.97 27.02
•					22	- (0.02		33.52	0	26.94
:					125 130		0.18 0.07		33.61 33.69		27.02
•					33		0.12		33.72	0	27.09
•					136 139		0.23 0.07		33.71 33.72		27.08 27.10
•					144		0.38 0.52		33.82		27.16
:				1	53		0.43		33.84 33.81		27.17 27.15
:					55 [6]		0.15 0.01		33.83 33.88		27.18 27.23
•				1	69	(0.12		37. ≀8	0	27.30
:					172 175		0.36 0.78		34.16 34.13		27.43 27.38
•					77	1	1.05		34.21	0	27.44
:					190 189		1.36 1.74		34.19 34.23		27.40 27.40
•				2	202	ā	2.13		34.36	0	27.47
•					926 946		2.61 3.06		34.47 34.57		27.52 27.57
•				7	56	1	3.11		34.57	٥	27.56
•					261 278		3.21 3.67		34.67 34.71		27.62 27.62
•					305 128	4	0.01		14.80	0	27.65
				1	155		4.25 4.35		14.84 14.86		27.66
•					178		4.40		34.89 34.91		27.68 27.69
•				4	53	4	4.48		14.92	n	27.70
•					01	4	4.43		14.93	0	27.71

LATITUŌ	Ε (LON	GITU	DE	STAT	TON (GM)		Y	EAR		ATION MRER
46 17.0	N	047	33.) W	05	24	17.4	1	971	1	0935
DEPTH	WΔ	VΕ	ORSE	VAT	ואטן,		⊌E A TH		CL	กบก	CODES
TO 1	D	ΙR	нст	PER	SE		CDD		TY	PE	AMT.
0190	0	0			n		¥ 4		n		6
MIN	D			20°-			R TEM	Р			
DIR	SPEE	0		95)		DRY BULA	WE RU		VIS COD	E	DYN HT
15	14		2	27		07.A	07	. А		9	71.079
17.4					100 15 20 20 20 20 20 20 20 20 20 20 20 20 20		4.64 4.57 2.95 1.48 0.95 0.75 1.00 1.06 0.44 0.21 0.60 1.46 0.14 0.60		32.6 32.6 32.6 32.6 32.6 32.7 32.7 32.6 32.7 32.6 32.7 32.6 32.7 32.6 33.4 33.4	00 20 10 00 80 40 20 80 70 10 40 10 10 10 10 10 10 10 10 10 10 10 10 10	25.89 25.85 25.87 25.78 26.10 26.10 26.10 26.20 26.20 26.3 26.3 26.6 26.3 26.6 26.6 26.6 26.7 26.7 26.7 26.7 26.7

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

						pai	red I	rom r	Ю	U Listing	No. 31-	-824	15.—	ontin	ueu						
LATITU	OF	LON	IG I T U ſ	DE L		ION T (GHT)		YFAR		ATION 48ER	LATITU	0E	LDN	4G I TU()E		ION (GMT		YEAR		ATION MRER
46 2R.	0 N	048	00.0) W	05	24 1	9.1	1971	10	1936	46 35.	0N	048	9 26.0) W (05	24	21.2	1971	1	0937
0EPTH	\top	WAVE	ABSE	DVAT	LONS			CI	חווח	CDDES	DEPTH	1	WAVE	OBSER	RVAT	IONS	,]		CI	000	CODES
TO	-		-		1		ATHE	R			TO	\vdash		1		ī	-	EATHE			l ANT
ROTTOM	-	DIR	нет	PER	SEA	-	CDUE	T)	PE	AMT.	POTTOM	╁-	DIR	нет	PER	SEA	`	CODE	'	YPE	AMT.
0117	\perp	15	2	2			X 4			6 .	0099		12	1	5			X 4		0	6
						AIR	TEMP											TEMP	,		
W1	ND			RO- TER		DEG	С				W1	ND			70- TFR	-	DE	EG C	-	1	L
DIR	SP	PEED		35)		RY	WET	V15		OYN	DIR	5P	EED		95)		DRY	WE1			DYN
					P	ULA	BUL	9 CO)E	нт						+	AULA	+	-	\dashv	
15	1	7	27	20	0	7.A	07.	A	9	71.099	16	1	4	1	90	(08.9	08.	9	9	71.088
MESSEN	IGER	C A	ST	D	EPTH	т	FMP	541		SIG-T	MESSEN			AST	(EPTH	н	TEMP	5 A	L	SIG-T
7]MF 19.1			10.		12	6	.60	32.9	500	25.53	T IMF 21.2		,	NO.		13		5.91	32.	240	25.41
					15	6	.55	32.4	80	25.52						16 19		5.90 5.34	32. 31.		25.40 25.11
00.1					1 A 21		.38	32.3		25.47 25.12	00.1					55		3.23	31.		25.45
:					23	2	.57	32.1	370	25.85						24		2.35		400	25.89
•					26 32		.09	32.6		26.15	•					28 32		1.67		520 560	26.02
•					51		.29	32.		26.22	•					35		1.36	32.	640	26.15
•					60		-87	32.		26.26	•					41 50		0.81		620 650	26.15 26.19
:					65 73		.03	35.		26.30 26.28	•					53		0.48	32.	690	26.24
•					76		.13	32.		26+35	•					56 75		0.31		730 840	26.28
•					93		.82	32.4		26.43 26.51						78		0.69	32.	900	26.47
•																81		0.71	32.	940	26.50
				- 4	STAT	ION T	IMF		1		LATIT	UDE	Lo	NGITU	IDE	STA	110N (GM	TIME		s	TATION
LATITU	IDF	LDN	IGITUI		MO.I	(GMT)	IR.	YFAR		ATION MRER		-				MO.		HR.	YEAR		UMBEB
47 00.	ON	0.63	48.	nu l	05	25 0	0.3	1971	1	0938	47 00	. 0 N	04	7 33.	.ow	05	25	01.4	1971		10939
						1	0.5		.1		DEPTH		WAVE	ORSE	RVA	TION	5	·		LOU	D CODES
DEPTH TO	_	WAVE	ORSE	RVAT	1005	- WE	ATHE		.000	CODES	TO	-			_	_	-	WEATH	ER -		
BOTTOM	·	DIR	нст	PER	SFA		CODE	T'	PE	AMT.	ROTTO	-	DIF	M(5)	PE	R SF	A	con	E '	YPE	AMT.
0170		16			a		X 4)	6	0214		16			n		X 4		0	6
						AIR	TEMP							١	00			R TEM	Р		
WI	ND			R0-		DEG						IND			RO-			EG C		_	
OIR	SF	PEED	_	TFR RS)	D	RY	WET	VI	,	DYN	DIR	58	PEED	{ 4	IRS)		DRY BULB	WE BU		DE	DYN HT
					Я	ULR	BUL	8 COL	30	нт				-	_			+	_	_	
16	- 1	16	2	0.0	0	8.3	08.	3	9	71.119	16		15	1	96		08.3	18	.3		971.114
00.3	3				15	4	.84	32.4	30	25.A4	01.	4				Я		4.39		580	
					18	4	.60	32.0	950	25.62	00.	1				11 19		4.39		580 560	
00.1					21 24		.77	32.4		25.76 25.99						23		2.83	31.	970	25.51
•					56	1	.47	35.	60	26.08	•					26 33		1.53		540 630	
•					3n 33		.27	32.6		26.15 26.17						42		0.57	32.	670	56.53
•					35	0	.99	32.5	0.55	26.08	•					48 52		0.01		690	
•					34		.69	32.6		26.16 26.21						5A		0.25	32.	680	26.27
•					41		.69	32.0		26.26	•					61		1.69		630 690	
•					46		.65	32.6	30	26.19						64 67		1.00		A50	26.44
•					52 55		.06	32.0		26.24 26.31	•					71		0.90		920	26.49
					57	0	.22	32.6	30	26.23	•					74 78		1.03		810	
•					60 63		.78	32.5		26.20 26.31	•					81		1.28	32.	880	26.47
•					65	1	.25	32.1	750	26.36						84 102		1.29		920	26.50 26.61
•					71 74		.39	32.1		26.42 26.48						127		0.51	33.	380	26.80
					76	1	.23	32.8	150	26.45						140		0.44		390 450	26.85 26.89
•					102 126		.16	33.0		26.60 26.75						152		0.26	33.	470	26.91
					152		.03	33.4		26.89	•					155 177		0.20		520 620	26.95 26.99
0.4											•					194		0.40		740	27.09

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

					pa	red II	JIII 110.	DO MISE	ng 110. 0		. 10.	0110111							
LATITUE	DF LO	NG I TU	DE _		ON GMT			STATION NUMBER	LATI	rube	LON	NGITU			(GM)	TIME T)	YEAR		ATTON IMREG
46 59.0	0N 04	7 19.	ow	05 2	5	02.7	1971	10940	46 5	0.0	04	7 03.	0 m	05	25	04.0	1971	+-	0941
DEPTH TO	_ '	DASE		- '		EATHER	CLO	JD CODES			WAVE			1045		WEATHE	٦	ויטטנ	CODES
ROTTOM	010	нст	PER	SEA	•	CODE	TYPE	AMT.	BOTT	24	016	нат	PER	SFA		CODE		YPF	AMT.
0375	16		<u> </u>	0		x 4	0	6	111	A	00			n		X 4	1	0	6
WIF	ND .		RO-			TEMP G C				- 1 N	า		AU-			R TEMP EG C			
DIR	SPEED		TER AS)	DR AU		WET	VIS	DYN HT	DIA		SPEED		TER RS1		ORY BULR	WET		- 1	DYN HT
16	16	1	96	08	.3	08.3		971.080	14.		11	1	90	-	07.8	07.	Я	1	71.041
02.7				9		.48	32.600		04	. 0				13		3.70	32.		25.86
00.1				16 19		4.42 4.08	32.550		0.0	. 3				18 21		3.61 2.90		440 230	25.82 25.71
•				21	- 7	2.14	31.740	25.38		•				24		1.92		360 460	25.90 26.01
•				24 27		1.09	32.490			•				26 30		1.07	32.	530	26.09
•				29 32		99	32.570			•				32 41		0.88 0.17		580 640	26.14 26.22
•				3 <i>8</i>).76).32	32.560							44		0.07	32.	650	26.23
•				41 44		0.01 0.48	32.530			•				47 50		0.39 0.88		530 760	26.15 26.36
:				53	1	1.11	32.700	26.32		•				53		0.95	32.	810	26.40
•				56 75		1.27	32.760			•				55 59		1.14		670 920	26.50
				79	1	1.46	32.910							68		1.54	33.	020	26.59
:				99 101		1.28 1.15	33.110							76 87		1.44		110 350	26.66 26.84
			:	104	(.91	33.270			•				89		0.67	33.	350	26.83
				126 152).23).04	33.370							92 95		0.66		290 480	26.78 26.93
•			1	175		1.42	33.680			•				9.9		0.44		440	26.89
•				200 209		0.78 0.83	33.900							100		0.34		480 560	26.92 26.97
•			ä	227	1	.35	34.070			•				114		0.03	33.	520	26.94
•				251 254		•59 •64	34.160							114		0.09		630 560	27.03 26.98
			2	266		.63	34.200			•				122		0.04		740	27.12
•				27 <i>2</i> 275		.61	34.230			:				124		0.29		860 830	27.20 27.16
•			2	278		.83 .22	34.350			•				141 153		0.57		920 970	27.15 27.25
:				286 291		. 75	34.500			•				156		0.92		950	27.23
				297		.87 .23	34.560			•				158		0.88		940	27.23 27.35
•				302		.76	34.770	27.65						161 164		1.16		050	27.30
				911 926		.20	34.860			•				166 172		1.72		090	27.32 27.38
•			3	351	4	•42	34.920			•				179		1.65	34.	170	27.36
										•				190 202		1.50		170 250	27.37 27.41
														227		2.43	34.	380	27.47
										•				239		2.61		430 380	27.49 27.46
														252		2.73	34.	490	27.53
										•				276 301		2.89		570 690	27.58
														325		3.82	34	760	27.64
										•				353 377		3.98		780	
														403		4.27	34.	850	27.67
										•				453 501		4.44		900	
										•				560		4.43	34,	930	27.71
										•				612		4.36		940	
										•				754 902		4.20		930	27.75
										•				974		4.01		930	
										•				1000 1009		4.03		920	

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

p	ared :	fro	m	NO	DC	Li	sting	g No	o. 31-	-82	45	–Co	ntinu	ıe
	LATIT	UDE		LON	GITU	ЭE	STA MO.	TION (GM)		٧	EAR		ATION NBER	-
	46 59	. 0N		046	44.	P	05	25	05.8	1	971	1	0942	
	DEPTH		W	4VE	085E	A V 6	TION		WEATHE		CL	ดบถ	CODE	5
	80110	м	-	19	HGT	PE	R SE		CODE		TY	PΕ	AMT.	
	1134		1	00			0	1	X4	T	0		6	•
			L_			<u> </u>		AIF	9 TEMP	,			-	-
	W	INO				90- TER			EG C					
	010	51	PE	ED		15)		DAY BULB	WE1		V15		DYN	•
	-								-	-			HT	
	14		15		1	79		07.A	07.				70.97	-
	05.						10 15		4.25		32.5 32.5	70 50	25.84	
	00.	5					1A 21		4.09 3.19		32.4 32.1	40	25.7	
							24 26		2.41		32.5	70	26.02	?
	:						29		1.79		32.5	30	26.04	6
							32 35		0.99		32.6 32.6	60	26.19	•
							36 40		0.61		32.6 32.6	40	26.23	3
	•						43 46		0.47		32.9 33.0		26.49	
	:						49 52		1.00	:	33.2 33.2	30	26.74	
	•						55 57		0.97		33.3	10	26.89	l
	:						60		0.68	:	33.4	70	26.93)
	:						68 73		0.72		33.5 33.5	90	26.98	?
							76 64		0.63		33.5 33.7	30	27.01	
	:						98		0.10	:	33.8 33.8	30 80	27.19	•
	:						101		0.80		33.6	80	27.19	•
							106		0.19	:	33.7 34.3	60	27.12	•
							111		1.93		34.2 34.0	20	27.38	}
	:						118		1.68	:	34.0	40	27.29	
	•						120		1.65	:	34.I 34.I	50	27.34)
	•						126 129		1.84	:	34.1 34.2	20	27.35 27.36 27.46	3
	•						135 137		2.05		34.3 34.3		27.49	5
	•						140		2.42		34.1 34.2		27.41	•
							147 150		2.18	:	34.2 34.3	80	27.40)
	:						153 156		2.43		34.4	50	27.52	•
	•						159		2.75		34.4	30	27.45	1
	•						162		3.29		34.4 34.5	60	27.55	
	•						177		3.59		34.6 34.6	10	27.54	;
	•						191 193		3.70	:	34.6 34.6	10	27.53	1
	•						196		4.15	:	34.9 34.7	40	27.75	,
	•						201 102		4.51	:	34.7 34.8	80	27.59	•
							224		4.70	:	34.7	80	27.56	,
							23A		4.50	:	34.8	20	27.62	•
	•						241 252		4.49	:	34.8	10	27.63	
	•						277 303		5.00	:	34.9	40	27.65	
							332 353		4.79	:	34.9	40	27.68	'
	•						382 408		4.66	:	34.9	40	27.69)
							463		4.47		34.9 34.9	30	27.70	
							506 556		4.42		34.9	40	27.72	
	:						617 658		4.28	2	34.9 34.9	30	27.73	
							717 757		4.16	1	34.9	30	27.74	
							811		4.09		34.9	30	27.75	
							905		4.03	3	34.9	30	27.75	
						1	960		3.99 3.95		94.9 94.9		27.75 27.75	

Table II. Observed oceanographic data from stations occupied by USCGC EVERGREEN, 12-25 May 1971, prepared from NODC Listing No. 31-8245.—Continued

				STAT	ION	TIME									ST 1		TIME			
LATITU	DE LO	NGTTU		MO.	(GMT		YE		TATION UMBER	LATIT	UDE	LON	IGITU		MD.	(GM	T)	YEAR		ATION
-	-			-								+		-+			1		\vdash	
47 00.0	DN 04	6 36.	0 W	05	25	07.3	19	71	10943	47 01	• 0 N	046	16.	0 W	05	25	08.7	1971	1	0944
OEPTH	WAVE	OBSE	PVAT	1045		5 A = 1.15		CLOU	D CODES	DEPTH		WAVE	085F	RVAT	1005				ดบอ	CODES
TO MOTTOM	DIO	нат	PED	SEA		EATHE CODE		TYPE	AMT.	TO POTTO	u	DIR	нст	PER	584		WEATHEI CODE	TY	PE	AMT.
0421	12	†		n		x 4	\dashv	0	6	0305	-	14		-	0	+	Х4	0		-
	1	+	l	-			-		+ "		!	14	-							6
אנט	ND	BA	90-			TEMP G C				w	IND)	RA	Rn-			R TEMP			
		ME	TFR	_			1		0.441	DIB	1		ME	TFA	<u> </u>		Т—		\top	<u> </u>
910	SPEED	(**	A5)	1	RY ULA	BUL		V15 CODE	DYN HT	OTA	ر	PEED	(141	A5)		RY BULB	BUL	V15		DYN HT
14	16	1	63		7.A	07.			970.937	14		16	1,	59	١-,	7.9	07.		1	70.982
	111	'	'' '	- 0	7 • 0	07.	٦		710.731				L.,		<u> </u>			`	7	10.462
07.3				11 16		6.00 5.92		2.800		08.	7				20		5.67 5.39	32.6		25.79 25.75
00.1				19		5.33		2.330		00.	h				23		4.42	32.4		25.70
•				22		3.43		2.550		•					26		3.08	32.5		25.91
:				24 27		2.54 1.91		2.630 2.770		•					29 31		2.01	32.5 32.8		26.04 26.31
•				30		1.49		2.930		•					34		1.73	32.8		26.29
•				33		1.76		3.070		•					36		1.35	32.7		26.52
•				39 41		2.12		3.100 3.040		•					39 42		0.87	32.9		26.42 26.32
				44		1.47		3.020		•					45		0.44	32.9		26.46
•				47		1.49		3.010		•					48		0.17	33.0		26.51
:				49 52		0.84 0.39		2.990 3.240		:					51 53		0.23	33.0		26.57 26.76
				55		0.35		3.410							56		0.16	33.6		27.00
				58		0.42		3.570	26.96	•					59		0.33	33.4		26.85
•				61 63		0.57 0.56		3.600 3.590		:					62 64		0.41	33.6		26.99
				66		0.46		3.530		•					67		0.30	33.3		26.81
•				69		0.21	30	3.630	27.01	•					70		0.19	33.7		27.13
•				77 80		0.44 0.54		3.840 3.980		•					73 76		0.56 0.50	33.76		27.10
				A3		0.97		4.040							78		0.52	33.A		27.19
•				86		1.23	34	4.030	27.28	•					94		1.35	34.0		27.25
•				101		1.85 2.35		4.270		•					87 92		1.45	33.94		27.19
				126		2.67		4.370	27.38 27.44	:					95		1.85	34.0		27.21
•				132	;	18.5	34	4.370	27.42	•					98		1.78	33.9		27.20
•				135 143		2.76		4.420		•					101 104		2.06	34.0		27.29
:				151		3.13 3.22		4.510 4.540							107		2.55	34.3		27.40
				175		3.75		4.680		•					110		2.86	34.34	÷ 0	27.40
•				202		4.92		4.890		•					113 116		3.30	34.3		27.36
•				225 252		4.86 4.91		4.980 4.920	27.62 27.65	•					127		3.34 2.90	34.19		27.27
				27A		5.08		4.960							130		2.93	34.34		27.39
•				303		5.06	34	4.970	27.67	•					133		3.08	34.36		27.39
•				330		4.79			27.68	•					144 147		7.10 7.23	34.46		27.3A 27.46
•				154	•	4.54	14	• • • • 10	27.68						153		1.65	34.5		27.47
										•					155		3.74	34.59		27.48
															158 177		4.32	34.5		27.54
															176		4.59	34.79		27.58
										•					179		4.6A	34.74		27.53
										•					201 227		4.56	34.79		27.58 27.61
														2	252		4.46	34.89	50	27.64
										•				2	27 A		4.39	34.86	50	27.66

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.

LATITI	JO€	LON	GITUI	DF	NO.	TOH (GM)		¥	EAR		ATTON MAER
44 40.	5H	049	10.0) W	05	20	03.2	1	971	1	0945
DEPTH	T	WAVE	OASF	PVAT	ION				CL	ouc	CODES
חד יחדדה	۱	018	HGT	PER	SE		CODE		TY	PE	AMT.
0058	\neg	14	S	2		\top	X 4		0		6
M1	NO		AAF				TEMP				
O ER	SPI	EEO	ME1 {MF			PAY BULA	WET	Ą	VIS	-	0YH HT
12	0.0	9	26	6	7	18.3	08.	3		9	71.157
MESSEN		CA N	ST D.	n	EPT		TEMP		SAL		51G-1
03.7	•				0		5.24		32.41	50	25.66
					2		5.24		32.40		25.56
00.3					7		4.76		32.4		25.66
					10		4.65		32.49		25.69
:					20		2.88		72.51		25.73
					30		1.82		32.6		26.19
					44		0.70		32.81		26.33

LATITU	DE.	LON	IG1TU	ne.	STA	TION	TIME	Г			ATIOH
					MO.		HA.	٧	EAR		MHER
44 33.	4 H	046	50.	5W	05	20	07.9	1	971	1	0947
OEPTH TO	T	MAVE	OBSE	AVA	TION		EATHE	اہ	CL	ouc	CODES
воттом		018	HGT	PE	9 SE		COOE		TYI	PE	AHT.
0399		14	5	5			Х4		0		4
мτ	MINO			RO-			TEMP				
DIA	SPE	EEO		95))AY BULA	WET		V15	E	DYN HT
16	1	7	2	6 R		0. AC	07.	9		٦	71.158
MESSEN	GER		57	-	1FPTI	1	TENP		SAL		516-1
07.9					7		3.98		32.50		25.91
00.5					10		3.70		32.59		25.90
00.5											
					20		1.39		32.7		
					25 31		1.16		32.71 32.71 32.71	90	26.23
•					25 31 36		1.16 0.94 0.58		32.73 32.73 32.73	20 30 30	26.23 26.25 26.27
•					25 31 36 41		1.16 0.94 0.58 0.38		32.7 32.7 32.7 32.7	20 30 30 30	26.23 26.25 26.25 26.27 26.32
•					25 31 36 41 50		1.16 0.94 0.58 0.38 0.59		32.73 32.73 32.73 32.73 32.73	20 30 30 30	26.23 26.25 26.27 26.12 26.47
•					25 31 36 41		1.16 0.94 0.58 0.38		32.73 32.73 32.73 32.73 32.91	20 30 30 30	26.23 26.25 26.27 26.32 26.47 26.51
•					25 31 36 41 50 75		1.16 0.94 0.58 0.38 0.59 0.70		32.73 32.73 32.73 32.73 32.73	20 30 30 30 10	26.23 26.25 26.27 26.12 26.47
•					25 31 36 41 50 75 100 111 125		1.16 0.94 0.58 0.38 0.59 0.70 0.91 0.96 0.83		32.73 32.73 32.73 32.73 32.91 32.91 33.04	30	26 - 23 26 - 25 26 - 27 26 - 37 26 - 47 26 - 51 26 - 60 26 - 60
•					25 31 36 41 50 75 100 111 125 150		1.16 0.94 0.58 0.38 0.59 0.70 0.91 0.95 0.83		32.73 32.73 32.73 32.73 32.91 32.91 33.04 33.05	20 30 30 30 10 50 50	26 - 23 26 - 25 26 - 27 26 - 37 26 - 47 26 - 58 26 - 69 26 - 69 26 - 77
•					25 31 36 41 50 75 100 111 125 150 175		1.16 0.94 0.58 0.38 0.59 0.70 0.91 0.96 0.83 0.42		32.73 32.73 32.73 32.73 32.91 33.91 33.91 33.91 33.91 33.91	30	26.23 26.25 26.27 26.37 26.47 26.69 26.69 26.77 26.47
•					25 31 36 41 50 75 100 111 125 150		1.16 0.94 0.58 0.38 0.59 0.70 0.91 0.95 0.83		32.73 32.73 32.73 32.73 32.91 33.04 33.05 33.13 33.25 33.44	30	26.25 26.25 26.27 26.37 26.47 26.69 26.69 26.47 26.47 26.49
•					25 31 36 41 50 100 111 125 150 175 200 225 230		1.16 0.94 0.58 0.38 0.59 0.70 0.91 0.96 0.83 0.42 0.08 0.20		32.73 32.73 32.73 32.73 32.91 33.91 33.91 33.91 33.91 33.91	20 30 30 30 30 30 10 50 60 70	26 - 25 26 - 25 26 - 27 26 - 47 26 - 60 26 - 67 26 - 67
					25 31 36 41 50 75 100 111 125 150 175 200 225 230 236		1.16 0.94 0.58 0.38 0.59 0.70 0.91 0.95 0.83 0.42 0.08 0.20 0.08 0.45		32.73 32.73 32.73 32.73 32.91 33.91 33.91 33.91 33.91 33.41 33.41 33.42 33.43	20 30 30 30 30 30 30 30 30 30 30 30 40 40 40 40 40 40 40 40 40 40 40 40 40	26.25 26.25 26.27 26.37 26.47 26.58 26.60 26.69 26.69 26.69 27.04 27.08
					25 31 36 41 50 75 100 111 125 150 175 200 225 230 236 242		1.16 0.94 0.58 0.38 0.59 0.79 0.91 0.95 0.83 0.42 0.08 0.20 0.46 0.57		32.72 32.73 32.73 32.73 32.91 33.94 33.95 33.13 33.42 33.42 33.42 33.42	20 30 30 30 30 30 30 30 30 30 30 30 40 40 40 40 40 40 40 40 40 40 40 40 40	26.25 26.25 26.27 26.37 26.51 26.51 26.69 26.69 27.04 27.04
					25 31 36 41 50 75 100 111 125 150 225 230 236 242 250		1.16 0.94 0.58 0.38 0.70 0.91 0.96 0.83 0.42 0.08 0.20 0.46 0.71		32.76 32.75 32.75 32.75 32.96 33.04 33.05 33.15 33.46 33.46 33.46 33.69	20 30 30 30 30 50 60 60 60 60 60 60 60 60 60 60 60 60 60	26.25 26.25 26.27 26.37 26.47 26.47 26.47 26.47 26.47 26.47 27.08 27.08 27.08 27.08
					25 31 36 41 50 75 100 111 125 150 175 200 225 230 236 242		1.16 0.94 0.58 0.38 0.70 0.91 0.95 0.83 0.46 0.20 0.46 0.57 1.02 1.08 1.23 2.97		32.72 32.73 32.73 32.73 32.96 33.04 33.05 33.44 33.45 33.46 33.46 33.66 33.74	20 30 30 30 30 30 30 50 50 70 70 70 70 70	26.23 26.25 26.27 26.37 26.47 26.51 26.55 26.47 26.47 26.49 27.08 27.08 27.08 27.08 27.08
					25 31 36 41 50 75 100 111 125 150 175 200 236 242 250 261		1.16 0.94 0.58 0.38 0.70 0.91 0.96 0.83 0.42 0.08 0.20 0.46 0.71		32.76 32.75 32.75 32.75 32.96 33.04 33.05 33.15 33.46 33.46 33.46 33.69	20 20 20 20 20 20 20 20 20 20 20 20 20 2	26.25 26.25 26.27 26.37 26.47 26.58 26.69 26.69 26.69 26.69 26.99 27.04
					25 31 36 41 50 100 111 125 150 125 230 236 242 250 276 275 287		1.16 0.94 0.59 0.38 0.59 0.70 0.91 0.42 0.42 0.46 0.57 1.09 1.23 2.97 3.22 3.45		32.73 32.73 32.73 32.73 32.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91 33.91	20 20 20 20 20 20 20 20 20 20 20 20 20 2	26.23 26.25 26.32 26.31 26.41 26.51 26.69 26.69 27.08 27.08 27.08 27.09 27.25
					25 31 36 41 75 100 111 125 175 225 236 242 275 275 275 275 275 275		1.16 0.94 0.59 0.59 0.79 0.79 1.96 0.83 0.42 0.42 0.45 1.02 1.02 1.03 1.23 1.23 1.23 1.23 1.23 1.23 1.23 1.2		32.72 32.72 32.72 32.72 32.92 33.04 33.05 33.44 33.46 34.46 34	20 20 20 20 20 20 20 20 20 20 20 20 20 2	26.23 26.25 26.25 26.32 26.41 26.51 26.69 26.69 26.69 27.08 27.08 27.08 27.08 27.08 27.08 27.08 27.08 27.08 27.08 27.08
					25 31 36 41 100 111 125 200 225 230 242 25n 271 275 275 275 275 275 275 275 275 275 275		1.16 0.94 0.59 0.38 0.59 0.79 0.79 0.83 0.42 0.046 0.20 0.46 0.102 1.08 1.23 2.32 2.32 2.32 3.43 3.48		32.76 32.75 32.75 32.75 32.91 33.04 33.05 33.16 33.46 34.46 34	20 20 20 20 20 20 20 20 20 20 20 20 20 2	26.23 26.25 26.32 26.32 26.41 26.51 26.69 26.71 26.89 27.08 27.08 27.08 27.03 27.39 27.39 27.39
					25 31 36 41 100 111 125 175 225 236 242 256 275 275 275 275 275		1.16 0.94 0.59 0.59 0.79 0.79 1.96 0.83 0.42 0.42 0.45 1.02 1.02 1.03 1.23 1.23 1.23 1.23 1.23 1.23 1.23 1.2		32.72 32.72 32.72 32.72 32.92 33.04 33.05 33.44 33.46 34.46 34	20 20 20 20 20 20 20 20 20 20 20 20 20 2	26.23 26.25 26.25 26.32 26.41 26.51 26.69 26.69 26.69 27.08 27.08 27.08 27.08 27.08 27.08 27.08 27.08 27.08 27.08 27.08

LATITU	10E	LON	GITU	DE		TIOH (GM	TTME			51	ATION	
	•••	1			MO.	DAY	HR.	⊢	EAR	NU	MAEA	
44 36. 0EPTH	ON	WAVE			05	50	06.1	Ľ	971		0946	
TO	. -	OIR	OASE	PE			WEATHE	A		000	COOES	
0054	`+	15	HGT 2	2	SE	+	X4	_	TYI	?E	AMT.	
		• • •	-	1	+-	AT			<u> </u>			
W1	INO.			PO- TFR			EG C			Ţ		
DIB	56	EEO	(MI	AS)		DAY BULA	WET	8	V15		OYN HT	
14	1	0	2	56	1	0 A . 1	00.	1		9	71.147	
MESSEN	NGER	CA	57	(DEPT	4	TEMP		SAL		SIG-T	
06.1		"	0.		0		4.25		32.6	10	25.89	
00.4	•				6 7		3.86		32.6 32.7 32.5	5.0	25.89 26.01 25.85	
					1 n 2 n		4.18 3.26 1.26		32.5	0.4	25.92	
					3n 5n		0.39		32.8	30	26.36	
•					54		1.21		32.8	90	28.44	
LATIT	JOE	LON	IG Į ŦU	DE		TION	T)				ATION	
		-			MO.	DAY	1	+-	EAR	-	MAEA	
	۰0× ا	040			1101	[20 [09.5	L	971	_	CODES	
DEPTH TO ROTTO	. }	BVAVE	DASE	PE	-	-1	WEATHE CODE		Tri	DU0	AMT.	
0869	+	10	2	3	- 130	+	X4	_	0		6	
			1	-	†	A I		,				
	INO		ME	90- TEA	\vdash		EG C					
OTR	56	PEEO	(14	PS)		OAY BUL A	RUL	TULA COC			OYN HT	
14	1	3	2	75		08.7	08.	5		971.162		
MESSEN		CA N	57		DEPT	н	TEMP		SAL		51G-T	
09.					5 10		3.47		32.6		26.02	
00.6	5				30		1.25 0.76		32.6	0 0 4 0	26.21	
:					50 75		1.10		32.76 32.96 32.96	60 80	26.35	
					80 94		1.02		33.0	• 0	26.59	
:					100 103 128		0.85 0.79 0.27		33.1 33.3	0.0	26.62 26.64 26.77	
					131		0.23		33.3	20	26.79	
					155 175		0.07		33.3	90	26.83	
					174		0.17 0.38		33.49	50	26.95	
:					202 205		0.54		33.5	70	26.95	
•					227		0.78		33.6		27.03	
•					247 250 253 265 270 273		1.12		33.74	0	27.14	
:					265		1.15		33.7 33.8	70	27.15	
•					277		1.45		34.00	50	27.29	
:					261 267		2.00		34.10	50	27.32	
					289		2.45		34.2	50	27.36	
•					295		3.01		34.39	50	27.39	
					300		3.49		34.46	0	27.37	
:					300 326 329 351 354		4.20		33.73 33.73 33.73 33.73 33.73 33.73 33.73 34.01 33.73 34.12 34.23 34.33 34.31 34.57 34.57 34.57 34.57 34.57	50	27.39 27.53 27.43 27.49 27.49 27.49 27.52 27.51 27.61 27.61 27.61 27.61 27.62 27.62	
					311		3.97		34.5	30	27.52	
:					380 403 406		4.14		34.7	70	27.61	
					452		4.33		34.79	90	27.61	
					455 500 504		4.40		34.81	0	27.62	
					504 555 601 605		0 - 81 1 - 012 1 - 012 1 - 013 1 - 013 1 - 013 1 - 013 1 - 013 1 - 013 2 - 013 2 - 013 3 - 014 4 - 013 4 - 013 6 - 013		34.05	90	27.64	
•					6115		4.37		34.85	0	27.65 27.65	

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

						Þ	area	11(7111	101	00 13131111
LATITU	DF	LON	GITU	DF L		ON GM1		Y	FAR		TATION UMBER
44 34.	ŊΝ	048	50.	AW.	05 2	0	12.5	ì	971		10949
DEPTH		WAVE	ORSE	RVAT	IONS				CL	กบ	D CODES
TO BOTTON		DIR	нст	PED	SEA	١	VEATHE CODE			PE	AMT.
2644		10	2	2			×4		0		6
						Ale	TEME	,			
WI	ND					DE	G C	_			
DIR	SPEED (MRS) DRY BULR					WE1 BUL		VIS COD		DYN HT	
16		1 4	2	83	0.8	1.4	08.	3			971.087
MESSEN TIME			5T	0	FPTH		TEMP		5AL		SIG-T
12.5					۶ 5		4.20		32.6		25.91 25.91
01.0					10		3.84 3.41		32.5	60	25.89 25.90
•					13		2.82		32.4	20	25.87
•					16 21		2.04		32.6		26.07 26.15
:					24		1.33		32.6	70	26.18
•					29 33		1.26		32.6		26.20 26.16
•					35		0.97		32.6	70	26.20
•					40		0.82		32.6		26.22
•					4 R 5 1		0.10		32.7		26.29 26.32
•					54		0.27		32.7		26.32
•					59 70		0.43 32.770 26 1.14 32.820 26				
					75		1.32		32.8	180	26.47
:					79 100		1.26		32.9		26.51 26.77
					103		0.78		33.3	120	26.81
•					109 114		0.62		33.3		26.84 26.88
•) 26] 28		0.10		33.4		26.92 26.96
•					141		0.35		33.6	0.0	26.98
•					144 150		0.24		33.6 33.6		27.01 27.03
					177		0.64		33.7	70	27.10
•) 83) 85		0.75		33.8		27.17 27.18
•					191		1.32		33.9	70	27.22
•					203 204		1.33		33.9		27.21 27.22
•					227 230		1.83		34.1		27.36 27.36
•					236		2.02		34.2	90	27.42
•					239 251		2.30		34.3		27.46 27.42
•					273		3.03		34.4	90	27.50
•					280 302		3.13		34.6		27.51 27.55
•					305		3.73		34.6	00	27.52
•	. 308						3.73 3.85		34.6	90	
•					321 328		4.43		34.7		
•	. 351						4.11		34.7	710	27.57
•	. 379						4.32 4.38		34.8		
•	501						4.53		34.8	350	27.64
:						4.53 34.850 27.6			27.65		
707 802				707 4.47 34.870 27.		27.66					
•				902 4.26 34.860 27		27.68					
:	. 960						4.17		34.8		

	LON	4G I TU	OF	MO.	(GM1	TIME () HR.	٧	FAR		ATION
44 32.8	048	3 77.	1 W	05	20	15.9	1	971	1	0950
DEPTH TD	WAVE	ORSE	PVA	TION	- 1	√F∆THF	0	CL	ŋIJſ	CODES
ROTTOM	DIB	нат	PF	P SF		COOF		ΤY	PE	AMT.
3218	09	2	2			к]	1			6
MIND			PN- 1FP		AJR TE			>		
OIR G	REED		PSI		DRY HILL	#FT RIN		V15		NYN HT
14	13	2	A 7		12.9	12.	2			71.039
15.9	•		10 20 30 35 45 50	4.95 5.96 4.25 3.36 4.56 3.06 3.46	12.2 FMP 54 3.96 33. 3.26 12. 3.16 32. 3.56 32. 3.66 33.			25.92 26.00 26.03 26.08 26.04 26.19		

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

	_												
LATITII	DF	1 24	GTTUI	DF .	10-	DWA (QW) IUM	114E () HA.	YFAR		TATION IMPER			
44 25.	6N	1948	07.	оч С	5	50	19.1	1971	1	10951			
NERTH	Т	WAVE	ORSE	TAVE	IONS				our	C0065			
70 90770 1	ŀ	010	нст	REA	564		E A THE		1PE	AM7.			
	+			\vdash	-	+		+-	1	6			
4165		11	?	5	_		×1	-		<u> </u>			
wf	NO			90- 1FA	L	A TI	FG C						
OIR	SF	PFEO		A51		AY ULA	WE1			OYN HT			
11		l n	2	95	1	3.0	12.		_	71.000			
MESSEN			151	0.6	911	1	TEMP	54(-	516-1			
19.1		r	•0•		?		10.71	32.1		25.16			
01.2	•				4		9.17	32.	840	25.21 25.44			
•					10		A.A0	32.		25.54 25.56			
:					15		7.95	35.	900	25.66			
					50		7.54 7.80	33.		25.48 25.99			
					23		7.80	33.	170	25.49			
•					24		6.93	33.		25.98 26.07			
					31		6.80	33.7	290	26.13			
•					34		6.30 5.76	33.	230 170	26.14 26.16			
					39		4.84	33.	230	26.31			
:					45		5.05	33.0	560	26.63 26.58			
					68 50		5.53	33.	720	26+63 26+63			
:					51		4.95	33.0	630	26.62			
•					54 59		4.67	33.	710	26.72 26.82			
:					62		4.52	33.	970	26.46			
:					69 72		4.74 3.77	33.1 33.1		26.94 26.92			
:					75		3.53	33.	33.980 27.05				
:					7.A A.O		3.50		33.970 27.04 33.980 27.06				
					FR PR		3.41	34.	34.050 27.11 34.140 27.13				
					91		3.45	34.	090	27.11			
•					97		3.84	34.		27.13 27.05			
					103		3.23	34.	090	27.16			
•					105		4.36	74.	220 470	27.24 27.35			
					119		4.45	34.	370	27.22			
:					127		4.53	34. 34.	190	27.27 27.28			
•					149		4.66	34.	440	27.29			
					172		4.A3	34. 34.	620	27.33 27.42 27.52			
•					177 180		5.34 5.75	34. 34.	950	27.52 27.58			
:					188		6.53	35.	020	27.52			
•					199 202		6.51 6.58	34. 35.		27.49 27.55			
					214		6.59	34.	990	27.49			
					231 235		6.23 5.69	34. 34.	830	27.51 27.48			
					241 252		5.15	34. 34.	750	27.48			
					260		4.83	34.	901	27.55 27.56			
•					286 895		4.95 5.16	34. 34.	870 910	27.60 27.61			
:					300		5.11	34 .	990	27.59			
•					325 352		5.25	34. 34.	970 970	27.65 27.66			
					377		5.21	35.	080	27.74			
•					384 403		5.60 5.51		090	27.71 27.70			
•					454 460		5.35	35. 35.	080	27.72 27.73			
•					500		5.23	35.	100	27.75			
•					506 561		5.24	35.	100 090	27.75 27.77			
					603		4.83	35.	070	27.78			
					661 703		4.66	35.	050 030	27.78 27.79			
•					760		4.35	35.	020	27.79			
					772 A15		4.32 4.28	35. 35.	010	27.79 27.79			
					A 37		4.26	35.	010	27.79			
					908 904		4.1A	35.	990 010	27.78 27.80			
					000		4.21		000	27.79			

				(T 4 T	TON	TIME				
_41110	OF	LUM	GITU	DF L	40.	(GMT		١,	EAR		MBER
44 17.	9N	047	26.9	\neg	05	20	27.4	\vdash	971	-	0952
	-	,			1	. 1			-	2115	50055
HIGGO OT	,	VAVE	OBSE	1446	104		HEATHE	P	- CL	()U()	COOFS
MOTTOM		018	нат	bEB	SF	1	CODE		TY	PE	AMT.
5242		16	2	3			×1	×1			6
er.	NU		BA RA	RO-		A] I	R TEMP	5			
1	IR SPEED			TER	\vdash		1	_		\neg	DVN
DIR	SPE	EFO	(M	AS)		ANT B			COD		DYN HT
13	1	3	7	95		13.5	13	٠,		9	71.061
4ES5FN	ESSENGER CAST		ח	FPTI	4	TEMP		5 AL		516-1	
23.4		,	10.		ŋ		10.16		32.7		25.1
٠,٠,					10		8.56 5.51		37.4		25.60
01.4	•				20		3.76		33.4		26.58
:					50		6.46		34.0		26.71
					63		6.69		34.2		26 . A
•					75		7.93 7.28		34.5		26.78
•					74		R.79		34.7		27.0
•					110		A.26		34.6		26.95
					128		9.16		74.7		26.93
•					150		A . 36		34.4		27.14
4					172		5.54		34.4		27.20
•					500		7.31		34.4		27.2
:	,				222		4.46		34.4		27.32
					250		6.26		34.2	00	26.91
•					252		7.45		34.9		27.1
•					280		7.21		35.0		27.41
•					300 315		5.76		34.8 35.1		27.51
•					385		5.49		34 9		27.60
					400		5.84		35.0		27.64
					409		5.76		35.2	20	27.71
					430		6.04		35.0		27.64
•					500		5.08		35.0		27.69
•					510 537		5.18		35.0		27.7
					550 550		4.R0		35.0		27.66
•											
•					600		4.73		35.0	00	27.7
•					600 700		4.73 4.58		35.0		27.7
•										90	

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATTH	DF LI	NGITUDE	STAT	(GM7)	YF4Q	STATION NUMBER	LATITUD	E EON	1G I TU	DF L	STA	(64		YFAR		ATTON
44 12.	AN D	4 59.0W	05	21	05.1	1971	10953	45 01.5	N 046	79.	2W	05	21	11-1	1971	١,	0954
NEPTH	MAVI	DASFRV	71045	Τ		CLC	UD CODE!	S DEPTH	WAVE	0956	PVAT	TON	5	-		LOUD	CODES
TO POTTOM	010	P H67 PI	Q 5F4	w	E4THER CDDE	TYP	E AMT.	- TO	nie	нат		_	\dashv	₩E ≜THE CODE	2	YPE	AMT.
5442	17	2 3	1	1	#4	0	6	3549	15	2	1	+	+	×1		0	6
					TFMP G C									Q TEMP			-
DIO		HETE	` ├─				1	- WIN		ME	RO- TFR	\vdash		EG C	+	_	<u></u>
1114	SPEED	(MAS)		JLA SA	WFT RULA	V15 COOE	MYN HT	nie .	SPFED	(4	85)		DRY RULR	WF1 RUL			NYN MT
14	10	300	14	۹.۹	13.9		971.064	14	11	3	10		13.0	12.	5	9	71.035
MESSEN TIME	GER	NO.	OFPTH	1	TEMP	SAL	516-1	ME55FNC T1MF		15T	n	EPT	н	TEHP	54	L	516-1
05.1			2		1.21 1.86	32.42		11.1		***		٠ ،		9.79	32.		25.41
00.R			7	- 6	R.94 7.24	32.39	0 25.11	1 01.0				4		9.AA 9.70	32.	000	25.42 25.47
:			12	•	5.79	32.65	0 25.79	5				7		9.34	32.		25.65
•			15 18		5.50 5.14	32.62	8 25.05	5				15 21		7.35	73.		25.91
•			21 24		5.12 4.86	32.86						24		6.49	33.	110	26.02
:			24	•	5.01	33.02	0 24.13	3				54		5.90	32. 33.		25.95 26.13
			29 32		4.R2 4.14	32.72	0 26.03	3				32		5.43	33.		26.62
•			15 34		3.74 3.44	32.82						47		4.54	33.	530	26.59
:			41	:	3.10	33.01	0 26.32	•				47 5n		5.12	33. 33.		26.61
:			49		3.30 2.99	33.02						51 59		5.39	33. 33.	778	26.68
•			51 57	;	2.59	33.14						61		5.29	33.	840	26.75
•			63	•	3.02	33.52	0 26.73	•				72		5.54	33. 34.		26.83 26.83
•			45 72		3.05 2.38	33.46						75		5.98	34.	040	26.43
			74	ä	2.13	33.47	0 26.76	6				84		5.72	34. 34.		26.95
			7.7 9.0		2.21 2.35	33.56	0 26.63					94		5.20	33. 34.		26.84
•			85 93		2.29 2.81	33.59						100		5.97	34.	520	27.20
:			96	- 2	2.64	13.53	8 24.77	7				102		6.65 7.84	34. 34.		27.17
:			101		2.10 2.22	33.76						114		7.20	34. 34.	460	27.01
			107		2.47	33.96	0 27.19	5 .				125	;	6.99	34.	560	27.09
:			11º	- 7	2.69 2.42	33.42	0 24.86	6				131		6.64	34. 34.		27.01
•			115		2.07 1.03	33.79 31.89		3				153	J	6.39	34.	540	27.16
			129	- 2	2.04	33.94	0 27.14	6 I				158 163	l	5.49	34.	450	27.16
•			147 150		2.57 2.49	11,05	0 27.16	A I				177		5.46 4.39	34. 34.		27.17
:			15A 141		3.10 3.03	34.12						182	•	4.40	34.	340	27.24
			164		3.05	34.17	0 27.24	4				191		4.81	34. 34.		27.30 27.36
:			181		4.85 4.29	34.70						202		4.75	34. 34.		27.28
•			192		7.04	34.64						207	,	4.29	34.	430	27.33
:			515		4.38	34.5	0 27.20	•				210		4.41 3.28	34. 34.		27.20
			215		4.62 4.45	34,46						555	•	3.03	34.	250	27.31
			233	4	4.23	34.42	0 27.33	:				225 231		3.06 4.39	34. 34.	DSA	27.16 27.63
•			245	4	3.97 4.60	34.70	0 27.49	9				233)	5.65	34. 34.	700	27.46
•			24R 262		5.16 5.57	34.74	0 27.47	7				254	•	5.79	34.	000	27.44
			277		5.35	34.74	0 27.46	•				262 279		7.18	35. 35.	860	27.53 27.46
			267 294		5.07 5.30	34.76	0 27.46	•				301		7.28	35. 35.	100	27.46
•			302 317	,	5.10 5.41	34.74	0 27.47	[*]				325		6.88	35.	040	27.49
			350	•	5.16	34.76	0 27.49	•				336 353		6.24 5.39	34. 34.	840	27.50 27.53
•			351 377		4.8l 5.07	34.88						365		5.24	34.	880	27.50
•			363	•	5.08	34.87	0 27.59	9 -				374 397		5.84 6.06	34. 35.	070	27.63
:			412 458		5.00 4.92	34.92	0 27.64	•				401		6.07 5.36	35. 34.		27.60 27.61
:			500 571		5.41 4.73	35.01	0 27.66	6 P				455	,	5.02	34 .	940	27.65
			607	4	4.65	34.93	0 27.69	9 •				504 554		5.11	35. 35.	010	27.69
			653 701	4	4.86	35.00	0 27.71					604		4.74	34. 34.	940	27.72
•			771 616	4	4.54	34.95	0 27.72	•				656 706		4.59	35.	000	27.75
			699	4	4.27	34.92	0 27.72	•				757 807		4.40	34. 34.		27.75
•			934		4.17 4.12	34.90	0 27.72					967		4.26	34.	980	27.77
			983		4.06	34.90	0 27.73	,				019		4.21	34. 34.	980	27.77
•			1007		4.06	24441	2 21012	-									

								1			_			_		_					_	
LATITE	IDE	LON	IG1TU		MD.	TON (GMT		YE		STATION NUMBER	LA.	TITU	OΕ	LON	1G 1 TU	OF		ION (GMT		YEAR		ATION
45 16	91	047	7 11.4	LW	05	21	14.6	197	1	10955	45	30.	0 N	04	7 32.0	D W	05	21	19.3	1971	1	0956
DEPTH	1	MAVE	OASEI	RVAT	1045	;			CLO	JD COOFS		PTH	T	IAVE	OBSE	2V41	TIONS			CL	.000	CODES
70 80770	4	DIR	HGT	PER	SEA		CODE		TYPE	AMT.		TO T T OM		019	HG7	PER	5E4		CODE		PE	AMT.
2856		16	2	2			х1		0	6	2	030		17	1	3	$oldsymbol{ol}}}}}}}}}}}}}}}}}$	<u>L</u>	ХĮ)	6
W	מאו		MAS	90-			TEMP					WT	NO.			90-			TEMP			
DIR	SPE	EED		TFA RS)		BULA	WET		IS ODE	DYN HT	01	P	591	EED		TER 851		RY	WET			DYN
16	04	9	3(16	1	4.8	14.	2		971.079	16		1	1	2	95	1	2.8	12.	5	,	70.955
MESSE!	NGER	CI	157	n	EPTH	ı	TEMP	9	AL	51G-1		SSFN T1MF			AST NO.	ı	DEPTH	1	TEMP	SAL		51G-T
14.		•	•••		3		0.81		.900			18.3					0		5.34 5.72	32.		25.90
01.	0				A		0.62	32	.760	25.22		00.4	1				7		5.07	32.5	520	25.73
•					11		7.91		.790			•					12		3.97 2.75	32.6		25.82
•					17		7.81	32	.940	25.71		•					15 18		1.45	32.	700	26.17
					19 23		7.36 7.00		.030								51		1.21	32.	330	26.32
:					25 28		6.51 5.95		.190			•					24		1.04 0.8A	32.1		26.34
					31		5.52	33	.270	26.27							31		0.93	32.	920	26.40
					34 36		5.61 5.18		.070			•					34 37		0.63	32.		26.40
•					39		4.66	33	.300	26.39		•					42		0.18	32.9		26.51
•					42		4.67		.460								48		0.04	32.	990	26.51
•					47 50		4.24	33	.540	26.62		•					50 53		0.37	33.		26.54
•					53		4.20		.630								61		0.49	33.	280	26.77
•					55 58		4.27		.730			•					64 77		0.48	33.9		26.87
					60		4.83	33	.870	26.82							80		0.40	33.	660	27.07
:					63 66		4.76		.850 .120			•					96 99		0.31	33.		27.29
•					64		5.39	34	.120	26.96		•					101		0.58	33.	980	27.28
•					71 74		5.54 6.52		.250 .690			•					104		0.62	33.		27.28
•					78		7.13	34	.500	27.03		•					116		0.87	34.	090	27.35
•					80 100		7.21 6.86		.490			•					121		0.91	34.		27.32
•					103		6.89		.520 .480			•					127 129		1.01	34.		27.40
:					113		6.78	34	.540	27.11		•					151		1.67	34.	310	27.47
•					119 125		7.20 7.18		.650			•					154 157		1.71	34. 34.		27.46
•					128		6.98	34	.510	27.06							160		2.07	34.	640	27.71
•					131 133		6.79		.600			•					167 165		2.53	34. 34.		27.38
•					136		6.80	34	.540	27.11							168		2.37	34.	580	27.63
•					139 142		6.38		.500			:					170		3.03	34.		27.76
•					144		5.95	34	.500	27.19							176		4.46	34.	710	27.53
•					147 150		5.95 5.71		.510 .420			•					179		4.40	34.		27.51 27.58
•					153		5.47	34	.450	27.21		•					184		4.68	34 .		27.59
•					164 167		5.54 5.43		.530 .410			•					197		4.72	34. 34.		27.54
•					170		5.60	34	.690	27.36		•					192		5.16	34.	660	27.58
•					173 176		5.79 5.86		.640 .660			•					195		5.07	34. 34.	920	27.48
					179		5.95	34	.690	27.34							501		5.01	34.	720	27.48
					182 190		6.05 6.51		.740 .800			•					515		4.90	34. 34.	480	27.56 27.34
:					192 195		6.37	34	.670	27.27							214		3.96	34.	360	27.32
•					701		6.17 6.11		.720 .750													
•					204 207		6.15	34	.740	27.35												
:					209		6.07 5.52		.610 .500													
•					213		5.57	34	.790	27.46												
•					215 218		5.80 6.39		.870 .040													
•					221		6.72	34	990	27.48												
								42	. 1170	27.46												

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

						į,	aca .				
LATITU	DF	LON	GITUI	DE L		GMT		\ _Y	EAR		ATION MBER
45 35.	2N	047	36.9	- We	05 2	1	19.9	1	971	1	0957
ОЕРТН	w	AVE	ORSER	RVAT	10NS				CLO	חט	CODES
TO ROTTOM		910	нат	PER	SEA	w	EATHE CODE		TYP	E	AMT.
1507		15	1	2			x 2		n		6
14.8	WIND BAR					AIR					
019	METER					DF	1		W. T. E.	Т	DYN
	SPEED (MRS) DR BU					BUL		VIS CODE		HT	
15	12		20	90	12	• 0	11.	9		9	70.978
MESSEN TIMF 19.9	GFR	CA	ST 0.	ÐI	HT93		TFMP 9.16		5AL	0	51G-T 25.69
					9		8.13		33.03	0	25.74
00.8					12		6.87 5.76		33.05	0	25.74 26.07
:					17 20		5.30 4.94		33.05 33.13		26.12
•					23		4.78		33.13	0	26.24
					31		4.56		33.20	0	26.31
•					34 36		4.66 4.51		33.14		26.27
•					39		4.59		33.22		26.34
•					44		4.15		33.13	0	26.31
					47 52		3.68 2.08		32.98		26.24 26.30
•					55	1	0.80		32.72	0	26.25
•					5A 60		0.15 0.95		33.39 33.46		26.83 26.83
•					65 68		2.09		33.59		26.88 26.78
:					73		1.42		33.41	0	26.74
•					76 79		1.24 1.97		33.52 33.86		26.87 27.09
:					82 85		1.48		33.54 33.83		26.84 27.10
					91		1.56		33.82	0	27.09
•					93 96		1.23 0.74		33.65 33.68		26.98 27.03
•				,	99		0.94 1.48		34.11		27.36
•				- 1	104		1.82		33.99	0	27.20
•					107 110		1.40		33.91		27.17
•				1	116		1.93		34.14	0	27.32
•					121		1.72		33.91		27.13
•					124 127		0.80 SR.0		33.99		27.27
•				1	129		0.93		34.05	0	27.31
•					135 138		0.96 1.64		34.15		27.39 27.60
•				1	141	- 2	2.40		34.39	0	27.48
:				- 1	144		2.77 3.67		34.44	0	27.49 27.54
•					150 152		3.91 3.92		34.48		27.41 27.41
•				1	155	4	4.12		34.57	0	27.46
•				1	159 161		4.34		34.57 34.58	0	27.43 27.43
:					164 166		4.64		34.79		27.57
•						5.12 34.750 27.4				27.49	
• 177 • 177						5.23 5.06		34.70		27.45	
•				1	190 183	•	5.06		34.59 34.58	0	27.37
•					185		4.65		34.90		27.58

188	4.94	34.730	27.50
195	5.08	34.800	27.54
194	5.27	34.800	27.51
201	5.26	34.790	27.51
204	5.45	34.890	27.56
206	5.57	34.860	27.52
224	5.28	34.820	27.52
22A	5.29	34.840	27.54
231	5.34	34.860	27.55
253	5.48	34.920	27.58
255	5.53	34.930	27.58
276	5.71	34.980	27.60
278	5.71	34.980	27.59
300	5.50	34.960	27.61
304	5.49	34.960	27.61
327	5.26	34.950	27.63
330	5.24	34.940	27.62
354	4.68	34.900	27.66
359	4.67	34.910	27.67
379	4.54	34.900	27.68
383	4.53	34.910	27.68
404	4.50	34.920	27.70
4 N A	4.51	34.920	27.70
453	4.67	34.970	27.71
457	4.67	34.970	27.71
502	4.81	35.000	27.73
508	4.81	35.000	27.72
554	4.82	35.020	27.74
561	4.81	35.020	27.74
606	4.45	34.980	27.75 27.74
614	4.40	34.970	27.75
650		34.960	27.75
659	4.25 4.15	34.960	27.76
705	4.14	34.960	27.76
712 753	4.05	34.950	27.77
761	4.05	34.950	27.77
902	4.02	34.950	27.77
Aln	4.02	34.950	27.77
856	4.04	34.950	27.77
864	4.02	34.950	27.78
905	3.98	34.940	27.76
911	3.94	34.940	27.77
951	3.87	34.940	27.77
959	3.88	34.940	27.78
1000	3.87	34.930	27.77
1008	3.86	34.930	27.77

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

					Þ	areu -	110	,111 1		O Zibung in
LATITUDE LONGI		GITU	DE L		ON GMT	1	Y	FAP		ATION MBER
45 39.81	047	50.	3W (5 2	1	21.6	1	971	1	0958
DEPTH	WAVE	ORSE	RVATI	0N5				CL	ดเมก	CODES
TO MOTTOM	DIP	HGT	PEA	SEA	W	CODE		ΤY	PE	AMT.
1328	14	1	2			X 2		0		6
MIN	n		RO-		-	TEMP	0			
DIR	IR SPEED (MRS				JLR	BUI ME.		V15		DYN HT
15	15 13 285				5.0	11	.6		9	70.982
MESSENG TIMF 21.6 00.7	ER C	451		EPTH 13 5 8 11 13 17 17 17 17 17 17 17 17 17 17 17 17 17		TFMP 18816-8-18-18-18-18-18-18-18-18-18-18-18-18-1		32. 32. 33. 33. 33. 34. 34. 34. 34. 34	380 590 530 430 600 560 740 750 720 690 800 810	27.81 27.51 27.42 27.25 27.29 27.23 27.11 27.26 27.29 27.31 27.26 27.31 27.36 27.36 27.36 27.36 27.36 27.36 27.37 27.36 27.36 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.37 27.36 27.40 27.41 27.41 27.41 27.41 27.41 27.44 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.50 27.51 27.50

244	4.84	34.670	27.46
247	4.83	34.820	27.58
250	5.04	34.860	27.59
253	5.21	34.850	27.56
256	4.92	34.470	27.29
259	3.69	34.460	27.41
263	3.86	74.690	27.58
266	3.4A	34.470	27.44
269	3.61	34.770	27.66
273	3.79	34.780	27.66
275	4.16	34.860	27.68
279	4.30	34.780	27.61
282	4.31	34.A20	27.63
288	4.54	34.910	27.68
300	4.90	34.920	27.65
307	4.91	34.890	27.62
325	4.69	34.890	27.65
359	4.68	34.900	27.65
338	4.67	34.A80	27.64
352	4.61	34.930	27.69
356	4.64	34.930 34.920	27.68
377	4.62 4.61	34.940	27.69
381 403	4.67	34.950	27.70
406	4.66	34.950	27.70
417	4.64	34.960	27.71
452	4.83	35.030	27.74
457	4.89	35.010	27.72
501	4.83	35.010	27.72
504	4.80	35.010	27.73
555	4.61	35.030	27.77
563	4.69	35.010	27.75
606	4.61	35.000	27.74
614	4.56	34.990	27.74
651	4.31	34.970	27.75
659	4.32	34.970	27.75
703	4.20	34.950	27.75
712	4.20	34.960	27.76
751	4.18	34.950	27.76
759	4.17	34.950	27.76
A04	4.13	34.950	27.76
813	4.12	34.960	27.77
857	4.14	34.960	27.76
864	4.12	34.960	27.76
902	4.09	34.950 34.950	27.77
909	4.08	34.940	27.76
954	4.02 4.01	34.940	27.76
961 1000	4.01	34.950	27.77
1000	3.98	34.940	27.76
1010	3.97	34.930	27.76
1046	3.94	34.940	27.77
1			

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

					Ť)	u eu	110	111 11	ODC	Listing Ive	. 51-5240.		11111111	ueu					
LATITI	DF LON	GITUDE	STA	(GM	TIME	YEAR		TAT10			LATI	TUOE	LO	NGITU	IDE .	STAT	(GM		٧
45 47.	0N 047	57.6W	05	21	23.1	197		10959	-		45 4	4.8N	04	8 04.	.SM	05	22	00.3	1
DEPTH	WAVE	ORSERVI	ATION	5			ւր	o con	DE 5		DEPT	н	WAVE	0856	RVAT	ION	5		Ī
TO BOTTOM	DIP	HGT PE	ER SF	Δ	WEATHE		TYPE	Δ4	4T.		TO TIOR		OIR	HGI	PER	5E/		WEATHE CODE	
0720	10	0 2		+	×2	+	0	-			035	5	1.8	2	2	+	+	хı	1
		,	+		P TEMP	,	_	+-	—					+-	1	+	_ I	R TEMP	+
WI	ND	BAPO			FG C							ONI			RO-			EG C	
DIR	SPEED	METER (MAS))	ORY	WET		15	DYN			DIB	SP	EED		TFR		ORY	WET	
·			-	AULH	_	\rightarrow	JDE	н1	—							+-	BUL PI	RUL	\dashv
15	14	285		11.0	10.	5		971.0	016		14	1	0	1	85	1	4 - 1	12.	7
MESSEN		157	DEPT	н	TEMP	5	A L	510	5-1		MESS!	FNGER		AST NO.	D	EPTH	4	TEMP	
23.1			2		5.74 5.22		.696				00	3				10		6.59	
00.6			7		3.A7	32	-510	25	. A5		00	4				2.0		0.77	
•			10 13		3.34 2.52	32	. 550 . 660	26.	.08							2 A 3 O		0.60	
:			15 19		1.86		.560 .680		.05 .20							33 36		0.5A	
:			. 21 . 24		0.79		.720		24							39 41		0.32	
:			32 34		0.37	32	.780	26.	.33							44		0.48	
:			37		0.05	32	.760	26.	• 32			•				47 53		0.74	
:			4 n 4 2		1.13	32	.680	26.	.29 .45			•				55 61		0.91	
•			50 54		1.25		.950		•53 •54							72		1.31	
			62		1.34	33	.060	26.	•62			,				80		1.12	
			71 74		0.91	33	.240	0 26	• 75 • 79		•	,				102		0.54	
:			77 79		0.78 0.87		.300		.79 .78			•				104 107		0.56	
•			82 84		0.85		.391		.A7							126 129		0.19	
:			99)	0.39	33	.47	0 26	91							142		0.02	
			102	;	0.36	33	.64	0 27	.05							148 151		0.16	
:			109		0.23		.59		.07							154 165		0.12	
•			116		0.23	33	.71	0 27	.10		•					177		0.65	-
			126	•	0.41	33	.72	0 27	.08							184		0.56	
			12A 150)	0.37	33	.73 .86	0 27	.08 .19							199 192		0.83	
			152 155		0.48		.93		.25							200 203		1.18	
			161 175		1.05	33	.97	0 27	.24						1	226 228		1.63	
:			176	4	1.36	34	.07	0 27	.30						1	252		1.87	
•			182	5	1.37	34	.05	0 27	.28 .31							256 275		2.13	
:			199		1.31		.10		.33							293 312		2.48	
			195	5	1.72	34	.22	0 27	.39		510P					322		3.28	
:			204	4	2.16	34	.29	0 27	.41		*DEF (C++F	DRM)							
:			550	1	2.18	34	. 34		.45										
:			225 228		2.35		.40		.48										
•			250)	3.10 3.28	34	.62	0 27	.60 .58										
			259	9	3.31	34	.64	0 27	•59										
:			285		3.59 3.63		.70		.61 .61										
			304		3.A7 3.95		.76		.64										
			326	5	4.02	34	.78 .78	0 27	.64										
:			351	3	4.20	34	.84	0 27	.66										
•			356 381	1	4.23	34	.85	0 27	.67 .68										
			3A7		4.39		.89		.69 .68										
			411	3	4.43	34	.90	0 27	.68										
			466	n	4.47	34	.92	0 27	.70										
			511 531		4.46		.92		7.70										
•			561 581		4.42	34	.92	0 27	.70										
:			609	Q	4.37	34	.92	0 27	7.71										
•			63		4.34		92	0 27	7.71										

4.32

34.920 27.71

STATION

1 10960

AMT.

DYN

HT

971.058

51G-T

25.65

25.82

56.55

26.29

26.28

26.29

26.30 26.39 26.40

26.48

26.58

26.72 26.72 26.71

26.76 26.87 26.88

26.99

26.98

27.04

27.06

27.13 27.22 27.29

27.23 27.27 27.28

27.32

27.36 27.36 27.40 27.46 27.50 27.49

NUMBER

YEAR

1971

TYPE

VIS COOF

SAL

32.660

32.300

32.660

32.750

32.750

32.740

32.700

32.700 32.800 32.820

32.800

33.010

33.100 33.210 33.220

33.270 33.420 33.440

33.5A0 33.570

33.640

33.660

33.830

33.800 33.900 34.010

33.950

34.010

34,120

34.130 34.190 34.200 34.270

34.380 34.460 34.500

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

							par	ea r	LOII	NODC
LATITUD	F	LDN	GITUI)F	STA	110N (GM)	TIME () HR.	YFAR		TATION JUMBER
46 50.6	N	048	14.	2 W	05	22	02.1	1971		10961
OEPTH TO		WAVE	OBSE	RVA	T10N	-	VEATHE	1 -	ะเทย	D CODES
BOTTOM		DIR	HGT	PE	R SF		CODE		YPE	AMT.
0115		17	2	2		<u> </u>	x 4		0	6
WIN	ID.			R() =			TEMP			
OIR	ςp	EED		METER (MAS) 0			WFT AUL		S ODE	DYN
14	1	5	2	AU		10.2	09.	А		971.057
MESSENCE OR OF TIME OR OT TIME OR OF TIME OR OF TIME OR OT TIME OR OT TIME OR OT TIME OR OT TIME OR			ST.		27 5 8 11 13 16 19 21 24 27 30 32 35 41 44 47 50 52 55 51 77 79 96 96 96 97 97 97 97 97 97 97 97 97 97 97 97 97		4.55 4.37 3.81 2.70 2.16 1.70 1.45 1.33 1.05 0.42 0.15 0.42 0.15 1.16 1.16 1.32 1.31 0.77 0.68	32, 32, 32, 32, 32, 32, 32, 32, 32, 32,	720 630 570 570 680 770 680 770 680 770 690 690 690 690 690 690 690 69	25.89 25.90 25.95 26.13 26.13 26.12 26.26 26.26 26.26 26.26 26.26 26.32 26.32 26.32 26.30 26.40 26.40 26.40 26.53 26.51 26.51 26.51 26.51 26.77

LATIT	UDE	LON	IG I TUI	DE	STA		N SMT	TIME			ς,	TATION
					м0.			HR.	γ	E4R		HAER
45 56	. 8 N	048	25.	2#	05	27	,	04.0	1	971		10962
DEPTH TO		MAVE	OBSE	RVA	TION	5	ш	EATHEI		CŁ	nυ	D CODE
POTTO	ч	DIR	MGT	PE	R SE	Δ	•	CODE		TY	PΕ	AMT
0101		13	2	2				×1		0		6
	IND			20-		A		TEMP				
	-			TFR	_		_		_	-		<u> </u>
OIR	SPE	ED	(MI	35)		JUL		BUL	9	VIS		NYN H T
15	14		2	72		0.	5	10.	3			971.07
MESSE TIM			ST O.		DEPT	4		TEMP		SAL		516-
04.					2			6.85		32.3		
00.					5			6.88 6.02		32.3		
00.	1				10			5.53		32.4		
					13			4.58		32.3		
					1.9			3.29		32.6		26.0
•					21			3.03		32.5		
•					24			2.46 2.14		32.5		
:					29			2.14		32.7		
					32			1.95		32.7		
					35			1.83		32.7		
•					46			0.87		32.8		
•					52 54			0.25		32.8		
					67			0.47		32.9		
	•						0.78			33.0		
	79		(0.A0		33.0						
					94			18.0		33.0		26.5

LATITU	0F	LON	IG 1 TUI	ÞΕ		ION (GM)		Y	EAR		TATION JHRER
45 20.	3N	049	06.0) W	05	22	11.8	1	971	1	10963
DEPTH	₩	AVE	ORSER	2 V A	11046		∉F 4 T H F	٥	CL	out	CODES
BOTTOM		DIP	HGT	PE	P SF		CODE		TY	PE	AMT.
0080		15	1	2			`x4		0		6
w ī	ND			20-			FG C	,			
910	SPE	EΩ	(MF	7FR PS)		PY FUL FI	WE1		V1S CODE		DYN HT
15	17		24	•5		5.0	19.	5			971.147
MFSSEN TIME	GE R		51	1	DEPTH	4	TEMP		SAL		51G-T
11.8					5 7		5.55		32.3		25.55 25.54
00.1					10		5.42		12.3		25.53
					13		5.16		35.5		25.50
•					15		4.66		32.2		25.58 25.57
•					21		3.46		32.2		25.71
					24		3.05		32.2		25.75
					26		2.72		32.4		25.87
					29		2.21		32.4		25.97
•					32 35		1.92		32.6		26.10 26.12
					43		1.35		32.6		26.19
					48		1.38		32.7		26.22
					51		0.96		32.5		26.08
					54		0.56		32.6		56.55
					57 60		0.07		32.6		
					62		0.40			32.820 32.890	

LATITO	JDE	LON	IG I TUF	Œ	STA	TION (GM1		٧	FAR		TATION IMAFR	
45 16	6N	046	49.2	èw.	05	22	13.9	1	971		10964	
DEPTH TO		WAVE	OBSER	PVΑ	TION		FATHE	R	CL	ดบเ	COOF5	
BOTTO	¹ [DIB	HGT	PE	PSF	A	CORE	:	ŤΥ	PΕ	AMT.	
0095		16	2	2			ХÌ		ŋ		6	
W	חאן		MAR				TEMP	,				
018	SP	EED	MFT (MR		4	DRY BULB	WET		V15		NYN HT	
16	1	7	24	5		10.8 10.					971 - 135	
MESSER	-		15T		DEPT	н	TEMP		5AL		516-1	
13.9	,				3 6		5.80		32.4		25.62	
00.1	1				Q		5.12		32.3	50	25.59	
•					11		4.40 3.61		32.4		25.73 25.87	
					19		5.53		32.6		26.13	
					25		2.03		32.7		26.18	
					25		1.94		32.7		26.20	
•					28		1.64		32.7		26.18	
					31		1.36		32.7		26.27	
					47		1.15		32.7		26.28	
:					50		0.98		32.7		26.23	
					52		0.74		32.7		26.30	
					55 61		0.50		32.7		26.29	
•							0.09		32.7		26.35	
•							0.37 0.58		32.8i		26.48	
					66 77		0.71		32.9		26.53	
									35.440 56.73			

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

LATITE	IUE	LON	GITU		STAT	ION (GMT			5	TATION	[47]	THE	DF LON	KI TH	DE		(G#1				ATION
					40.	DAY		YF	AR N	UMRER					+		DAA	\vdash \dashv	YFAP	+	HRFR
45 14.	94	048	43.7	5 M 1	05	22	15.1	19	71	10965	45		T '-	19.			22	16.2	1971	<u> </u>	0946
DEPTH	Ŀ	AVF	ORSER	TAVE	IONS		C A T.U.C	<u>.</u> L	CLOU	n cones	- 11)	WAVE	1			٦,	FATHE		.იun [CODES
TO BOTTON		DIR	нст	PER	SEA		CONE	"	TYPE	AMT.	ROT	_	010	нст	DŁ O	SEA	1	CODE	T 1	PF	AMT.
0380		15	3	2		1	x]		0	6	- 0.73) Q	11	2	2	_		x I	$\overline{}$)	6
						AIR	TEMP					411	NO.		90-			TEMP			
41	D		BAF MF1	-		DE	G C			<u> </u>	عات .		SPFFN		1F0 P5))PY	WET			UAM
UIB	SPE	ED	(MF	151		RY	WET		VI5	DYN HT	14	+	18	1	42		RIJER	RUL	\neg	\top	HT
14	16	<u> </u>	24	45		3.0	12.			971.108	MES!	SEN(151		PI	12.0	TEMP	SAL		71.031 51G-7
MESSEN		CA			EPTH		TEMP				Ţ	14F		10.	- 71	ŋ	•	4.91	32.1		25.49
TIME			0.	178	C P 1 F				5AL	51G-T		1.4				3		4.90	32.6	006	25.91
15.1					7		5.28 5.25		2.690 2.580	25.84 25.76	•					A		4.64	32.4	90	25.84 25.81
00.5					9		4.59		2.410	25.70		•				11		3.11	32.4		25.84 26.05
•					12		3.45		2.510	25.99						19		1.45	32.6		26.14
•					15 23		2.84 2.04		2.680 2.730	26.07 26.18		•				23		1.18	32.1		26.23
					25		1.93		2.690	26.16						24 28		1.31	32.4		26.29 26.28
					28		1.67	32	2.720	26.20		•				31		1.39	32.1	20	26.22
•					31		1.55		2.730	26.22		:				37 40		1.04	32.1		26.30 26.30
:					34 39		1.31 0.96		2.670	26.18 26.28						43		0.95	32.7	760	26.27
					42		0.90		2.730	26.26		:				46 48		0.51	32.1		26.31 26.27
•					47		0.42		2.750	26.30						51		0.08	32.4	140	26.24
•					50 53		0.28		2.790	26.33		•				53		0.26 0.9A	32.1		26.30 26.33
					67		0.10		2.770	26.47 26.47						59		1.24	32.6	160	26.46
					72		1.16		3.000	26.56		•				52 55		1.27	32.9		26.52 26.55
•					77		1.09		3.100	26.64						74		1.37	33.0		26.59
:				1	90		1.01		3.150 3.230	26.68 26.73		•				7A A2		1.40	33.0		26.60
					06		0.65		3.250	26.75		:				AS		1.45	33.0		26.62 26.67
•					116		0.57		0.62	26.77						02		0.A2	33.2	980	24.78
•					136 136		0.31 0.28		3.340	26.81 26.82		:				17		0.73	33.3		26.87
					52		0.20		3.390	26.85					1	25		0.34	33.4	20	26.87
					58		0.20		3.400	26.85		•				124		0.10	33.4		26.88 27.01
•					79		0.11		3.460	26.89					1	54		0.10	33.5	660	26.98
					07		0.05 0.34		3.530 3.680	26.94		•				7]		0.17	33.6		27.01
					213		0.44		3.710	27.07					- 1	75		0.01	33.6	60	27.05
•					85		0.79		3.890	27.19		•				79		0.20	33.4		27.0A 27.0S
					736 754		0.93 1.29		3.920	27.21						AQ		0.28	33.7		27.08
:					67		1.67		.060	27.39		•				94		0.45	33.1		27.10
•				7	77		2.07	34	.330	27.46						104		0.56	33.5		27.13
•					92		2.27		.390	27.49					2	115		0.38	33.9	050	27.24
					91		2.77 2.96		.520	27.54		•				176		1.12	33.9		27.25 27.26
				7	000		2.98		.520	27.53					2	48		1.39	34.1	00	27.32
					129		3.11	34	.540	27.54		•				55		1.54	34.2		27.41
•					134		3.12 3.14		.550	27.54 27.55					2	75		2.17	34.3	150	27.47
					156		3.17		.560	27.55		•				185 186		2.77	34.5	10	27.54
					67		3.18		.570	27,55						116		3.50 3.61	34.7	0.0	27.62
												•			3	27		3.80	34.7	60	27.64
																02		4.00	34.7 34.8		27.64 27.68
												•			4	26		4.43	34.9	00	27.58
												:				97		4.44	34.9		27.69 27.70
																22		4.52	34,9	30	27.70
												•				44		4.47	34.9		27.71
																71 96		4.42	34.9	30	27.71
												•			5	19		4.39	34.9	30	27.72
												:				45 69		4.37 4.35	34.9	30	27.72
															- 6	A t		4.33	34.9	30	27.72
				•								:				03 13		4.30 4.30	34.9		27.72

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

						Į/tt/	rea r				0 231001118
LATITU	DF	LON	GITUI)F		<u>GMT1</u>		Y	EAR		ATION
45 10.	0 N	048	32.	gw (15 2	2 1	18.1	1	971	1	0967
DEPTH		MAVE	OBSE	PVAT	IONS				CLO	าบอ	CODES
TO BOTTOM		DIO	HGT	PER	SEA	WE	CODE		TYI	PΕ	AMT.
1401		14	3	2			×ì		0		6
WI	ND			RO-		_	TEMP	•			
DIR	SF	PEED		TER RS)	DR BL	Y ILB	WET		V15	E	NYN HT
16	2	20	2	37	11	•5	10.	8		9	71.020
MESSEN TIME			A5T	n	FPTH		TEMP		5AL		S16+T
18.1					B] ()		4.63		32.7 32.5	70	25.92 25.87
00.7	,				13 16		3.30		32.4°		25.88 26.04
					19		1.62		32.6 32.7	90	26.17 26.24
•					24 27		1.05		32.7	70	26.28 26.30
•					31		0.78		32.A	20	26.33
					33 42		0.72		32.7 32.8	20	26.31 26.37
•					44 50		0.05		32.8 32.8		26.38 26.41
•					52 55		0.68		32.9 32.8		26.47 26.45
•					61 63	1.18		33.0 33.0	00	26.56 26.62	
•					77		1.22		33.2	70	26.77
•					80 83		0.77		33.3 34.1	70	26.86 27.47
•					86 88		2.46		33.9		27.13 27.12
•					91 94		2.63		33.5		26.80 26.91
•					101		1.3A 1.54		33.6	50	26.97 27.04
•					113		1.55		33.7	70	27.05 27.01
•					116 118		1.45		33.7	70	26.99
•					121 124		1.06		33.8		27.11 27.19
•					127 130		1.64		33.9		27.19 27.18
•					134		2.05		33.8	20	
					139		2.31		34.1	00	27.25
•					142		2.52		34.0	50	27.23 27.18
•					150 153		2.27		34.0) A O	
•					156 162		2.21		34.2		
:					171		2.88		34.2	210	27.29
•				177 2.68 34.270 2						27.35	
•					182 1.98 33.920 27					27.14	
•					185 1.71 34.260 27 197 1.85 34.300 27					27.45	
•					203 2.02 34.320 27						
•					222 2.65 34.460 27					27.51	
•					230 230		2.69	!	34.	500	27.54
•					236 242		2.98 3.42		34.6	560	27.60
•					253 3.46 34.660 27						

276	3.73	34.730	27.62
279	3.78	34.710	27.61
303	3.95	34.760	27.62
307	3.97	34.760	27.62
326	4.05	34.770	27.62
		34 340	27 (2
329	4.05	34.760	27.62
350	4.09	34.780	27.63
354	4.10	34.790	27.63
375	4.19 4.25	34.840	27.67
3An		34.860	27.67
403	4.38	34.880	27.68
407	4.39	34.890	27.68
456	4.47	34.920	27.69
464	4.48	34.920	27.69
50B	4.49	34.930	27.70
516	4.49	34.930	27.70
561	4.45	34.930	27.71
569	4.44	34.930	27.71
605	4.42	34.940	27.72
614	4.42	34,940	27.72
651	4.37	34.930	27.72
660	4.36	34.940	27.72
706	4.23	34.930	27.73
716	4.20	34.930	27.73
754	4.17	34.920	27.73
762	4.15	34.930	27.74
ANA	4.06	34.920	27.74
817	4.05	34.920	27.74
853	4.02	34.920	27.75
863	4.02	34.920	27.74
905	3.99	34.920	27.75
913	3.99	34.910	27.74
952	3.97	34.910	27.75
961	3.97	34.910	27.74
1003	3.95	34.910	27.75
1008	3.95	34.910	27.75

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

						r			_		
LATITU	DE	LON	GITU	DE L		GMT		Y	EAR		TATION UMBER
45 03.	9N	048	08.	7W (05 2	2	20.2	1	971		10968
DEPTH		WAVE	OBSE	TAVE	IONS				۲۱	ึกบ	D CODES
TO BOTTOM		010	нст	PER	SEA	١	CODE		ΤY	PE	AMT.
2662		13	5	5			×1		C		6
w1	NO		1	RO-			TEMP	•			
UIB	5.5	PFEN		TFR RSJ	DR 81.	ILR	WE1		VIS		DYN HT
15	1	9	2	35	1	٠,0	11.	5			970.962
MESSEN TIME			5T	n	EPTH		TEMP		SΔL	-	516-1
20.2	•				7 10		2.86		32.6		
00.8	1				13		1.47		32.6	590	26.19
:					53 51		0.82		32.1	300	26.32
•					32 35		0.40		32.		
					38		0.74		32.8	920	26.40
•					40 51		1.08		33.0		
•					54 58		1.26		33.		
•					60		1.03		33.2	280	26.79
•					69 71		0.35		33.		
:					74		0.09		34.1	0 0 0	27.33
					77 80		1.00		33.		
•					82 91		1.43		33.		
•					94		2.40		34.	110	27.25
•					97 100		2.55		33.		
•					103		0.64		33. 33.		
					109 114		0.61		34.		27.30
•					117 120		1.91		34. 33.		
•					123		1.13		33.	866	27.15
•					125 128		1.07		33. 33.		
:					131		1.25		34.	060	27.30
•					133		1.64		34. 34.		
•					139		2.08		34.		
•					142		2.57		34.	38	0 27.45
•					147 150		2.97		34.		
•					153		3.84		34.	47	0 27.41
					158 161		3.85 3.46		34.		
					163		2.86 3.28		34.		
•					169 177		3.28		34.	43	0 27.43
•					181		3.30		34.		
					185		3.10		34.	38	0 27.40
•					200		2.56		34. 34.		
•					F05		2.49	}	34.	41	0 27.49
•					225 228		2.77 2.81		34.	54	0 27.56
•					236		2.93		34.		
•					242		3.23)	34.	,7}	0 27.65
					245 247		3.54		34.		
•											

250	3.76	34.840	27.71
253	4.95	35.170	27.84
256	5.35	34.980	27.65
276	5.21	34.900	27.60
280	5.27	34.950	27.63
300	5.75	35.020	27.62
304	5.69	35.010	27.62
326	5.44	34.930	27.59
340	4.85	34.920	27.65
350	4.84	34.940	27.67
355	4.84	34.940	27.67
759	4.87	34.970	27.69
37A	5.04	34.990	27.68
382	5.03	34.990	27.69
401	4.97	34.980	27.69
405	4.95	34.980	27.69
456	4.87	35.000	27.72
466	4.87	35.000	27.72
506	4.83	35.010	27.73
516	4.79	35.000	27.73
558	4.58	34.980	27.74
568	4.56	34.980	27.74
610	4.49	34.980	27.74
621	4.45	34.970	27.74
652	4.41	34.980	27.75
663	4.44	34.990	27.75
704	4.33	34.970	27.76
715	4.31	34.980	27.76
756	4.28	34.980	27.76
765	4.23	34.960	27.76
806	4.16	34.960	27.76
816	4.15	34.970	27.77
858	4.18	34.980	27.78
868	4.21	34.980	27.77
905	4.11	34.960	27.77
913	4.10	34.960	27.77
955	4.02	34.950	27.77
961	4.01	34.950	27.77
1000	3.93	34.940	27.77
1021	3.92	34.940	27.77

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

					Patr	ica ii	JIII 1101	JO LIST	ng 110. 51-0245.—Con	cinned			
			1	STATI	0N 1	TIME			•	186	8.35	34.900	27.17
LATITUD	E LON	GITUC			GMT			MOITAT	•	188 191	8.13 8.23	34.890 35.070	27.19
			Т,	40.0	AY	4P.	YEAR N	IUMBER	•	194	8.10	34.680	27.32
44 52.6	N 047	37.8	aw I	05 Z	2 2	23.1	1971	10969	•	196	7.36	34.770	27.21
	- '				-		1			199	7.31	34.770	27.22
DEPTH	WAVE	OBSEF	SAVL	1042	١.		CLO	in cones	•	202 204	7.16 7.11	34.760 34.720	27.23 27.21
TO MOTTOM	DIR	нст	DED	SEA	WE	EATHER CODE	TYPE	AMT.	•	212	6.61	34.710	27.27
	011		FCK	3C P		COILE	1111		•	215 221	6.59	34.750	27.29
3452	15	3	ح	1	l	41	0	6	•	224	6.51 6.62	34.720 34.750	27.30
					4.0	7540				227	6.29	34.550	27.19
WIN	מו	RAF	RO-			TEMP G C			•	יוק יוק	5.79 5.46	34.400	27.13
1			TER	\vdash					:	215	5.34	34.490	27.25
DIB	SPEED	(MI	R51	DF		WET	VIS	DYN	•	23A	5.18	34.510	27.29
				BU	JLR	BULR	CODE	нт	•	242 245	4.94	34.430	27.22
15	20	2	33	1:	3.7	13.1		971.153	•	247	4.45	34.470	27.34
	-								•	25n 253	4.32	34.330	27.25
MFSSENG TIME		ST 10.	U	EPTH		TEMP	SAL	516-1	•	255	3.93 3.99	34.500	27.41
23.1	''			n	1	1.21	12.890	25.12	•	271	4.75	34.620	27.43
•				5	1	1.18	32.890	25.13		277 277	4.72 4.88	34.620	27.43 27.50
00.7				A		0.99	32.730			279	5.09	34.730	27.48
•				11		9.16 7.74	32.79			312	5.41	34.800	27.47
•				16		6.86	33.160		•	306 315	5.59 5.66	34.810 34.890	27.48
•				20		7.23	33.6A			324	5.51	35.130	27.62
•				22 25		7.59 8.02	33.73		•	727	6.71	35.050	27.53
•				27		6.80	33.000		•	330 337	6.71 6.57	35.040 35.020	27.51 27.50
•				30		5.39	33.49	26.46		347	5.86	34.830	27.46
•				33		6.60	34.380		•	351	5.68	34.880	27.52
•				35 38		8.17 8.62	34.55			354 361	5.65 5.78	34.920	27.55
				41		8.54	34.24	26.62	•	376	5.41	34.8A0	27.56
•				43		8.47	34.47			380 388	5.36 5.33	34.890 34.870	27.57 27.56
•				47 49		8.95 9.55	34.79			402	5.24	34.940	27.62
				52		0.29	35.0A			406	5.38	34.970	27.63
•				55		0.55	35.06			451 455	5.50 5.54	35.020 35.010	27.64
•				5A 61		0.67 1.04	35.10 35.26			467	5.36	35.000	27.66
:				63		1.23	35.26			501	5.36	34.990	27.65
				66		1.31	35.21			504 551	5.1A 4.A3	34.940	27.63
•				68 72		0.84	35.11 35.08			555	4.86	34.990	27.71
•				75		0.71	35.05			604 608	4.71	34.970 34.960	27.71 27.71
				78	1	0.60	35.02	0 26.A	•	653	4.90	35.000	27.73
•				80		0.31	34.95 34.97			657	4.90	35.000	27.73
•				83 86		0.13 9.84	34.87			700 706	4.87	35.020 35.030	27.73
				89		9.68	34.89	0 26.9		752	4.69	35.010	27.74
•				91		9.64	34.90			761	4.66	35.010	27.75
				94 97		9.49	34.79			917 919	4.56 4.56	35.000 35.000	27.75
				99		9.12	34.77	0 26.9		957	4.47	34.990	27.75
•				102		A . A5	34.71			967 914	4.44	34.990	27.76
•				106 109		A.46 7.A3	34.48			929	4.36	34.980 34.990	27.76
:				111		7.76	34.57	0 26.9		959	4.32	34,990	27.77
				114		A.03	34.89			974 1005	4.30	34.980 34.970	27.76
•				117		8.32	34.78 34.77			1019	4.20	34.970	27.77
•				122		8.58	34.99						
				125		9.07	35.04	0 27.1					
•				128 134		8.97 8.86	34.84						
:				137		9.05	35.01	0 27.1	4				
				151		9.09	35.01						
•				154 157		9.05	34.94						
				160		8.35	34.88	0 27.1	5				
				163		8.36	34.87						
•				166		8.26	34.89						
•				180		8.37	34.94	0 27.1	9				
•				183		8.40	35.01	0 27.2	4				

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITU	DF	LON	отты	DF _		GMT		YI	EAR		ATION MAFR
44 07.	81	046	39.	2W (5 2	3	08.1	1	971	1	0970
DEPTH	T	WAVE	ORSE	RVAT	1045				CLC	าบท	cones
TO POTTOM		970	нст	PER	SFA	\ \ \	CODE	7	TYF	PE	AMT.
3786		15	3	2			X 6		0		6
wī	ND			RO- TER		AIR DE	TEMP G C				
DIB	50	EED		85)	DR 8U	Y	WET		VIS		DAN
18	2	0	2	25	15	. 0	14.	7		9	71.197
MESSEN			151	D	EPTH		TEMP		5AL		516-1
114F 0A.1		^	10.		2		9.52		33.18		25.63
00.9					7	1	9.53 1.26		31.28 35.28		25.66 26.97
•					10		5.72		36.10 35.94		26.68
:					12 15		6.31 6.38		35.94		26.42 26.41
•					20	1	6.27		35.94		26.43
•					23		6.20 6.10		35.91 35.91		26.44
					31	1	5.67		35.9	0.0	26.54
•					34 36		5.63 5.49		35.A9		26.54 26.55
•					39		5.19		35.A		26.58
•					53		4.38		35.7		26.71 26.78
					56 59		4.40		35.A		26.77
					61	1	4.42		35.A	30	26.76
•					7 <i>7</i> 80		3.90 3.80		35.70 35.70		26.78 26.79
					102		3.44		35.6		26.84
•					105		3.42		35.6		26.84
•					120 122		3.23 3.04		35.60 35.5		26.83 26.81
•					125	1	2.96		35.5	30	26.87
•					129 152		2.95 2.53		35.5° 35.5°		26.92
					155		2.59		35.5	30	26.90
•					160		2.68		35.5°		26.94
					162 168		2.68 2.62		35.5		26.97 26.90
•					172	1	2.46		35.4		26.87
					174 178		2.14		35.34 35.4		26.85 26.93
•					190	1	2.03		35.4	40	26.95
•					194 188		2.05		35.43 35.19		26.92 26.75
•					193		0.27		34.A	40	26.81
•					202		9.87 9.85		34.9		26.98
					209 212		9.75		34.A		26.99 26.90
•					217		8.99		34.7	40	26.94
•					222 227		9.04		34.9		27.11 27.04
:					232		9.95		35.1	90	27.13
•					237 242		0.97		35.5 35.4		27.22 27.04
					247		1.37		35.4		27.01
•					252	1	1.20		35.4	00	27.07
•					25A 266		1.18		35.3 35.3		27.06 27.08
					276	1	0.65		35.2	90	27.09
•					301 310	1	9.82		35.2		27.16 27.20
					333		9.34		35.1	90	27.24
•					355 365		A.A5 A.69		35.1 35.1		27.30 27.31
•					212 7		. 7 6 17 7		22.1	70	21031

7.64 7.47 7.24 5.99 403 35.030 27.37 413 35.010 27.39 27.38 423 34.970 433 34.690 27.33 5.14 41.1. 34.700 27.45 455 5.08 34.700 27.46 465 4.76 34.710 27.50 34.940 34.930 34.890 27.55 27.55 27.56 496 5.87 509 5.81 5.44 544 5.06 27.58 34.860 565 4.99 34.900 27.62 585 5.07 34.940 27.64 606 4.95 34.940 27.66 625 4.92 34.960 27.68 665 4.AA 34.990 27.70 685 4.86 34,990 27.71 705 4.72 34.970 27.71 763 4.66 34.990 27.73 783 4.66 34.990 27.73 802 4.62 34.990 27.73 821 4.58 34.990 27.74 27.75 861 4.52 34.990 883 4.53 35.000 905 4.4A 34.990 27.75 4.36 4.35 4.34 4.29 34.990 34.980 34.980 34.980 34.980 27.75 27.76 27.76 27.76 926 969 989 1009 1026 27.76 4.29

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

						•						
LATITUÜ	E	LON	GITU	DE _	STAT	TDN (GM1 DAY		Y	EAR			
44 27.2	2N	047	19.	4 W	05	23	13.4	ı	971	1	0971	
DEPTH	Ti	VAVE	ORSE	RVAT	TON				CL	OUD	CODES	
TO ROTTOM		DIR	нст	PER	SF	l l	CODE		ŤΥ	PE	AMT.	
3830	Γ	14	3	2			×2		n		6	
WI	N O			R0-		-	R TEMP	-				
OIR	50	FED		TER 851	1	DRY BULB	WE1 BUL		C00		DYN HT	
17	2	3	2	15	\top	14.2	13.	.9		9	71.064	
TIMF 13.4 00.7		r	10.		3 6 9 11 14 17 19 22 25 31 34 36 39 47		11.05 11.05 10.94 10.71 10.34 8.61 6.74 6.53 5.620 4.44 3.78 3.01 2.73 2.68		32.7 32.7 32.6 32.6 32.6 32.6 32.6 32.6 32.6 32.6	760 710 570 580 580 870 810 820 750 760 760 990 120	25.04 25.05 25.03 25.04 25.11 24.97 25.80 25.79 25.90 25.90 25.90 25.90 26.05 26.05 26.04	
					47 50 53 55 58 61 77 78 80 80 97	3 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2.68 2.23 1.83 2.39 3.21 3.51 3.65 3.20 2.05 2.05 2.05 2.05 2.05 2.05 2.05		33. 33. 33. 33. 33. 33. 33. 33. 33. 33.	800 170 540 540 590 540 540 530 550 950 840 780	26.43 26.54 26.54 26.80 26.74 26.82 26.73 26.82 26.58 26.58 26.73 26.97 27.01 26.97 27.01	
					101 109 117 116 121 121 131 131 141 151 151 171 171 171	9 8 1 1 4 7 0 3 5 8 1 1 7 1 1 3 6 0 6 6 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9	3.73 3.73 3.73 3.73 4.08 4.08 4.08 4.58 4.69 4.69 4.69 4.69 4.69 4.69 4.69 4.69	333	34. 34. 34. 34. 34. 34. 34. 34. 34. 34.	240 150 110 200 240 090 310 360	27.27 27.16 27.18 27.19 27.08 27.25 27.25 27.21 27.35 27.22 27.18 27.14 27.22 27.75 27.33 27.33 27.35 27.33	
•			19 20 20 20 21	ና Я] ዓ	4.87 4.66 4.47 4.66 4.88	7 2 5 7 ?	34. 34. 34.	540 500 540 640	27.28 27.37 27.40 27.46			

4.86 214 34.560 226 27.34 4.45 34.470 229 34.430 27.13 4.30 231 27.39 4.09 34.480 237 27.42 4.05 34.520 240 34.580 27.46 4.13 246 4.51 34.680 27.50 4.82 4.91 5.20 34.740 34.720 34.780 252 27.52 276 27.50 27.50 5.18 280 34.770 294 5.18 27.57 34.860 200 5.53 27.56 34.900 5.54 27.53 302 34.860 305 5.48 34.850 27.53 307 5.44 34.850 27.53 329 4.94 34.820 27.56 333 4.89 34.820 27.57 352 4.79 34.860 27.61 355 4.85 34.870 27.62 377 5.03 34.910 27.62 382 5.04 34.920 27.63 402 5.08 34.940 27.64 35.060 27.68 415 5.53 34.940 27.64 439 5.08 34.990 35.100 44R 5.01 27.69 452 5.20 27.76 457 5.41 35.050 27.69 27.68 501 4.96 34.970 506 4.95 34.980 27.69 27.70 552 4.72 34.960 27.70 557 4.71 34.960 602 4.55 607 34.950 27.71 651 4.52 34,980 656 4.63 35.010 27.75 27.72 700 4.48 34.960 34.950 705 4.45 34.960 34.980 754 4.40 27.73 4.37 27.75 801 34.970 805 4.40 27.75 34.970 27.75 4.36 857 901 4.28 34.960 27.75 906 4.26 34.950 27.75 956 34.960 27.76 4.19 1004 4.11 34.950 27.76

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

					1.442.00					,				
					ON TI	ME				•	207 210	6.73 6.11	34.760 34.500	27.29
LATIT	IDE LOI	NGITU			GMT)	,		STATIO Number		•	217	5.90	34.660	27.32
			\rightarrow			-	-			•	216 219	5.89 5.77	34.650 34.560	27.31 27.26
44 23.	7N 04	7 46.	34	05 2	3 19	•0 1	971	10972		•	558	5.71 5.72	34.670 34.670	27.35
DEPTH	WAVE	DASE	PVAT	1045			CLO	no con	ES	•	232 235	5.76	34.880	27.52
TO	010	нст	PER	SFA		ODE	TYPI	E AM	т.	•	23A 241	6.77 6.93	35.110 34.940	27.56 27.41
ROTTON	010	HGI	-	SPA		ODE	110			•	251	6.88	34.920	27.39
3596	19	3	5		X	4	0	- 6			254 258	6.86 6.62	34.920	27.40 27.29
					ATR T					•	261	6.33	34.850	27.42
W1	UND		RO- TFR		DEG	С				-	273 276	6.46 6.38	34.890 34.870	27.43 27.43
DIR	SPFEO		AS)	DR		WET	VIS	DYN		•	279 282	6.22 5.93	34.720 34.790	27.33
				80	IL9	BULB	CODE	нт		•	285	5.97	34.830	27.46
19	20	2	00	12	.4	12.2		971.0	91	•	28A 291	6.00 6.30	34.940 35.110	27.53
MESSEN	ICED C	AST		EPTH	7.5	MP	SAL	SIG		•	294	6.48	34.980	27.49
TIME		NO.		ic-in	16	MP	JAL	510	-1	•	302 305	6.50 6.47	34.980 34.950	27.50 27.48
18.0	1			5 A	10.		32.90			•	313	6.21	34.950	27.51
00.7	7			10	10.		32.89			•	317 320	6.25 6.37	35.010 35.010	27.56 27.54
•				13		98	32.94			•	327 330	6.35 6.22	34.930 34.950	27.48
•				16 18		98 42	33.53			•	336	6.11	34.930	27.51
•				21	9.	41	33.95	0 26.		•	342 345	5.83 5.90	34.900 35.060	27.52
•				24 27		29 67	33.58			•	348	6.14	35.040	27.59
•				30	8.	19	33.96	0 26.		•	351 354	6.20 6.21	35.030 35.020	27.57
•				33 36		27 59	33.95			•	377	5.73	34.900	27.53
•				38	6.	78	33.16	0 26.	02	•	381 384	5.88	35.080 35.060	27.66
•				41 43		61	34.19			•	387	5.93	34.870	27.48
				46	8.	24	34.20	0 26.	63	•	391 394	5.75 5.82	35.010 35.070	27.62
•				49 52		96 23	33.92			•	397	5.98 5.95	35.060 34.970	27.63 27.56
•				54	7.	00	33.95	0 26.	62	•	402 405	5.77	34.980	27.59
•				58 60		91 60	33.83			•	423 430	5.65 5.45	35.000 34.990	27.62
•				63	4.	27	33.73	0 26.	78	•	451	5.52	35.000	27.63
•				69 71		90	33.77			•	456 503	5.53 5.30	35.030 34.980	27.66 27.65
				74	6.	0.3	34.58	0 27.	25	•	508	5.21	34.970	27.65
•				76 7 9		72 68	34.33			•	554 558	4.87 4.87	34.960 34.960	27.68 27.69
				82	7.	16	34.59	0 27.	10	•	602	4.75	34.960	27.70
•				85 87		37	34.51			•	610 659	4.72 4.69	34.960 34.970	27.70 27.71
				90	7.	06	34.28	0 26.	87	•	667	4.66	34.960 34.960	27.71 27.72
•				92 96		63 73	34.36			•	706 714	4.54 4.55	34.970	27.73
:				99		79	34.42			•	754 766	4.49	34.950 34.960	27.72
•				102		72	34.46			•	805	4.40	34.940	27.72
•				105 109		12	34.58			•	824 863	4.41 4.42	34.960 34.960	
•				114		21	34.56			•	882	4.38	34.960	27.74
•				117 120		.05 .62	34.47			•	901 921	4.36	34.960 34.950	27.74
•				123	5.	75	34.05	0 26.	86	•	959	4.21	34.940	27.74
•				125 128		.05 .79	34.17			•	977 1017	4.10	34.930	27.74
•				131	4.	49	34.10	0 27.	.05	•	1034	4.09	34.930	27.74
				134		91	34.09							
•				140	3.	92	34.29	0 27.	.26					
				143		96	35.15							
				151	6.	01	34.56	0 27.	.23					
•				154 157		.50 .07	34.91 34.81							
				163	7.	24	34.84	0 27.	. 28					
] 7A [A]		.20 .22	74.84							
				201	6.	94	34.74	0 27.	25					
				204	б.	,77	34.76	0 27.	, 29					

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

				pared in	0111 110.	DO 13161	g 110. 01 0210.	Continued			
		1 (STATION	TIME			•	212	5.33	34.850	27.54
LATITUDE	. 104	AGTTUDE	(GM		5	TATTON	•	215	5.71	34.840	27.49
_		Γ,		_		UMRER	•	21ª 221	5.78 5.57	34.800 34.610	27.4° 27.33
				 			•	224	5.00	34.500	27.30
44 27.91	1 04F	12.5W (NS 23	22.9	1971	10977		226	4.71	34.660	27.47
ПЕРТН	WAVE	ORSERVATI	IONS		CLOU	D CODES	•	229	4.77	34.700	27.49
TO	1,,	-271 34 V A 1		WEATHER	CI. 00	ר יוטטרי ט	•	238	4.91	34.730	27.50 27.52
■nttn4	010	HGT PEP		CODE	TYPF	AMT.	•	250 253	4.89 4.91	34.750 34.770	27.53
	+					+		256	4.94	34.820	27.56
3359	1.7	3 3		¥ 4	n	6	•	277	5.20	34.840	27.55
			Δ1	R TEMP			•	280 301	5.19 5.22	34.840 34.900	27.55 27.59
WINC	1	AVSU-		FG C			•	304	5.24	34.910	27.60
		METER		1			•	309	5.34	34.920	27.60
UIB	PEED	(MRS)	DRY	WET	V15	DYN	•	326	5.38	34.960	27.63
			AULA	AULA	CODE	— H T	•	329 340	5.46 5.66	35.030 35.000	27.62
15	15	209	11.2	11.2] .	970.999	•	346	5.41	35.010	27.66
			1	1	!			353	5.49	34.980	27.62
MESSENGE			FPTH	TEMP	SAL	SIG-T	•	355	5.35 5.20	34.960 34.980	27.62
11nt		10.	,	10.26	22 000	25	•	362 377	5.25	34.980	27.65
22.9				10.26 10.22	32.99n 32.970	25.36 25.35		380	5.21	34.970	27.65
00.7			11	9.69	32.540	25.11	•	395	5.25	35.080	27.73
•			15	6.85	32.460	25.46	4	398	5.42	35.080 35.070	27.71
•			18	5.92	33.040	26.06		401 405	5.50 5.52	35.050	27.68
•			21	5.47	32.990	26.06		407	5.52	35.070	27.69
•			24	5.02	33.020	26.13		413	5.65	35.090	27.69
•			27 29	4.74	33.140	26.26 26.08		417	5.61	35.040	27.66
			32	3.51	12.840	26.14		423 427	5.32 5.35	35.030 35.040	27.68
			35	2.97	33.020	26.34	•	431	5.50	35.100	27.72
•			38	5.92	33.170	26.46	•	454	5.49	35.080	27.71
•			43	3.06	33,390	26.62	•	458	5.46	35.080	27.71
•			44 52	3.12	33.420	26.65	•	502 507	5.26 5.25	35.070 35.070	27.72
•			54	3.13 3.29	33.4R0 33.840	26.69 26.96	•	551	5.15	35.070	27.74
:			57	4.52	34.230	27.14	:	554	5.14	35.070	27.74
•			60	5.95	34.190	26.94	•	601	4.90	35.050	27.75
•			63	4.26	34.150	26.87	•	607	4.88 4.76	35.050 35.040	27.75
•			66	6.06	33.790	26.61	•	650 653	4.75	35.050	27.77
•			6R	5.08	33.850	26.78		701	4.57	35.020	27.77
•			71 74	4.78 4.15	33.700	26.70 26.79		705	4.55	35.030	27.77
			77	4.03	37.910	26.94	•	754	4.36	35.000 35.000	27.77
•			80	4.30	34.090	27.06	•	769 812	4.35 4.28	35.000	27.78
•			83	4.88	34.120	27.02	•	A26	4.28	35.000	27.78
•			99	4.98 5.12	34.170	27.04 26.91		855	4.23	34.990	27.78
•			95	4.53	34.070	27.02	•	870	4.21	34.980 34.980	27.78
			98	4.12	34.090	27.07	•	900 921	4.16 4.14	34.990	27.78
•			100	4.02	34.120	27.11	•	969	4.14	34.990	27.79
•			106	4.11	34.300	27.24	•	993	4.16	34.990	27.79
•			109 112	4.93 5.88	34.970 34.530	27.68	•	1018	4.15 4.11	34.990 34.990	27.79 27.79
•			126	6.22	34.530	27.27	•	1039	7.11	. .	2.11
			129	6.57	34.690	27.26					
•		1	131	6.61	34.600	27.18					
•			137	6.29	34.570	27.20					
•			139	6.04	34.320	27.04					
•			142 145	5.75 5.71	34.440	27.24					
			148	5.39	34.390	27.17					
•		1	151	5.24	34.490	27.27					
•			155	5.27	34.450	27.23					
٠			157	5.07	34.320	27.16					
•			160 163	4.73	34.430	27.28					
:			166	4.00	34.210	27.17					
•			169	3.82	34.300	27.27					
•			172	3.82	34.380	27.34					
•			175	3.94	34.490	27.42					
•			178	4.25	34.520	27.40					
			185 180	4.46 4.82	34.540	27.46 27.43					
			191	4.91	34.580	27.38					
•		2	200	4.93	34.500	27.39					
			203	4.99	34.690	27.45					
		7	> n q	5.11	34.660	27.42					

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

								1			
LATITH	0.5		istru(STATE	0N T	TMF	Γ		C T	ATION
					40. n	AY	ιΩ.	¥	FAR		MAFR
44 77.	กพ	046	31+6	/A	15 2	4	12.1	1	971	1	0974
n€PTH TO	Ŀ	AVF	DASE	PVAT	2001	ء ا	TATHE	a l	CEC	UD	CODES
AULTON		ครก	HGT	e£ n	SFA		CODE		TYP	.E	AMT.
2794		20	3	2			X 4		0		6
wī	NΠ		RAF	20-	1	ATR DFC	TEMP				
910	SPF	En.	UF T	FR	DB.		WET	_	VIS	Т	חציא
	, ,				Aij		AUL	A	CODE		нт
1.0	11		21	5	10	. 0	10.	n	<u> </u>	9	71.000
WESSEN TIME	GER		ST 10.	n	FPTH	1	FHP		SAL		5 I G = T
02.1		,			4 Q	6	5.71		32.86 32.88	0	25.80 25.79
00.7					11	•	5.70		32.62	.0	25.74
:					14	3	3.36		32.21		25.66 26.30
					19	2	2.31		32.76	10	26.20
•					25 25	1			32.89	0.0	26.33 26.32
:					2A	1	49		32.7	0	26.21
					31	1	1.19		32.99	0	26.33
•					34 37		1.74		32.83	30 10	26.33 26.38
:					40	- 1	36		32.76	10	26.32
					43	(0.09		32.91	0	26.41
:					45 48		1.16		33.45	0	26.47 26.89
					51	ê	0.16 2.08 3.60		33.74	0	26.98
•					53 56	3	3.60		33.90		26.98
:					59	4	.53		33.76	10 10	26.79 26.83
					63	-	.27		33.85	0	26.76
•					65 68	4	22		33.50	0	26.95
:					70		.26		33.45		26.87
					73	4	.12		33.Ré	Sn.	26.49
					76 79	4	.14		33.AF	7 O	26.92
:					81		3.97		33.94	0	26.98
•					93	4	.49		34.17	0	27.10 27.18
:					95	9	5.09		34.22	0	27.18 27.08
					101	4	.77		34.17	0	27.07
•					104 108	4	.94 5.5A		34.53		27.33
:					110		5.79		34.51	50	27.24 27.17
					114	•	5.50		34.16	-0	26.97
					119	4	4.96 5.16		34.44	0	27.26 27.21
:					125		.15		34.43	0	27.23
•					128	4	.89		34.23	3.0	27.10
:					132 135	4	.47		34.40	0 10	27.29 27.32
					134	4	.72		34.46	0	27.30
:					141 155	4	69		34.45	0	27.30 27.35
					160	4	. 71		34.54	0	27.37
					165	4	SR. 4		34.60	0.0	27.40
:					169 174		5.16		34.61	n n	27.44 27.38
					179	9	5.05		34.65	0	27.42
•					194 209		5.22		34.69		27.41 27.49
:					229		5.R0		34.77	0	27.52
					238	-	5.66		34.89	0	27.53
					25n 275		5.54		34.95	50	27.52 27.57
:					294	•	5.68		74.95	กค	27.61
					313	•	5.34		34.99	3.0	27.60 27.66
:					376 401		5.29		34.99	0	27.68
:					451		5.14		35.07	9.0	27.70
					476 502		5.NQ 4.QA		35.04	0	27.72 27.73
					1.17		- 0 177			-	

•	527	4.94	35.040	27.74
	551	4.92	35.030	27.74
	576	4.85	35.030	27.74
•	600	4.78	35.020	27.74
•	625	4.72	35.020	27.75
	674	4.60	35.010	27.76
•	699	4.54	35.010	27.76
•	752	4.41	35.000	27.76
•	778	4.34	34.990	27.77
•	804	4.26	34.980	27.77
•	830	4.19	34.970	27.77
	857	4.16	34.970	27.77
•	883	4.13	34.970	27.77
	908	4.13	34.970	27.77
•	932	4.10	34.970	27.78
	956	4.08	34.970	27.78
•	982	4.04	34.960	27.78
	1009	4.01	34.960	27.78

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

		1		-					_		
LATITI	10 F	LON	IG I TUD!	E	STAT	(GHT	TIME) HQ.	٧	EΔP		ATTON MAFR
44 37.	51	048	40.5	4	15	24	04.1	1	971	1	0975
DEPTH	T	WAVE	ORSER	VAT	INNS	Ι.		_	CL	000	CONES
AOTTO	•	010	HGT	o E a	SEA	1	COOE		TYI	PE	AHT.
1891		18	3	2			X 4		0		6
wi	חא		PAR			A 1 P		•			
UID	50	PEO	MET!			RY ULB	WET		V15	E	OYN
20		12	21	n	0	R.1	09.	1		9	71.053
MESSEN	IGE	- C4	51	n	EPTH	_	TEMP		SAL		51G-T
TIME	-	, A	10.		7		4.98		32.6	8.0	25.87
04.1					12		4.95		32.6	40	25.A4
00.6	5				15		3.19		32.4		25.74 25.79
					21		1.89		32.5	0.6	26.07
•					32 34		0.93		32.7		26.28 26.28
:					37		0.60		32.8	00	26.33
•					51 54		0.09		32.8		26.36 26.36
:					56		0.35		32.7	90	26.37
					63 77		1.06		32.9	10	26.49 26.62
					Rn.		1.32		33.1	00	26.65
					86		1.24		33.2	00	26.73
:					95		0.65		33.4	30 20	26.83 26.88
:					97		0.55		33.3	70	26.84
					100 106		0.55		33.34		26.93
:					124		0.13		33.6	30	27.03
					126 129		0.09		33.69		27.04 27.03
:					132		0.27		33.6	30	27.01
					141		0.04		33.6		27.03
•					144		0.48		33.8	00	27.14
					150		0.59		33.7	50	27.10
					153 175		0.57		33.79 33.89	90 90	27.13 27.19
:					17A		0.79		33.9		27.20
:					201		1.26		34.0		27.29
:					204 225		1.24		34.0		27.32
					259		2.32		34.4	00	27.49
					270 281		2.64		34.4	40 90	27.51
:					292		88.5		34.5	60	27.57
•					305 314		3.06		34.5	90 90	27.57 27.67
					332		4.45		34.7	90	27.59
					345		4.65		34.9	50	27.71
					357 369		5.02		34.9		27.64
					405		5.10		34.9	60	27.66
					429 455		5.09		34.9		27.67 27.69
					484		5.06		35.0	0.0	27.70
:					512		4.90		34.9		27.70
					570 600		4.R0		35.0		27.72
					657		4.57		34.9	70	27.73
•					713 742		4.35		34.9	50 50	27.74
•					770		4.28		34.9	50	27.74
					799		4.21		34.9	50	27.75
					854 882		4.04 3.98		34.9	30	27.75 27.75
:					909		3.96		34.9	30	27.76
					977		3.96 3.98		34.9		27.76 27.76
				965 992		3.99		34.9	30	27.76	
					020		3.98		34.9	30	27.76

[4 T T T I]	Ut	1 011	6 1 THE)F	' Т * '	10 10	ч٢	HD.	٧	FAR		ATTON HRER
44 34.	311	048	CK.	Siv	15	24		04.4	1	971	1	0976
DEPTH		WAVE	OPSE	⊋V Δ 1	TU41	5				Cί	กบก	CODES
ROTTOM		010	нст	pFr	SF	Δ	W	/F ለ THE ሮብባይ		ΤΥ	PF	ΔMT.
1111		20	3	2				¥ 4		n		4
۰	ND			RU-		Δ	UF TR	TEME)			
DIP	5	PFED		TFR RS)		BUL		WF 1		V15		DYN HT
1.8		16	2	ns	\top	ΛЯ.	. 7	09.	ī		9	71.099
MESSEN			\5T	ſ	DEPT	н		TEMP		SAL		516-1
T ['46 በճ. 4		٨	10.		7			4.50		32.6	40	25.89
00.7					10			4.47		32.6		25.89 25.75
00.	,				12			2.82		32.3	50	25.81
•					21 21			1.49		32.6		26.14 26.18
•					25			1.31		32.6	50	26.17
•					31 34			0.74		32.6		26.20 26.23
					36			0.61		32.7	10	26.26
•					47 48			0.66		32.7		26.26 26.38
					50			0.79		32.7	9.0	26.38
					53 72			1.36		32.9		26.43 26.53
•					7 R			1.32		33.0		26.58 26.64
•					83			1.09		33.1	30	26.67
•					102			0.49		33.7		26.78 26.79
:					158			0.13		33.4	0.0	26.85
					130			0.10		33.4		26.86 26.91
					153			0.06		33.5		26.93
					175			0.51		33.7	30	27.08
					202			0.56		33.7 33.8		27.08
					206			0.85		33.8 33.9		27.14
					229			1.00		34.0	0.0	27.26
					252 254			1.54		34.1		27.31 27.34
					270			2.32		34.3	60	27.46
					276			2.47		34.2		27.38
•					279			2.43		34.2		27.49
					306			2.48		34.4	20	27.49
					317			2.51 2.90		34.5		27.59 27.56
•					326			3.01		34.5	50	27.55
					352			3.05		34.5	60	27.54
•					354 379			1.52 3.70		34.4		27.60
:					392			3.74		34.7	50	27.61
					406			3.84 4.07		34.8	30	27.67 27.67
•					452			4.41		34.P	170	27.67
					5 1 R			4.44		34.8	191	27.67
:					535 563			4.51		34.9		27.69
•					591			4.51		74.9	30	27.70
					61 P			4.47		34.9		27.70
					71) 720			4.42		34.9	40	27.71
					146			4.40 4.38		34.9	40	27.71 27.72
					743 410			4.39 4.38		34.9		27.72 27.72
		437			4.30		34.9	20	27.72			
:			A 4 3 0			4.21		34.9		27.71		
:					917			4.20		34.9	20	27.73
•					10000			4.11		114 . 1	10	27.72

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

								_			
					STATE		Line		- 1		
ΔΤΫΤΟΓ	16	1.040	TTHE	JE		AY I) H12.		ΔR		TAT[04]
					********	a Y '	- H	٧٠	ΔH	7	I MHF N
4 75.2	0 • 1	049	00.	146	15 2	4	11	1 9	77]		10977
FPTH	٦,	VAVE (PSF	>∨ ∧ 1	ากปร				010	ΉJ	n ranes
חד שחדדחש	\vdash	DIR	нат	DE	SFA	. Wi	ENTHE! COOE	₽.	1 11	PF.	۵۱۹۲.
0430	+	17	2	2	 	-	¥ 4		0		6
					1	ATR	TEMP				1
wt	4 0			PN-		DF	G C			_	
ารีย	SPE	EEU	ı	ДSI	∩R BU	Y LA	WET BUL	D	VIS CODE		DYN HT
						<u> </u>		COIN	-		
15 +	1 /	ا	2	0 0	0.8	• 1	07.	9	<u> </u>	_	971.104
VESSENI TIVE	GF P	C & 4		(TEPTH		TEMP		SAL		516-1
08.1		, 11	n.		5		4.89		32.5	20	25.75
					13		4.4R		12.5	90	25.84
00.4					15		4.32 3.91		12.5	7 U 4 N	25.85 25.86
•					21		7.29		32.4		25.87
					24		75.5		12.5	20	26.00
					26		1.60		32.61		26.17
•					29		1.34		32.7	10	26.21
•					31 34		1.27 1.28		32.8	00	26.29
•					40		0.95		32.7	7 U	26.26 26.26
•					40		0.03		32.7	70	26.33
:					51		0.21		32 . R	20	26.38
					54		0.34		8.55		26.40
					75		1.17		32.9		24.53
•					7.9		1.18		35.9		26.54
•					101		0.82		33.1		26.68
•					104		0.75 0.57		33.1		26.69 26.76
•					130		0.45		33.3		26.82
•					133		0.30		13.3	7 U 6 D	26.82
:					141		15.0		33.3		26.R3
					146		0.01		33.4	90	26.91
٠					152		0.06		33.4	70	26.89
					154		0.06		33.4	70	24.89
•					176 179		n.21 n.31		33.5 33.5	80	26.98 26.97
•					182		0.32		37.5.	40 80	26.97
:					202		0.79		33.A	70	27.17
					204		0.79		37.8	60	27.17
					229		1.15		34.0	50	27.30
•					234		1.27		34.0		27.30
•					256 262		1.61		34.2		
•					270		1.86 2.02		34.2. 34.3	40	27.40 27.45
•					277		2.43		34.4	20	27.49
					234		2.93		34.4	0.0	27.45
					299		3.20		74.5		27.53
					305		3.74		34.5	91)	27.52
					312		3.72		34.5		
•			-		327		3.77		34.6	70	27.58
•					334 356		3.84 4.07		34.7	10	
•					342		4.17		34.A 34.A	20	
					380		4.21		34.A		
. 345 4.2					4.23		34 . A		27.67		
414						4.27		34 . A			
					4/19		4.27		34.8		

LATITUD	F (ONGIT	HIDE	STA	15	u Ţ	114F) HP.	\ \ \	FAR		ATION
44 39.0	4 0	49 19	. 4 W	05	24		10.2	1	971	1	0978
DEPTH TO	WAV	F ORS	FRVA	TION	5				רני	าบท	CODES
POTTO4	0.1	D HG	T PF	R SE	Δ	w'	CODE	D.	TYI	o F	AMT.
0.068	20	2	2				¥ 4		n		6
MINI)		490-				TEMP G C				
UIB	PFFN	1	FTFR MRS)	t) A Y	ને _	WET RULE	4	V15	-	DYN
18	16		202		n.	ì	09.0	7		9	71.095
MESSENGE TIME 10.2 00.1	P	CAST NO.		DEPTI 5 10 13 14 18 21 24 27 29 35 51	4		75 MP 6.22 6.21 6.20 6.20 6.20 6.21 6.20 6.21 6.21 7.21 7.21 7.21 7.21 7.21 7.21 7.21 7		32.39 32.40 32.30 32.30 32.30 32.50 32.57 32.57 32.57 32.57	90 30 90 50 50 10 30	51G-T 25.49 25.50 25.49 25.44 25.35 25.73 25.97 26.03 26.33 26.35

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

LATITI	10F 1 0	NGITI		SINTI	ON			ST	ATTON	LATTTU	DF	LON	G 1	TUPE	STA	(G	1 TIME (T) (]HD.	,			TION
				40. E	ΑΥ	HR.	YFAR	MIN	MAFR	43 51.	5N	048	5	7.74	05	24	22.1	-	971		980
43 51,	, a. 1/	9 01	. 2W	15 2	4	2n.a	1971	- 1	1979	DEPTH		<u>'</u>		SERVA		┺	10.00	<u>.</u>	<u> </u>	_	COOFS
DEPTH TO	WAVE	085	FRVAT	เกหร		EATHER	CLC	าบท	CODES	TO ROTTOM	F	010	_	GT PE		\dashv	WEATH		TYP	_	AMY.
BOTTOS	* D19	HC.	PER	SFA	"	CODE	TYF	PΕ	AMT.	0684	+	17	2	+	- 1	_	Х4	_	0		4
0390	16	3	2			14	0		6		_	•	۴		\top		IR TEM	P	<u> </u>	7	<u> </u>
						TEMP				w1	ND			8480-			NEG C				
	טאו	→ MI	ARO-	-		<u> с</u>	-	1		OIR	SPI	EED		(MR5)		DRY	NE RU	T LA	V15 CODE		DYN
016	SPFFO	'	HD5)	BC BC	JL A	-WET BULB	CODE		DYN HT	16	2	1	1	169		04.	_	.5		1	1.013
16	20		170	0.5	3.5	0A.5	<u> </u>	9	71.036	MESSEN			151		DEP		TEMP		54L		SIG-T
MESSEN		CAST	n	FPTH		TEMP	5AL		51G-T	714F 27.1			10.				4.47		32.73	0	25.96
20.0		NO.		2		5.05	32.68	۵.	25.86	•					11		4.46		32.73		25.96
				10		5.06	32.65		25.84	00.5	•				1,		4.45		32.72		25.95
00.4	•			13		4.56	32.41	10	25.70	•					2		4.22		32.70	0 (25.96
•				15		3.17	32.50		25.92						5	7	3.72		32.57		25.91
•				18 21		2.67 1.76	32.66		26.07	•					3		2.67		32.51		25.95
				23		1.26	32.7		26.22	•					3'		1.37	7	32.71	70	26.26
•				30		0.62	32.A	20	26.34						4	0	0.85	;	32.84	10	26.35
•				33		0.42	32.41		26.36	•					5		0.50		32.89		26.40
•				35 39		0.27	32.89		26.38	•					5		0.20		32.60		26.35
				41		0.70	32.84		26.42						5	9	0.34	•	32.73		26.32
				48		1.14	32.9		26.54	•					6		1.10		32.66		26.45
•				50		1.19	33.00		26.57	•					6 7		1.41		33.10		26.65
				53 65		1.23	33.0		26.57 26.63	•					7		1.47	7	33.16	50	26.70
				75		1.09	33.2		26.74	•					6		1.49		33.19		26.73
				78		1.03	33.8	30	26.75	•					10		0.50		33.5		26.97
•				87		1.00	33.3		26.81	•					11		0.39		33.5		27.00
				89 92		0.83	33.4		26.91 26.89	•					11	6	0.17	7	33.6	30	27.03
:				97		0.41	33.5		26.94	•					12		0.1		33.7		27.11
				100		0.36	33.5		26.95	•					12		0.0		33.7		27.10
•				103		0.29	33.5		26.97	:					13		0.1		33.7	50	27.11
•				112 126		0.13	33.65 33.65		27.02	•					15		0.7		33.9		27.21
•				129		0.18	33.6		27.02	•					15 16		0.7		33.9		27.23
				150		0.33	33.7		27.09	•					16		0.8		34.0		27.33
				153		0.39	33.7		27.10						17	2	1.2	1	34.0		27.32
•				177		0.66	33.A		27.17	•					17		1.2		34.0		27.32
•				190 203		0.71	33.A		27.18	•					17 20		1.8		34.3		27.45
				205		0.93	33.9		27.25	•					20	4	1.9	0	34.2	90	27.43
•				226		1.27	34.1		27.35	•					21		2.0		34.3		27.50
•				2/2		1.36	34.1		27.36	•					22 23		2.2		34.5		27.61
				243 246		1.59	34.2		27.46	•					23		2.6		34.5	60	27.61
				252		2.10	34.3		27.50						25	0	2.9	9	34.6		27.60
•				254		2.15	34.4	00	27.51	•					25 27		3.0		34.6		27.62
•				257		2.21	34.4		27.57	•					27		3.4		34.6		27.62
				260 277		2.55 3.70	34.5 34.8		27.61						30	7	3.8	5	34.7	90	27.66
				280		3.90	34.7		27.60						30		3.A		34.8		27.68
				300		3.88	34.7	30	27.61	•					32		4.0		34.8		27.66
•				303		3.AA	34.7		27.60						35		4.1		34.8	70	27.70
•				307 326		3.90 4.05	34.7		27.62						35	4	4.1	3	34.8		27.70
				320		4.05	34.7	80	27.63	•					37 37		4.2		34.9		27.70
				353		4.02	34.7	90	27.65	•					40		4.4		34.9		27.72
				355		4.03	34.7	90	27.64						4.0	7	4.4	2	34.9	40	27.72
										•					45		4.4		34.9		27.74
										•					45 51		4.4		34.9		27.75
										•					52		4.4		34.9	0.8	27.75
										:					56	2	4.4	3	34.9	0.8	27.75
										•					57		4.4		34.9	HO.	27.75
										•					60 61		4.4		34.9	AO	27.75
															65		4.4		34.9		27.75

34.960 27.50

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

						1						
LATITU	ŊΕ	1 ON	IGT TUF)F	STA	(GN	17	TIME HR.	Y	EAR		ATION
43 47.	2 NJ	048	43.	l W	05	25	╁	01.1	H	971		0981
DEPTH		WAVE			TION	5			_		<u> </u>	CODES
TO BOTTOM	. }	018	нст	PER	2 SF	1	W	EATHE CODE	B	TYI	PE	AMT.
2437	\dashv	10	٦	2	1			x 2		0		6
41	ND		PAF				R F	TEMP				
UIB	SF	PFED		7FR 951		DRY BULF	,	WET BUL	a	VI5 CODI	F	DYN
16	;	20	10	54		10.5	5	10.	1		9	70.980
MESSEN			ST	ſ	DEPTI	4		TEMP		5AL		51G-T
01.1		^	10.		3			7.91		32.9		25.69
00.7	,				9			7.87 7.57		32.8	90	25.62
•					12			5.96 5.81		32.4		25.59 26.22
•					17 20			6.41 6.78		33.2		26.14 26.30
:					23			7.15		33.4	10	26.17
					25 28			6.44 5.05		32.9		25.90 26.22
•					30 33			4.65 4.54		33.2		26.22 26.37
:					36			4.66		33.2	60	26.36
•					39 42			3.98 4.06		33.0		26.27 26.61
•					44			4.20 3.41		33.1 33.1		26.36 26.39
•					49			2.84		33.2	80	26.55
•					52 55			2.77 2.58		33.4		26.70 26.77
•					58 73			2.73		33.5 33.6		26.81 26.88
•					76			3.13		33.9	60	27.07
					78 94			3.62 3.93		33.9 33.9		27.02 26.98
•					87 92			3.85 3.45		33.8 33.9		26.93 27.06
					95			3.78		34.2	60	27.24
•					98 101			4.29 4.21		34.2		27.16 27.05
•					104			3.63		33.9		27.01
•					106			3.28 3.04		34.0	00	27.11 27.11
•					112 126			3.05 3.79		34.1		27.24 27.29
					129			3.79		34.3	10	27.29
•					152 154			4.47 4.58		34.5 34.5	90	27.43 27.42
					157 174			4.72 4.76		34.6		27.43 27.45
•					177			4.90		34.6	80	27.46
•					179			4.95 4.92		34.6	10	27.45 27.48
•					505			5.11 5.17		34.7		27.51 27.51
:					556			5.08		34.8	30	27.55
•					228 252			5.07 5.15		34.8		27.56 27.60
•					255			5.18		34.9	20	27.61

276	5.46	34.970	27.62
280	5.43	34.960	27.62
301	5.06	35.000	27.69
304	5.38	35.110	27.75
309	5.54	35.060	27.68
327	5.45	35.050	27.68
330	5.45	35.050	27.69
351	5.28	35.010	27.67
354	5.18	35.010	27.69
37R	5.05	35.010	27.70
382	5.02	35.010	27.71
403	4.92	35.020	27.72
406	4.90	35.010	27.72
455	4.95	35.050	27.75
460	4.94	35.040	27.74
503	4.84	35.040	27.75
508	4.80	35.040	27.75
550	4.75	35.050	27.77
555	4.75	35.050	27.77
601	4.66	35.050	27.78
607	4.65	35.350	27.78
655	4.59	35.050	27.78
661	4.58	35.050	27.78
702	4.49	35.040	27.79
709	4.48	35.040	27.79
751	4.33	35.020	27.79
757	4.33	35.020	27.79
806	4.21	35.010	27.79
813	4.20	35.000	27.79
855	4.11	34.990	27.79
863	4.10	34.990	27.79
905	4.01	34.990	27.80
912	4.02	34.980	27.90
955	3.93	34.980	27.90
962	3.94	34.970	27.80
1006	3.88	34.970	27.80
1011	3.88	34.970	27.80
			2 . 3 . 7 0

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, pre-

pared	fro	m NO	DDC L	ist	ing	No.		$\frac{3}{24}$	5	on	tinued
LVL140	n E	Lon	GITUDE	5	TATI	ON I				C T	ויחודם
(4) [1)	/r			ч			HP.	γ	FAR		MPFR
43 43.	211	148	31.04	n	5	>5	03.7)	97]	1	SAPO
DEPTH		WAVE	UHZESV	V L 1	0.12				CF	ŋUŊ	CODES
10 POTTOM		nio	HGT P	ΕÞ	SFA	*	E & T HE CODE		TY	PE	AMT.
2977	+	19	1 2			_	11.4		n		6
						ΔΙΒ	TEME	,			
wi	ND		RARO METE			DE	G C	_			
Ulb	ζ.	PED	(MBC)	Di Bi	II R	WE!		V I S CDD	۶	DYN HT
17	1	l A	150		14	1.2	10.	. 1		q	71.030
MESSEN			ST	ΩF	PTH		TEMP		SAL		S16-T
7 THE		N	n.		0		5,46		32.6		25.81
01.5	;				10		5.3A		72.7 32.6		25.85 26.12
•					20		1.31		32.5		26.19 26.30
•					50		0.97		32.9	90	26.55
٠					55 58		1.09		33.0	30	26.59 26.58
					72 75		0.91		33.3		26.81 26.87
•					78		0.65		33.4	60	26.92
					A 1 A 3		0.26		33.7	90	27.14
:					86 91		1.35		33.9		27.18 27.11
•					94		2.62 3.08		33.9		27.06 27.15
•					105		3.11		34.0	40	27.13
•					128		3.73		34.3	150	27.30
					14A 151		4.13		34.4		27.42 27.36
•					153 176		4.29		34.4		27.34 27.40
					180		4.50		34.9	660	27.41 27.43
•					207		4.55		34.5	90	27.43
					230 234		4.53		34.6	30	27.46
					251 254		4.51		34.6		27.48 27.49
•					27A 282		4.49		34.6		27.50 27.50
•					305		4.47		34.6	90	27.52
•					32A		4.47		34.	730	27.54
•					333 352		4.45		34.		27.55 27.57
					356 390		4.41		34.		27.57 27.59
:					383 403		4.36		34.	770	27.59 27.61
					407		4.35		34.	790	27.61
					454		4.78		34.1	940	27.64 27.65
					517 515		3.97		34.		27.67 27.68
					559 568		3.85 3.84		34.	370	27.69
					603		3.80	1	34.	940	27.70 27.71
					6]] 658		3.79	•	34.	950	27.72
•					667 704		3.79	1	34.	960	27.71
					713 751		3.79	7	34.	960	27.73 27.74
					760		3.80	1	34.	980	27.74
					415 415		3.82 3.82	•	34.	900	27.75
					853 861		3.81		34.	910	27.75 27.76
					907		3.77	,	34.		27.77
:					957		3.69	}	34.	930	27.78 27.79
:					96.2 00.7		3.56	,	34.	030	27.A0
				1	017		3.5	3	34.	430	27.81

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

LATITU	NF		1 00	GITU)F	STA	{ (DN GM 1	TI*	F	ΥF	ΔR		TATION JMRER
43 39.	511		048	17.5	5 w/	05	21	5	06.	4 1		1971 1		10983
пертн		W	NF	ORSER	PVA.	t I O N	5					CL	our	CODES
TO ROTTOM		,	010	нат	PFI	R SF	Δ	٧	VE A T	HER DF		ŢΥ	PF	AMT.
3227		1	9	3	2				x 4			0		6
41	ИU			A A F	?()-			A Į F	G C	мP				
- AIU	9.5	PE	En		95)	1	DR PUI		- 1	ET ULA		VIS COD	- 1	DYN
16	1	8		14	4 A		09	.1	0	9.1				970.994
ME55FN T1MF 06.4		?		ST 10.	1	OFPT	Н		TFM		3	5AL	60	SIG-T 25.80
00.5						11 14			5.4		3	12.6	60	25.80 25.72
•						17			3.1	0	3	1.58	80	25.66
•						53 20			1.5			32.5 32.6		26.09 26.20
•						26 31			0.7			92.7 92.7		26.25 26.28
						33			0.6	6	3	2.7	60	26.29
•						39 42			0.4			12.7 12.6		26.29 26.20
						45			0.4	3	3	12.6	00	26.21
:						47 51			1.1			92.9 93.1		26.52 26.67
						54			1.0	B	3	3.2	70	26.78
•						58 67			0.5			13.3 13.4		26.89
						75			0.3	1	3	3.4	70	26.91
•						78 92			0.2			93.5 93.6		26.95 27.06
•						100			0.5	6	3	3.8	20	27.15
:						103			1.0			3.8 14.0		27.16 27.29
•						126			1.5	6	3	94.3	10	27.48
•						130 133			2.0			94.1 94.0		27.32 27.25
•						137			1.8		3	14.0	70	27.26
•						145			1.8			94.] 94.2		27.30 27.38
•						149 152			1.5			34.1 34.0		27.30 27.26
						155			1.76	1	3	34.0	70	27.28
						158 162			1.6			34.1 34.3		27.34 27.48
:						166			2.5	9	3	34.6	10	27.64
•						172 176			3.4			34.5 34.6		27.52 27.53
						190			4.0	2	3	34.6	00	27.49
•						183			4.2			34.6 34.5		27.48 27.44
•						194			3.8	1	7	34.4	90	27.42
•						198 202			3.6			34.5 34.5		27.51 27.49
•						205			3.6	6	3	34.5	70	27.50
•						221 225			3.6			34.6 34.6		27.56 27.58
•						229			4.0	8	3	34.A	20	27.66
•						232 236			4.7			34.8 34.8		27.66 27.58
•						239 243			4.6	5	3	34.8	10	27.58
•						247			3.9			34.6 34.5		27.43 27.46
•						252			3.6	3		34.7		27.61

256	3.98	34.750	27.61
259	3.90	34.620	27.52
266	3.94	34.860	27.71
273	4.48	34.840	27.63
281	4.52	34.810	27.60
302	4.81	34.900	27.64
310	4.90	34.930	27.65
326	4.97	34.940	27.65
333	4.99	34.940	27.65
356	5.07	34.970	27.67
365	5.11	34.970	27.66
382	5.07	34.980	27.67
390	5.06	35.000	27.69
407	5.12	35.010	27.69
415	5.12	35.020	27.70
457	5.18	35.040	27.71
465	5.15	35.030	27.71
506	4.97	35.020	27.72
514	4.91	35.000	27.71
555	4.63	34.980	27.73
564	4.59	34.980	27.73
608	4.52	34.970	27.73
616	4.51	34.970	27.73
651	4.44	34.960	27.73
660	4.40	34.960	27.73
702	4.35	34.960	27.74
711 753	4.34	34.960 34.950	27.74
762	4.23	34.940	27.74
804	4.15	34.930	27.74
A13	4.14	34.940	27.75
864	4.05	34.930	27.75
881	4.04	34.930	27.75
914	3.98	34.920	27.75
930	3.96	34.920	27.75
962	3.95	34.920	27.76
978	3.95	34.920	27.75
1010	3.93	34.930	27.76
1021	3.92	34.920	27.76
1041	3.90	34.920	27.76
1050	3.88	34.920	27.76
2 3.,	3.000	24.45.0	

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

		-	-							
LATITUDE	LON	GITUſ	1F		GHT	_	Y	EAR		ATION MBER
43 33.5N	047	58.6	١٧ .	15 2	5	09.8	1	97]	1	1984
ПЕРТН	WAVE	ORSE	VAT	1045		C 4 T 11 C		CL	วเก	CODES
ROTTOR	กเธ	нат	PER	SFA	W	CODE	Η :	TY	ÞΕ	дит.
3463	19	4	?			×1		0		6
MIND			70- TFR		A I R					
NIR S	PFED		95)	0R RU	Y LR	WET RUL		VIS CODI	Ε	DYN HT
20	17	11	55	13	•0	12.	n		9	71.038
MESSENGE TIMF 09-8 000-5		51	n	EPTH 32515744702581669280470257103581144692594828711111122692611446925948287111111122692607		TEMP 9.93 9.77 9.93 9.77 9.93 9.77 9.93 9.77 9.93 9.77 9.93 9.77 9.93 9.77 9.93 9.77 9.93 9.77 9.93 9.77 9.93 9.77 9.93 9.93		5 AL 32.9 32.7 32.7 33.0 32.9 32.7 33.0 33.0 33.0 33.0 33.0 33.0 33.0 33	10040000000000000000000000000000000000	51G-T 25.36 25.36 25.36 25.36 25.36 25.36 25.72 25.99 26.00 26.05 26.05 26.05 26.05 26.05 26.07 26.84 26.83 27.01 27.11 27.14 26.98 27.07 27.04 27.20 27.20 27.20 27.21 27.21 27.21 27.21 27.21 27.21 27.22 27.33 27.24 27.21 27.33 27.26 27.33 27.26 27.33 27.26 27.33 27.26 27.33 27.26 27.33 27.27 27.45 27.45 27.50 27.50

230 5.47 34.780 233 5.34 34.810 27.51 242 5.40 34.840 27.53 27.55 27.56 253 5.29 34.850 256 5.29 34.860 280 5.03 34.840 27.57 287 5.02 34.860 27.59 302 5.17 34.910 27.61 313 5.18 34.920 27.61 34.A80 27.60 333 5.01 34.920 34.880 4.92 355 27.65 366 4.82 27.62 376 4.79 34.910 27.66 387 4.81 34.920 27.66 407 4.75 34.940 27.68 418 4.79 34.920 27.66 460 4.65 34.910 27.67 470 4.69 34.930 27.68 502 4.56 35.700 28.31 512 4.53 35.990 28.54 554 4.41 34.900 27.69 564 4.3A 34,900 27.69 606 4.32 34.910 27.71 616 4.2A 34.900 27.70 654 4.25 34.900 27.71 27.71 666 4.22 34.900 706 4.18 34,900 27.72 4.17 34.900 27.71 27.73 717 4.23 758 34.920 34.910 767 27.72 807 4.16 27.73 34.910 817 4.17 27.72 862 4.03 34.900 34.900 27.73 981 4.02 27.73 34.880 901 3.95 27.72 921 3.91 34.880 27.72 959 3.90 34.890 27.73 979 3.90 34.890 27.73 34.900 34.910 1018 3.91 27.74 1037 3.96 27.74 27.74 1053 7.94 34.910

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

LATITU	DE		LON	GITUI	DF		ION (GM) DAY	TIME	Y	FAR		TATION JMBER
43 27.	4N	\exists	047	41.	9.4	05	25	11.8	1	971	1	10985
DEPTH		WA	VE	ORSE	PVAT	1045				CL	000	CODES
TO ROTTOM		D	IR	нст	PER	SEA	1 '	CDDE		ΤY	PE	AMT.
3724		2	2	3	2			хı		0		6
41	NO				RO-		_	TEMP	,			
DIR	5	PEE	D.		TFR RS1		RY ULB	WET		VIS	F	DYN
26		15		11	55	+	2.0	11.			+-	71.042
MESSEN		R		ST	0	EPTH	-	TEMP		SAL	-	51G-T
TIME 11.8	3		2			31 114 1622 27 33 33 41 44 45 55 57 66 66 67 77 67 77 87 10 11 11 11 11 11 11 11 11 11 11 11 11		99.70 90.70 90.70		32.83 32.87 33.93 33.33	543073913477430807004922383322299475815196030164938211	25.34 25.34 25.34 25.39 25.88 25.93 26.30 26.19 26.69 26.60 26.65 26.76 26.67 26.67 26.67 26.67 26.67 27.11 27.11 27.11 27.11 27.11 27.17

204	5.53	34.690	27.39
221	5.43	34.700	27.41
224	5.27	34.690	27.42
227	5.30	34.780	27.49
230	5.35	34.760	27.47
250	5.38	34.790	27.49
254	5.36	34.810	27.50
278	5.38	34.840	27.53
281	5.35	34.830	27.53
303	5.17	34.870	27.58
306	5.22	34.910	27.60
313	5.32	34.880	27.57
326	5.13	34.870	27.58
329	5.08	34.870	27.59
351	5.00	34.900	27.62
354	5.01	34.900	27.62
376	4.95	34.910	27.63
379	4.99	34.940	27.66
404	5.15	34.970	27.66
409	5.16	34.970	27.66
452	5.17	35.010	27.69
45A	5.17	34.990	27.67
501	4.69	34.940	27.69
507	4.68	34.940	27.69
555	4.85	34.990	27.71
559	4.79	34.960	27.69
607	4.53	34.950	27.71
616	4.53	34.950	27.71
660	4.47	34.950	27.72
681	4.45	34.950	27.72
703	4.46	34.950	27.72
725	4.47	34.950	27.72
752	4.44	34.960	27.73
795	4.36	34.940	27.73
1004	4.04	34.910	27.74
1039	4.01	34.920	27.74

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

_ATITUC	E	LONG	GITUC	DF L	STATION TIM (GMT) MO. DAY HR.				Y	FAR	STATION		
43 23.2	DNI.	047	23.2	-+	05	25		3.9	├	971		0986	
DEPTH		WAVE				Ļ	1			CL	บบ	COOES	
TO BOTTOM	-	DIR	HGT	PER	5E	\dashv	WE	CODE		TYF	PE	AMT.	
3768	+	19	3	3		1		×1		0		6	
				00-			AIR OE 0	TEMP	,				
A1			ME	RO- TFR RS1				WET		VIS	Τ	OYN	
DIR	٠,٠	PEEO	,,,,			80		AUL		cop	F	HT	
21		15	1	67		14	. 0	13	.5		9	70.992	
MESSEN TIME			AST	r	EPT	Н		TEMP		SAL		SIG-T	
13.9		·			3			1.08		32.9		25.22 25.21	
00.3	1				A 12	1		0.89 0.62		32.9		25.20 25.20	
•					14			9.59		32.9	00	25.40	
•					20			8.66 7.40		32.7		25.43 25.71	
•					23)		5.86		33.0		26.06 26.28	
•					25			5.87 5.46		32.9		26.01	
•					31			4.23 4.59		33.3		26.45 27.02	
					36	5		5.21		33.7	60	26.70	
•					39 42			4.77		33.3		26.38 26.52	
•					49	5		3.26		33.4	60	26.66 26.75	
•					5			3.12		33.9		26.70	
					5			2.74		33.6		26.83 27.02	
•					6			3.18	1	33.6	300	26.94	
•					6			2.98		33.		26.93 27.01	
•					7	1		3.52	•	34.	040	27.10	
•					7			3.39		33.9		27.02	
•					8	3		3.59		34.		27.17 27.21	
•					10			3.83		34.		27.26	
•					10			4.28		34.		27.27 27.24	
•					11	7		4.30	5	34.	350	27.26	
•	•				12			6.1		34. 35.			
					12	6		6.5	Ą	34.	840	27.37	
					12			6.8			810	27.31	
	•				13			6.8			850 850		
•	•				14			6.7	1	34.	730	27.27	
•	•				14			6.3			710 780		
	•				19	51		6.2	4	34.	820	27.40	
	•				19			6.5			850 900		
	•				17	18		6.5	4	34.	890	27.42	
	•				50			6.1			840		
					21	12		5.8	7	34	740	27.39	
	•					15 17		5.5			,720 ,820	0 27.50	
	•				27	26		5.6	9		930		
	•				23	29		5.8	3	34	90	0 27.52	

243	5.71	34.850	27.49
246	5.60	34.810	27.48
250	5.09	34.680	27.44
253	4.96	34.780	27.53
255	4.96	34.800	27.55
276	5.22	34.930	27.62
279	5.28	34.900	27.59
292	5.02	34.800	27.54
295	4.76	34.780	27.55
298	4.62	34.800	27.59
301	4.61	34.830	27.61
305	4.62	34.890	27.65
309	4.72	34.890	27.65
327	4.90	34.920	27.64
329	4.89	34.920	27.65
339	4.90	34.970	27.69
353	5.04	34.940	27.65
356	4.98	34.970	27.68
379	5.02	34.980	27.68
384	4.97	34.960	27.67
405	4.78	34.980	27.71
411	4.85	35.050	27.75
416	5.00	35.050	27.74
453	5.00	35.030	27.73
458	5.00	35.040	27.73
500	4.96	35.040	27.74
510	4.92	35.040	27.74
553	4.73	35.020	27.75
564	4.70	35.020	27.75
609	4.56	35.010	27.75
631	4.49	35.010	27.76
653	4.39	34.990	27.76
674	4.34	34.990	27.77
951	4.03	34.980	27.79
993	4.00	34.970	27.79
1035	3.95	34.970	27.79

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

LATITO	IOF	LON	IG 1 TUI	DF		(GMT)		Y	EAR		ATION	
43 14.	.5N	046	56.	5 W	05 2	25 1	6.4	1	971	1	0987	
DEPTH	T	VAVE	ORSE	RVA	TIONS				CL	ם טס	CODES	
POTTON	.	010	HGT	PER	R SFA	WE	CODE		TY	PE.	AMT.	
3822		19	5	s			×1		0		6	
wı	ND		BAG	20-		AIR)				
DIR	SPE	ED	MF.	TFR	DR	1	WET		VIS	Т	DYN	
						LB	BUL		CODE	=	нт	
21	15	5	1,	۹٥	13	1.2	12.	2		9	71.052	
MESSEN TIME		CA	51 0.	١	PEPTH	T	FMP		5AL		5IG-T	
16.4					7		.97		32.81 32.81		25.27 25.27	
00.3	1				12 16	5	.45		32.23	0	25.46	
					19	3	. 94		33.09	0	26.30	
•					23 26		.14		33.16 33.91		26.33	
•					28	5	.43		33.72	0	26.64	
•					32 35		.24		34.22 34.65		27.06	
•					38	8	-92	:	34.66	0	26.89	
					41 45		•91 •77		34.71 34.59		26.77	
:					48 50		.71 .86		34.70 34.72		26.79	
					53	10	• 02	:	35.17	0	27.11	
					57 60		•17 •62		35.31 35.65		27.01	
•					63	12	.10		35.41	0	26.91	
•					65 69		.25 .37		35.49 35.35		26.94	
•					72	12	.19	1	35.36	0	26.85	
•					75 78		.16 .15		35.37 35.37		26.87	
•					81 84		.35 .69	3	95.64	0	27.04	
•					86	12	. 86	3	35.61 35.64	0	26.95 26.94	
•					95 101		.03 .93		35.62 35.62		26.89	
•					104	12	. 93	3	95.62	0	26.91	
•					126 129		.98 .93		95.65 95.63		26.92	
•					133	12	84	3	35.47	0	26.81	
•					136 139		.47		15.38 15.45		26.81	
•					142	12	23	3	15.50	0	26.95	
•					145 148	12.	45		95.62 95.55		27.03	
•					151 154	12	35	3	5.50	0	26.93	
					157		.24 .88		15.41 15.14		26.88 26.75	
•					160 163		.35 .95		4.99 5.07		26.73	
•					166	10	58	3	5.00	0	26.87	
•					169 176	10.	30		5.05 4.97		26.96	
•					179	9.	88	3	4.82	0	26.85	
•					182 189		.38 .29		14.60 14.38		26.77 26.76	
•					191	7.	50	3	4.33	0	26.84	
•					195 201		.34 .27		4.51 4.52		27.01 27.03	
•					204 229	7.	22	3	4.52	0	27.03	
·						′ •	36	3	4.59	U	27.07	

232 7.29 34.510 27.01 239 7.10 34.530 27.06 242 7.14 34.540 27.07 245 7.28 34.780 27.23 250 7.75 34.770 27.16 253 256 7.97 34.980 27.29 8.62 35.260 260 9.05 35.080 27.20 9.30 35.030 27.11 274 9.15 34.770 26.94 276 34.690 26.95 280 8.13 34.410 26.A2 284 7.40 34.460 26.96 288 7.20 34.590 27.09 297 7.12 34.590 300 6.81 34.340 26.95 303 7.20 35.470 307 8.51 35.840 27.88 310 9.37 35.440 27.43 314 9.64 35.320 27.29 329 9.92 35.330 27.24 332 9.88 35.280 27.21 352 9.50 35.190 27.21 355 9.36 35.170 27.22 376 9.10 35.190 27.27 379 8.97 35.130 27.24 8.59 402 35.140 27.32 405 8.40 34.980 34.560 27.22 413 7.19 27.07 6.87 415 34.800 27.30 419 6.78 34.660 27.21 424 6.13 34.610 27.25 427 6.46 35.220 27.69 431 6.90 35.010 434 6.92 34.880 27.36 438 6.31 34.380 27.05 441 5.66 34.570 27.28 445 5.26 34.360 27.16 44R 4.82 34.500 27.33 452 4.85 34.690 27.47 456 4.94 34.710 27.48 27.46 27.53 460 4.99 34.690 475 4.90 34.770 34.940 496 5.49 27.60 500 5.75 5.79 35.020 27.62 504 34.910 513 5.60 34.910 35.030 27.56 554 6.12 27.59 560 6.07 35.080 27.63 606 5.80 35.050 27.64 619 5.70 35.040 27.65 653 5.5A 35.070 27.69 665 5.53 35.080 701 5.33 35.060 27.71 712 5.34 35.080 27.72 769 5.22 35.070 27.73 791 35.050 5.07 27.73 902 4.70 35.030 35.030 27.76 948 4.60 27.77 4.41 1037 35.010 1048 4.38 35.010 27.7R

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

LATITU	×	LON	81700	WF L	STAT	DAY (OH)	T I		γI	EAR		ATTON
42 25.0	DN	047	39.5	i iii	09	25	21	. 9	1	971	1	0900
DEPTH TO		AVE	DBSER	TAVE	ION		WEA	THE	,	CL	000	CODES
ROTTON		DIR	HQT	PER	SE			300€		77	PE	AMT.
3002		27	4	3			A	5	_l	0		6
	-			_	Г	AI		EHP				
W11	_	_	MET	ER	\vdash	_	EG T	c	-		Т	
01A	SPE	10	(198	121		DRY BULB	ı	ME T	ь	COD		HT
27	20		21	3		11.0	T	09.	•		•	71.047
HESSEN	BER	CA		D	EPT	н	76	нР		SAL		516-T
3HIT 9.15		10	0.		0		10.	51		32.4		25.19
00.0					20		10.	24		32.A 33.0	0.0	25.22
,					30 50		9.	99		33.3 33.1	00	20.23
					75 100		з.	24 40		33.3	0.0	20.55
					125			15		34.7	00	27.44
:					165		4.	96		34,5 34,5	50	27.33
:					195		Α.	47		34 . 9	28	27.38
					200 209		4.	30		34.5	40	27.39
					234		Э.	74	- 1	34.6 34.4	50	27.41 27.42
•					250 255		з.	71		34.0	28	27.49
					200 290		4.	99	- 1	34.7	40	27.49 27.58
•					300			39		34.9	40	27.65
					500		3.	50	•	35.1 35.0	00	27.74
					708		4.	59		39.0	40	27.70
					909		4.	12		34.9	90	27.79
•				1	050		4.	04		34.9	00	27.80 27.80 27.80
				- 1	100		з.	92		34,9	60	27.00
•				- 1	190		3.	92		34.9	0.0	27.80
•		_		1	19+		3.	92		34.9	0.0	27.83
LATITU	30	LOP	16 17U	1	19+	MOIT MO)	3.	92 ME		34.9 EAR	51	ATION MBER
LATITU	_	LO9	_	D€ .	19+ 5TA	TIOH (QM DAY	3. T)	92 ME	٧		ST	ATIOM
42 43. DEPTH	, dH	_) 06	57A NO. 05	OAY 26	3. T1	92 HE	y 1	EAR 471	ST	ATION MBER 0900
42 43.	, as i	040	19.) 06	37A NO. 05	OAY 26	3. T1	92 IHE	Y 1	671 CL	ST NU	ATION MBER 0900
42 43. DEPTH TO	, as i	040 14VF	19.	DE	37A NO. 05	OAY 26	3. T)	92 INE 2.0	Y 1	671 CL	ST NU	ATION MBER 0990
42 43. DEPTH TO 907TO	, 604	040 DIR	19.00SE	DE	37A NO. 05	(GM DAY 26	3. T1 T1 100	92 1HE 2.9 1HE 1THE	y 1	CL TY	ST NU	ATION MOEN 0990 CODES
42 43, DEPTH TO BOTTO: 3210	, del	O40 O40 DIR	19.1 OBSE	DE D	37A NO. 05	26 A1	3. T) [17]	P. P	Y 1	CL TY	ST NU	ATIOM MOEN 0990 CODES
42 43, DEPTH TO BOTTO 3210	NO	OAI DIR ZA	HST A BA	DW RVAT	37A NO. 05	ONY BULG	3. T) T) 100 01	92 ENE P P P P P P P P.	y 1	CL TY	ST NU	ATION MBER 0990 CODES ANT. 0
42 43, DEPTH TO BOTTOM 3210	NO SPI	044 DIR 2A	19. 085E H6T 4 8A HE (H	DOE DOWN DOWN DEFI	STA NO. 05 TION	A1 Ony Bullo	3. T) 101 102 103 104 105	92 INE 2.9 11 TENP C	y 1	CL TY 6	5T NU	ATION MBER 0990 CODES ANT. 6
42 43, DEPTH TO 90770% 3210 U1 01R 34	IND SPI	DIR 2A	HST A BA	DOE DOWN DOWN DEFI	STA NO. 05 TION SE	A1 COMY BULG	3. T1) 101 01	P. THE P. THE COOK WET BULL 10.	y 1	CL TY 6	ST NU	ATION MBER 0990 CODES ANT. 6
42 43, DEPTH TO 907700 3210 U1 010 34 WESSEL TIM 92,	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	STA NO. 05	A1 COMY BULG	3. T1	92 1 ME 2.9 1 THE COOK 11 1 WET BUL 10.	y 1	CL TY 6 6 SAL 33.5	31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ATION MBER 0990 COOKS ANT. 6
42 43, DEPTH TO 90770% 3210 U1 01R 34	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	STA NO. 05 7710NO. 05 100EP1	AI CONY BULG	3. T) T) O) O) O) O) O) O)	92 FRE 7. 2.9 11 16 10. 10. 10. 10.	y 1	CL Ty 6 23.5	577 NU 1 1 0000	ATION MBER 0990 CODES ANT. 0 DYN MT 171-116 SIG-7 25-A3 25-71 26-34 26-60
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	STA NO. 05 1710N SE	ORY BULG	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ATION MBES 0 990 CODES ANT. 0 CODES ANT. 0 CODES ANT. 271.118 SIG-7 25.63 25.71 24.34 24.60 26.61
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	3TA NO. 85	ORY BULG	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ATION MBES 0 990 CODES ANT. 0 CODES ANT. 0 CODES ANT. 271.118 SIG-7 25.63 25.71 24.34 24.60 26.61
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	STA NO. 05 7104 1 SE	AI COMY BULG	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 0000	ATION MBES 0 990 CODES ANT. 0 CODES ANT. 0 CODES ANT. 271.118 SIG-7 25.63 25.71 24.34 24.60 26.61
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	STA NO. 05 7104 1 SE	AI COMY BULG	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 0000	ATION MBES 0 990 CODES ANT. 0 CODES ANT. 0 CODES ANT. 271.118 SIG-7 25.63 25.71 24.34 24.60 26.61
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	STANO. 85 7104 105 106 106 106 106 106 106 106 106	All CONTY	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 0000	ATION MBES 0 990 CODES ANT. 0 CODES ANT. 0 CODES ANT. 271.118 SIG-7 25.63 25.71 24.34 24.60 26.61
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	STA NO. 05 NO. 05 SE 100 100 200 200 200 200 200 200	AI COMY BULG	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 0000	ATION MBES 0 990 CODES ANT. 0 CODES ANT. 0 CODES ANT. 271.118 SIG-7 25.63 25.71 24.34 24.60 26.61
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	199 STANO. 05 710N 1 SE 100 100 100 100 100 100 100 10	A1 CONTY BULG	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 0000	ATION MBES 0 990 CODES ANT. 0 CODES ANT. 0 CODES ANT. 271.118 SIG-7 25.63 25.71 24.34 24.60 26.61
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	199 NO. 05 710M 15E 100 200 200 200 200 200 200 200 200 200	AI CONY BULG	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 0000	ATION MBES 0 990 CODES ANT. 0 CODES ANT. 0 CODES ANT. 271.118 SIG-7 25.63 25.71 24.34 24.60 26.61
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	199 NO. 05 710M 1 SE 100EP1 100 100 100 100 100 100 100 100 100 1	GM PA	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 0000	ATIOM MBER 0 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	199 NO. 05 710M 1 SE 100EP1 100 100 100 100 100 100 100 100 100 1	GM PA	3. TI	92 F	y 1	CL TY 6 6 93.5 33.3 34.6 39.5 39.5	357 HU 1 1 0000	ATIOM MBER 0 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN DOWN DEFI	199 STANO. 05 710 100 100 100 100 100 100 100	AI CONY BULL O	3. TI	92 F	y 1	5AL VISCOS 39.1339.1339.1339.1339.1339.1339.1339.1	357 HU 1 1 0000	ATIOM MBER 0 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN THE PROPERTY OF THE P	199 STA NO. 05 710 100 100 100 100 100 100 100	QMY 26 AI CONY BULL O	3. TI	92 F	y 1	5AL VISCOS 39.1339.1339.1339.1339.1339.1339.1339.1	357 HU 1 1 0000	ATIOM MBER 0 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
02 43, DEPTH TO 007100 3210 018 018 048 05 56 56 56 56 56 56 56 56 56 56 56 56 56	INO SPE	DIR 2A	HST A RA	DOE DOWN PRINTER PROPERTY PROP	199 STANO. 05 7104 105 106 106 107 107 107 107 107 107 107 107	GM PAR AI CONTY	3. TI	92 F	y 1	5AL VISCOS 39.1339.1339.1339.1339.1339.1339.1339.1	357 HU 1 1 0000	ATIOM MBER 0 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
42 43, DEPTH TO 907700 3210 u1 01n 34 WESSE; TIM 02.	INO SPE	DIR 2A	HST A RA	DOE DOWN PRINTER PROPERTY PROP	199 STA NO. 05 710 100 100 100 100 100 100 100	GM PAR AI CONTY	3. TI	92 7. 7. 17HE 2.0 11 17EHP C WETT BUL 18. .30 .50 .10	y 1	FAR 971 CL TY 6 VIS COC SAL 33.5 33.5 33.5 39.5	357 HU 1 1 0000	ATION MBES 0 990 CODES ANT. 0 CODES ANT. 0 CODES ANT. 271.118 SIG-7 25.63 25.71 24.34 24.60 25.61

LATITI	30E	LON	SITU	DE .	\$7A1	10H (BM	TIME T)	,	EAR		ATION MREA		
42 39.	. 814	947	35.	84	95	26	90.A	1	971	1	9999		
DEP7H	Т	WAVE	0855	RVAT	TOW	T			CL	000	UD CODES		
TO POT704		ote	HST	PE1		_	WEATH COD		TY	PE	AMT.		
3571	+	27	٩	2	t	+	#1			_	•		
W	INO		94	RO-	T	A I	8 TEM	•					
OIR	_	EEO	ME	TER 05)		DAY BUL 0	WE BU		VIS		DYN		
29	١,	16	,	25	┰	13.0	111		-	-	71.010		
HESSE	NEE	7 C/	97	_	EP7	н	TEMP		SAL		016-T		
WIW.	4		ю.				0.54		32.6	10	25.45		
04.	6				14 24		0.56		32.0	13.0	25.55		
:					30		3.74		33.0		26.44		
					75		3.10		33.4	24	24.91		
•					95 100		2.39	1	33.4	100	27.46		
					120		3.11		34 . 1	98	27.22		
•					132		3.44		34 . 2	900	27.23		
•					165		2.07		34.4		27.35		
					170		3.04		34 .4	.00	27.35		
					109		3.54		34.4	120	27.39		
•					200		3.49		34.9		27.43		
•					507		4.24	•	34.5	100	27.44		
					220		4.54	,	34 . 6	150	27.47		
•					242		4.20		34.1	Z	27.48		
					300		5.14		34.6	194	27.60		
•					336)	9.21	l	34.4	30	27.02		
					406		4.6		34.4	986	27.67		
					417		5.80		34.	120	27.69		
•					536	1	4.9		39.	930	27.73		
					786		4.4	ı	39.		27.75		
					936	1	4.2		39.		27.76		
					6.34	i	4.3	l	34 .	990	27.77		
•					A90		4.2	•	34.	010	27.70		
					946)	4.2	.	34.	949	27.76		
					936)	4.1	7	34 .	998	27.70		
					1000		4.0	7	34.	760	27.70		
:					1050		4.0	i	34.	960	27.77		

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

						1.44									
LATITU						TON T		7 (A R		ATION MAFR				
42 54.	.7N	048	37.	7 W	05	26 (5.8	1	771	1	0991				
DEPTH		WAVE	ORSE	RVAT	TIONS				CLC	าบก	CODES				
ROTTON	,	DIR	нст	PER	SFA	- WE	CODE	R	TYF	PE	AMT.				
2669	\dashv	26	4	2	1		x1		0		6				
					1	ATR	TEMP								
WI	ND		PAF ME1			DEG									
DIR	5P	EED	(ME		D.F		WET		V15		OYN				
	_					JLA	AUL	_	CODE	+-	HT				
26	1		24).3	09.	3		9	71.054				
MESSEN TIME			5 T	n	EPTH	T	FMP		SAL		SIG-T				
05.8	1				0 14		.45		12.89		25.48				
00.7	,				17		•54		4.42		26.43				
•					19		.86		4.17		25.99				
•					22 25		.02		3.82 3.75		25.78				
					28	10	.18	3	3.34	0	25.65				
•					30 34		.75		3.23		25.79				
•					37		.44		3.01 3.45		25.87 26.30				
•					40		•62	3	3.74	0	26.50				
•					46		.82 .49		3.55		26.65				
•					50	7	.51	3	4.31	0	26.83				
•					53 57		. 34		3.81 3.81		26.46 26.65				
:					59		• 22		4.29		26.99				
•	•				62		.31		3.89		26.66				
•					65 68		.92 .97		4.03 3.98		76.78				
•					71	5	.86	3	4.21	0	26.97				
•					76 80		.37		4.36 4.63		27.02				
:					82		.39		4.43		26.94				
•					94		-02	3	4.69	0	27.05				
•					102 108		.94 .75		4.56 4.71		26.98				
•					111	7	•56	3	4.56	0	27.02				
					119 126		.01		4.49 4.58		27.04 27.16				
					129	6	.80	3	4.57	0	27.13				
•					132 135		.74		4.50		27.09				
					137		.51 .20		4.37 4.37		27.01 27.05				
•					140	5	.99	3	4.3A	0	27.09				
•					145 148		•92 •05		4.52 4.52		27.21 27.19				
•					151	6	.02	- 3	4.48	0	27.16				
•					154 158		.83 .51		4.32 4.28		27.06 27.07				
•					161		.30		4.39		27.18				
•					164 167		30		4.47		27.24				
•					170		.38 .06		4.321 4.221		27.12 27.08				
•					173	4	.62	3	4.21	0	27.12				
•					176 179		. 29 . 00		4.201 4.151		27.15 27.14				
					141	3.	80	3	4.25	n	27.24				
•					185 195		.77		4.20	0	27.20				
•					198		.88 .79		4.089 4.219		27.19 27.30				
•					201	2	86	3	4.2R	n	27.35				
•					204 208		.99 .11		.29		27.35 27.33				
					214 3.17 34.280 27.3					27.32					
•			•						220 2.93 34.310 224 3.22 34.510						
•						2.	.93	34)	27.37 27.50				

3.27 34.410 27.41 232 3.21 34.460 27.46 236 4.92 35,800 28.34 240 6.18 35.100 27.63 243 35.200 27.67 6.50 246 6.93 35.120 27.55 250 7.15 35.080 27.48 255 7.07 35.040 27.46 276 6.93 27.50 35.060 280 5.82 34.980 302 6.55 35.040 27.53 305 6.51 35.020 27.53 27.52 311 6.43 35.000 6.11 34.940 318 27.44 27.33 321 5.65 34.630 324 5.28 34.840 32A 34.800 27.52 5.17 332 27.54 5.10 34.810 27.57 334 5.06 34.840 35.060 27.74 338 5.09 5.72 35.240 27.80 340 27.61 344 5.88 35.020 27.62 5.94 351 35.040 354 376 5.92 34,980 27.61 35.020 5.86 27.61 378 5.84 35.020 27.58 27.56 27.58 34.960 387 5.78 394 5.35 34.870 5.16 403 34.870 34.880 27.60 406 452 5.29 35.000 27.66 455 5.29 35.000 27.67 4.95 34.970 27.68 503 27.69 34.970 507 4.93 34.990 27.71 551 4.89 4.90 27.71 35,000 555 34.980 27.71 4.78 603 27.71 34.980 4.74 60A 27.72 34.980 651 4.6A 27.72 653 4.65 34.970 27.72 34.950 702 4.45 27.73 705 4.44 34.960 27.74 34.960 752 4.42 34.970 755 4.42 34.930 27.74 4.21 4.20 4.24 802 805 34.950 27.74 952 34.940 27.74 855 4.24 34.940 27.74 4.22 900 27.74 34.940 903 4.21 34.930 952 27.74 4.13 27.74 955 4.13 34.920 1003 27.74 4.06 34.920 1007 4.05 27.74

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

								,			
LATITUO				DE	STA:	TION (GM)	TIME	·	'EAR		TATION UMBER
43 02.2	N	048	56.	שי ח	05	26	07.4	1	971		10992
DEPTH	V	VAVF	ORSE	PVAT	ION				CL	ŋIJ	D CODES
TO BOTTOM		DIP	нст	PER	SF		CODE		ΤΥ	PE	AMT.
1821		30	3	2			× 1		0		6
NTN	ID			RO-			R TEMP	•			
DIR	SPE	EEN		TFR RS)		DRY RULB	WE1 BUL		VIS		DYN HT
26	10	0	5	45		10.3	09.	. 7			971.027
MESSENG	ER		ST	C	EPTI	4	TEMP		SAL		SIG-T
00.6				1	0 10 10 10 10 10 10 10 10 10 10 10 10 10		4.77 4.71 1.21 0.49 1.26 0.67 3.76 22.97 5.36 4.59 5.36 4.59 5.36 4.59 5.36 4.69 5.36 4.69 4.69 4.19 3.87 3.87 3.86		32.6 32.6 32.7 32.9 33.3 33.3 33.3 33.7 33.8 34.4 34.7 34.7 34.8 34.9 35.0 35.0 35.0 35.0 35.0 34.9 34.9 34.9	600 600 600 600 600 600 600 600	25.88 26.19 26.27 26.54 26.62 26.81 27.06 27.14 27.36 27.32 27.46 27.51 27.53 27.57 27.58 27.57 27.63 27.76 27.76 27.76 27.76

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

TO	TYPE AMT. O 6 TS DYN HT
DEPTH WAVE OBSERVATIONS WEATHER CODE TO	TYPE AMT. O 6 DYN HT
TO	TYPE AMT. 0 6 IS DYN HT
NOTICE N	0 6
#IND RARN- DEG C PIR SPEED (MRS) DRY RULA RULA CO 27 10 255 10.1 09.9 MESSENGER CAST DEPTH TEMP SA TIME NO. 09.4 3 5.14 32. 6 5.14 32. 12 4.73 32. 11 4.73 32. 12 4.73 32. 17 4.24 32. 20 2.03 32. 17 4.24 32. 21 2.03 32. 22 2.03 32. 23 2.03 32. 25 1.55 32. 31 0.93 32. 25 1.55 32. 31 0.93 32. 40 0.59 32. 40 0.59 32. 40 0.59 32. 40 0.59 32. 40 0.59 32. 40 0.59 32. 40 0.59 32. 40 0.59 32. 41 0.13 33. 51 0.13 33. 52 0.90 33. 77 0.76 33. 80 0.71 33. 99 0.43 33. 106 0.16 33. 1106 0.16 33. 1107 0.13 33. 1108 0.17 33. 1109 0.39 33. 1100 0.17 33. 1100 0.17 33. 1100 0.17 33. 1100 0.17 33. 1100 0.17 33. 1100 0.17 33.	IS DYN DOE HT
NIND	TH 300
NIR SPEED (MMS) DRY MET VI RULR CO	TH 300
MESSENGER CAST NEPTH TEMP SA TIME NO. 09.4 3 5.14 32. 6 5.14 32. 6 5.14 32. 100.7 9 5.04 32. 117 4.73 32. 118 4.73 32. 119 4.74 32. 11	
TIME NO. 09.4 3 5.14 32. . 6 5.14 32. . 7 9 5.04 32. . 12 4.73 32. . 15 4.53 32. . 15 4.53 32. . 17 4.74 32. . 20 2.88 32. . 21 2.03 32. . 23 2.03 32. . 25 1.55 32. . 31 0.93 32. . 34 0.55 32. . 34 0.55 32. . 35 0.93 32. . 36 0.13 32. . 40 0.59 32. . 42 0.90 32. . 48 1.01 33. . 40 0.59 32. . 48 1.01 33. . 50 1.01 33. . 50 1.01 33. . 50 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 51 0.89 33. . 77 0.76 33. . 99 0.43 33. . 101 33.	971.055
09.4	AL SIG-T
. 180 0.69 33.1 . 181 0.84 33.3 . 201 1.09 33.3 . 205 1.16 33.5 . 213 1.13 33.3 . 217 1.40 34.6 . 228 1.49 34.6 . 230 1.50 34.6 . 237 1.40 34.6 . 250 1.66 34.6 . 251 2.27 34.6 . 252 3.00 34.6 . 253 3.35 34.6 . 254 3.35 34.6 . 257 4.06 34.6 . 282 4.45 34.6 . 282 4.45 34.6 . 282 4.45 34.6 . 282 4.45 34.6 . 282 4.45 34.6 . 301 4.47 34.6 . 301 4.47 34.6 . 301 4.47 34.6 . 301 4.47 34.6 . 301 303 304 304.7 . 311 3.88 34.7	540 27.44 580 27.43 570 27.45 580 27.44 590 27.44 650 27.48 600 27.44 400 27.31 510 27.43 720 27.58 670 27.52

27.58 27.57 27.58 27.59 340 5.06 34.860 354 357 5.14 34.860 34.880 367 5.29 34.900 371 5.12 34.820 27.54 37A 4.61 34.750 27.54 382 4.51 34.810 27.60 402 4.41 34.820 27.63 455 4.44 34,910 27.70 34.920 460 4.45 504 4.4A 34.940 27.71 511 4.48 34.950 27.72 555 4.68 35.000 27.73 562 35.000 27.74 4.67 606 4.54 34.990 27.75 4.53 614 34.980 27.74 35.000 4.50 661 27.75 674 4.48 34.990 27.75 706 4.43 34,990 27.76 718 4.43 34,990 27.76 764 4.27 34.970 27.76 780 4.20 34.960 27.76 817 4.17 34,960 27.76 834 4.16 34.960 27.76 865 4.14 34.960 27.76 881 4.12 34.960 27.77 913 4.0A 34.950 27.77 933 4.06 34.960 27.77 951 4.04 34.950 27.77 969 4.02 34.950 27.77 1015 3.96 34.940 27.77 1034 3.95 34.940 27.77

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

						I	pared 11	rom	MOD	C Listii	ng	No. 31-	-824	45C	ontin	uea							
LATITUS	DE	LON	G I T U	DF		(GM	TIME T)	YF		TATION IMBER		LATITU	DE	LDN	IG I TU	DE	STA	(G	MT	TIME) HR.	YEAR		ATION
43 14.8	5N	049	22.	SM	05	26	11.7	197	71	10994		43 16.	4N	049	25.	3 W	05	26		12.8	1971	1	0995
ПЕРТН	WA	VF	ORSE	RVA1	TIONS				CLOUI	COOES	,	DEPTH	T	WAVE	DASE	RVAT	1104	5			CL	กบก	CODES
OT MOTTOM	0	IR	нат	PER	SFA		CODE	7	TYPE	AMT.		TO MOTTOM	, -	010	нет	PEI	SE	4	W	CODE		PE	AMT.
0666	1	7	4	3		+	x 2	\top	0	6		0307	\top	23	3	3		\top		хS	0	,	6
wti	מא			Rn-			R TEMP					wt	ND			90-				TEMP			
nie	SPEE	n		TFR AS)	_	DLA PY	WET BUL		VIS CODE	DYN TH		DIR	SI	PEED		TFR ASI		DRY BUL		WET	VIS CON		DYN
17	13		21	50	0	8.1	07.	5	- (971.106		19	1	10	2	55		08.	2	07.	9	9	71.116
MESSEN	GER		ST	F	DEPTH		TEMP	-	5AL	SIG-T		MESSEN			15T	ſ	DEPT	н		TEMP	SAL		SIG-T
11.7					4		4.94 4.85		2.820 2.720	25.9A 25.91		12.8			*		6 9			6.01	32.7		25.78
00.4					12		4.70	37	2.470	25.73		00.3	1				12			6.00 5.86	32.7 32.6		25.79 25.72
•					15 18		2.56		2.200	25.71 26.15		•					15 18			5.47 4.55	32.6		25.78
					20		1.49		2.560	26.08							21			2.39	32.1		25.68
•					23		0.91		2.780	26.29		•					24			1.35	32.6		26.15
•	•			26 28		0.79		2.750	26.28 26.31		•					27 32			1.13	32.7 32.7		26.29	
	•			32		0.21		2.810	26.36							36			0.41	32.7		26.29	
•					35		0.09		2.750	26.31		•					39			0.11	32.7		26.34
•					37 52		0.21		0.68.5 0.58.5	26.39 26.40		•				•	41			0.01 0.05	32.8		26.42
					56		0.87		2.860	26.44							48			0.29	32.7		26.35
•					70		1.11		3.050	26.60		•					51			0.52	32.8		26.41
•					76 79		1.05		3.100 3.130	26.64 26.67							53 60			0.68 0.95	32.8 33.0		26.43
					103		0.38		3.240	26.73							75			0.99	33.0		26.59
•					106		0.36		3.240	26.73		•					78			1.03	33.1		26.65
					125 150		0.06		3.290	26.75 26.84		•					103			0.88 0.88	33.1		26.67
•					200		0.31		3.620	27.00							128			0.35	33.3		26.81
•					225		0.62		3.860	27.17		•					131			0.29	33.3		26.82
•					235 238		1.61		4.000	27.22 27.18		•					151 151			0.16 0.16	33.3		26.83 26.83
					250		3.00	34	4.250	27.31							154			0.15	33.4	10	26.46
•					270		4.19		4.480	27.37		•					17A			0.06	33.5		26.92
•					271 338		3.96 4.35		4.600 4.680	27.49 27.52		•					181			0.06 0.27	33.5		26.92
					347		4.40		4.700	27.53							204			0.29	33.6		27.00
•					35A		4.21		4.760	27.59		:					210			0.38	33.6	50	27.02
4					364 400		4.45		4.850 4.760	27.64		•					215			0.55 0.72	33.8		27.14
					500		4.25		4.860	27.67							251			0.82	37.8		27.16
					600		4.40	34	4.900	27.69		•					224			1.07	33.9		27.24
•					627		4.36	34	4.890	27.68		•					227			1.27	33.9		27.16
																	242			1.68	34.0		27.24
												•					244			1.93	34.1	00	27.28
												•					247 250			2.49 3.19	34.3		27.47
																	252			3.42	34.3		27.32
												•					255		:	3.48	34.2	60	27.28
												•					258		-	3.62	34.4	30	27.39

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

						Peter					g 1.07 01									
LATITU	IDE	LON	GITU	DF _	TATI	GMT)		YEAR		TION	LATITU	OF L	LON	GI TU	DE	(ON T			TATION
43 20.	, AN	049	34.	nw .	05 Z	6 1	4.7	1971	10	1996	44 37.	2N	049	00.	9W ()5 2	27 0	5.0 1	971	10998
DEPTH	\ \ \ \ \	VAVE.	OBSE	PVAT	IONS			CLC	ดบด	CODES	NEPTH	WA	٧F	ORSE	PVAT	IONS			CLOU	D CODES
TO BOTTON	4	010	нст	PER	SFA	₩ E	CODE	TYF	PE	AMT.	TO POTTOM	D	18	нот	PFP	SEA	WE	CODE	TYPE	AMT.
0132		20	3	3			x5	0		6	0479	2'	5	3	2			X 4	0	6
wj	מאו			PO-		AIR OEG	TEMP				wt	ND			PO-		AIR DEC	TEMP		
UIB	SPE	EED		TFR AS)		- ₹¥ JLR	WET	V15	E	DYN HT	DIR	SPEE	0		TFR RSJ		RY ULB	WET	V15 CODE	DYN
21	19	5	2	45	09	9.2	08.9	·	97	71.143	22	14		2	39		9.0	09.0		971.102
MESSEN			ST		FPTH		IEMP	5AL		51G-T	MESSEN			ST		EPTH		TEMP	SAL	51G-T
T I WE	-		40.	.,	n		5.49	32.48	8.0	25.53	7 T MF	•		10.		4		5.06	32.530	
•					10 20	3	3.24	32.34	40	25.77 26.14						Q	(5.04	32.530	25.62
00.1	ı				30	1	-64	32.70	0.0	26.18	00.4	•				12 15		5.85 5.18	32.400	
•					50).69).49	32.79 32.80		26.28 26.38	•] 9	4	4.31	32.35	25.68
					62 70		0.47	32.8		26.37	•					21		2.82 2.05	32.500	
					76		0.43	32.8		26.39	•					29		1.65	32.74	
•					79 101		0.40 0.28	32.8		26.38 26.40						32		1.33	32.70	
•					104		0.21	32.9		26.44	•					35		1.14	32.77	
•					•				•		•					38 43		1.04	32.82	
											•					49		0.55	32.77	
											:					52		0.41	32.80	
																55		0.30	32.80	
	$\overline{}$			- 1	STATI	ON T	IME	1			•					60		0.00	32.76	
LATITU	IDF	LON	GITU	- 1		GMTI			STA	TION	•					68 78		0.69 1.05	32.84	
	- 1			_ [40.0	AYIH	R.	YEAR	NUM	IBER	•					81		1.06	32.94	
66.60	011	04.0	12	A 1	05 2	7 /				7007						84		0.98	3,3.06	
44 40.	1 100	045	17.0	OW	ع ا ده	7 0	3.3	1971	10	997	•					88		0.80	33.02	
DEPTH	- L	AVE	ORSE	PVAT	IONS			CLC	ดบด	CODES	•					100		0.86 0.86	33.05 33.07	
TO						- WE	ATHER									127		0.70	33.15	
BOTTON		DIB	нст	PER	SFA		CODE	TYP	JE	AMT.						130		0.63	33.20	0 26.71
0695		23	3	2			× 1	0		6	•					151		0.35	33.29	
								-	-		•					155 160		0.31 0.28	33.30	
			2.4				TEMP				•					175		0.15	33.37	
- W E	מאו			RO- TER		DEG	, C	1								179		0.10	33.39	0 26.84
DIR	SPE	ED		RS)	De	Y	WET	VIS	1	DYN						187		0.06	33.38	
					Br	JLB	RULA	CODE		нт	•					193		0.20	33.63 33.75	
21	19		-	15	۸۶	, 9	09. 8		0.7	71.128	•					207		0.95	33.80	
		<u>'</u>			1 04	' · '	114.4		7 /	1.170						227		1.82	34.18	
MESSEN	IGER	CA	ST	O.	FPTH	T	FMP	SAL		SIG-T						235		1.97	34.17	
TIME		1	10.								•					255 263		2.44	34.35	
07.7	4				3 10		. 30	32.41		25.50	•					277		2.89	34.45	
00.1					13		.30	32.40		25.49						285		3.04	34.52	
					19		.19	32.39		25.49						306		3.22	34.55	
•					22		.99	32.33		25.47	•					329		3.61	34.64	
•					25 28		.37	32.30		25.52	•					336 351		3.61 3.61	34.64	
•					30		•81 •66	72.47		25.71 25.73						357		3.61	34.64	0 27.56
					33		.41	32.36		25.67						380		3.63	34.65	
•					36		.76	32.21	10	25.71						387		3.69	34.67 34.70	
•					39 42		.00	32.50		26.00	•					400 408		3.78	34.72	
•					45		.40 1.89	32.60 32.50		26.14						451		4.27	34.83	0 27.65
					47		.40	32.77		26.31						454		4.27	34.83	0 27.65
•					50		.23	32.89		26.38										
•					51		21	32.AS		26.39										
					55 65		.20 .17	32.89		26.38 26.39										
•						٠,			, 0	2179 17										

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

STATION TIME									ontinue		
44 37.01 04		LON	GITU	DF _		DWA (UM. IUA	T14F T) HD.	Y	FAR		TAT TON
44 37.	0.1	048	56.	28	15	27	16.2	1	971		10998
ОЕРТЫ		WAVE	nase	PVAT	เกพร				Ct	nul	רמחדי
TO POTTOM	h	019	нат	PFR	SFA	┤ '	EATHE CODE	D	TY	PF	AMT.
1024	+	24	3	5		+	x 4	-	0		6
	_		-	۴	┢	۱۱۵			-		 "-
e t	NO		Аβ	P() =			EG C				1
AIO	50	PEED	MF.	TFP AS1	n	PY	WET		V15	T	DYN
	_				_ A	ULA	AUL	А	COD	F	нт
55	1	5	2	37	0	9.0	119	ი			971.05A
MESSEN				n	FPTH)	TEMP		SAL		SIG-T
1 THE		N	0.		٩		5.22		32.5	90	25.77
00.6					11		5.22		32.5		25.77 25.74
•					17		4.73		32.5	30	25.78
					22		4.16 2.62		32.4	90	25.7A 25.79
					25 28		1.74		32.7	90	26.20 26.26
					30		1.32		32.F	110	26.29 26.31
:					41		1.00		35.8	150	26.32
•					44		0.45		32.6	90	26.43
•					4P 53		0.00		32.6	150	26.42 26.39
					61 79		0.86		32.5	70	26.39 26.53 26.64
					A I		1.00		33.1	20	26.65
	•				9.0		1.02		33.1	160	26.60
					101		0.99		33.2		
					127		0.62		33.2	230	26.73
					153		0.27		33.4	70	26.91
					156 176		0.22		33.4	590	26.99
					201		0.17		33.6		76.99
•					203 218		0.39		33.	730	27.08
					222		0.95		34.1	020	27.28
					232 232		1.16		34.	090	27.31
					244		1.67		34.		
					251 253		1.74		34.	550	27.39
					260		2.02		34.	310	27.44
					266 271		2.05		34.	410	27.51
					277 281		2.68		34.		27.59
					303 305		3.49		34.	750	27.66
					327		3.72		34.	760	27.65
•					33n 353		3.73		34.		23.69
:					356 378		3.98 4.25		34.		27.71
					381 401		4.28		34.		
					405 452		4.40		34. 34.	94(27.72
					455		4.47		34.	970	27.74
					501 508		4.44		34. 34.	986	27.75
					551 557		4.45		34. 34.	99(27.75
:					601		4.40		34.	996	27.76
					60A 654		4.40		34.	991	27.76
					662 701		4.35		34. 34.	991	0 27.77
•					709		4.30		34.	991	0 27.77
					763		4 22		34. 34.	98	1 27.77
:					910		4.13		74.	991	0 27.79
					854 861		4.17		34.	9A	0 27.78
					906		4.11		34.	Q A	n 27.78
					951		4.11		34.	971	0 27.7A
					959 1003	9 4.11			34.990 27.79 34.970 27.78		

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

MO								,			
DEPTH WAVE OBSERVATIONS WEATHER COOPE TYPE A WEATHER COOPE TYPE TYPE A WEATHER COOPE TYPE A WEATHER COOPE TYPE TY	STATION	YFAD	(1)	GHT		DE	6110	1 01	32.81 0		
TO NOTE NO	11000	1971	00.8	7	05 2	яw	41.	048	ян	44 32	
POTTON DIP HOT PEP SEA CODE TYPE A PEP SEA CODE TYPE A PEP SEA PEP SEA PEP SEA PEP PEP SEA PEP P	OUD CDDES	CLO		П	1045	PVAT	กคระเ	WAVE			
NESSENGER CAST NEOTH TEMP SAL SIGN CAST NO. S.56 S2.630 25.	PF AMT.	TYP		"	SFA	PFD	нат	nto	. [
NESSENGER CAST DEPTH TEMP SAL STORE	6	0	¥4			2	٦	Su		2670	
DIR SOFED (MRS) DRY MFT RILLA CODE H									พก	41	
21 17 245 10.0 09.3 971.0 MESSENGER CAST TIME NO. 5 5.66 32.630 25. 00.5 10 5.66 32.600 25. 10 5.56 32.600 25. 11 5.38 32.650 25. 18 3.71 32.450 25. 18 3.71 32.450 25. 21 3.01 32.520 25. 24 2.27 32.430 25. 24 2.27 32.430 25. 27 1.30 32.660 26. 28 29 32.430 25. 29 0.93 32.730 26.								ED	50	DIB	
TIME NO. 5 5.66 32.630 25. 00.5 10 5.56 32.600 25. 11 5.56 32.600 25. 12 5.07 32.450 25. 13 3.71 32.450 25. 14 3.71 32.440 25. 21 3.01 32.520 25. 24 2.27 32.430 26. 27 1.30 32.660 76. 38 0.93 32.730 26.	971.046		09.7	. 0	10	5	24	,	1	21	
00.5	SIG-T	5AL	TFMP		РТН	DE	T	CA	GER	MESSEN	
66 1.29 32.910 26.6 69 1.36 33.100 26.7 75 1.36 33.100 26.7 76 1.36 33.130 26.7 78 1.36 33.130 26.7 78 1.36 33.130 26.7 78 1.36 33.130 26.7 79 0.52 33.550 27.7 70 101 0.30 33.550 27.7 71 102 0.31 33.550 27.7 71 103 0.31 33.550 27.7 71 129 0.03 33.700 27.7 72 129 0.03 33.700 27.7 73 129 0.03 33.700 27.7 74 131 0.12 33.420 27.7 75 134 0.31 33.420 27.7 76 134 0.31 33.420 27.7 77 147 0.60 33.910 27.7 78 154 0.97 33.960 27.7 79 154 0.97 33.960 27.7 70 174 1.16 34.030 27.7 71 1.29 34.210 27.4 71 1.29 34.210 27.4 71 1.29 34.210 27.4 71 1.29 34.210 27.4 71 1.29 34.210 27.5 71 194 3.58 34.100 27.5 71 196 2.49 33.900 27.0 71 129 1.97 34.910 27.5 72 202 1.73 34.180 27.5 72 203 1.73 34.180 27.5 72 224 2.42 34.400 27.5 72 225 3.99 34.600 27.6 72 276 3.46 34.670 27.6 72 276 3.46 34.670 27.6 72 276 3.46 34.670 27.6 72 30.7 34.750 27.6	30	32.63 32.65 32.65 32.45 32.45 32.55 32.45 32.76 33.77 33.78 33.78 33.78 33.78 33.78 33.78 4.27	5.46 5.65 5.56 5.56 5.57 3.71 3.01 3.71 3.01 3.71 3.01 3.71 3.01 3.71 3.01 3.03 3.71 3.03 3.71 3.03	11 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 11 11 12 22 23 355 55 56 66 66 67 59 91 10 17 50 91 10 10 10 10 10 10 10 10 10 10 10 10 10	100 110 111 121 121 121 121 121 121 121		N		TIME 08.8	

382	4.33	34.970	27.67
404	4.39	34.890	27.68
407	4.39	34.890	27.68
451	4.46	34.920	27.70
456	4.47	34,920	27.69
503	4.49	34.930	27.70
507	6.49	34.940	27.71
557	4.49	34.930	27.71
565	4.4R	34.940	27.71
606	4.46	34.930	27.71
614	4.45	34.940	27.71
655	4.40	34.940	27.72
663	4.40	34.940	27.72
704	4.35	34,920	27.71
712	4.35	34.920	27.71
753	4.33	34.920	27.71
761	4.33	34.930	27.72
802	4.25	34.920	27.72
810	4.24	34.920	27.72
951	4.72	34.920	27.73
ASG	4.20	34.920	27.73
907	4.14	34.920	27.74
914	4.14	34.920	27.74
943	4. na	34.920	27.74
978	4.06	34,920	27.74
1000	4.0F	74.940	27.75
1024	4.17	74.960	27.76

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

44 29.6N 0.			16 I T U	DF _	STAT	((3N 5MT 4 Y	TIME) HP.	Y	FA9		ATION
44 29.	6N	048	26.	2W	05	2	7	11.9	1	971	1	1001
		WAVE	ORSE	PVAT	1045					۲ı	าบท	CODES
ROTTOM		DΙΘ	нст	PFR	SFA		W	PHT A 31		ΤY	PΕ	AMT.
3054		21	1	2				¥4		0		6
wT	ИU			Rn-			N F		•			
018	SΡ	FED		TF9 RS1		R'		WE 1		VIS		DYN HT
21	1	5	S	43	0	8	. 0	07.	Я		9	70.983
21 MESSEN TIME 11.9 00.6		C	AST NO.	D	EPT 4 125 18 20 3 2 5 2 5 1 3 4 2 4 8 1 5 5 6 6 9 3 7 7 8 1 4 1 5 1 2 6 9 9 8 2 5 1 1 1 2 2 6 9 1 1 1 1 2 2 6 9 1 1 1 1 2 6 9 1 1 1 1 2 6 9 1 1 1 1 1 2 6 9 1 1 1 1 1 2 6 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		. 0	TEMP 6.159 6.055.74 3.260 1.03 0.89 0.04 1.03 0.89 0.04 1.07 0.26 0.52 1.47 0.26 0.52 1.43 4.02 2.38 4.04 2.38 4.04 2.38 4.04 4.85 4.85 4.85 4.85 4.85 4.85 4.85		SAL 98 32 88 33 28 33 28	2200100860 32000860 3200000000000000000000000000000000000	516-T 25.84 25.84 25.84 25.863 25.565 26.31 26.32 26.37 26.40 26.49 26.57 26.40 27.06 27.07 27.06 27.07 27.06 27.07 27.16 27.27 27.17 27.27 27.30 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37 27.37
•			176 179 201 206 209 227 233 244 249 254 260 276			4.93 4.94 4.97 4.94 4.92 5.39 5.38 5.59 5.55 5.65		34.6 34.6 34.7 34.7 34.8 34.8 34.9 34.9	70 30 30 40 80 80 20 70 40	27.43 27.44 27.49 27.50 27.50 27.58 27.56 27.59 27.60 27.58 27.59 27.65		

285	5.93	35.090	27.66
306	5.95	35.080	27.65
316	5.99	35.100	27.66
327	5.85	35.030	27.62
359	5.48	35.040	27.68
379	5.17	35.020	27.70
400	5.03	35.020	27.71
421	4.99	35.030	27.73
441	4.92	35.010	27.72
462	4.87	35.050	27.75
483	4.93	35.050	27.75
504	4.74	35.030	27.75
526	4.65	35.030	27.76
568	4.51	35.020	27.77
590	4.44	35.020	27.78
613	4.39	35.010	27.78
636	4.36	35.010	27.78
657	4.37	35.020	27.79
682	4.31	35.010	27.78
707	4.26	35.010	27.79
732	4.24	35.010	27.79
756	4.23	35.010	27.79
780	4.16	34.990	27.79
804	4.05	34.980	27.79
827	4.04	34.990	27.80
871	3.98	34.980	27.79
891	3.97	34.980	27.80
911	3.94	34.970	27.79
931	3.91	34.970	27.80
951	3.88	34.970	27.80
972	3.87	34.970	27.80
1020	3.89	34.980	27.80
1046	3.88	34.970	27.80

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

					1							
LATITUO	F LON	16 I TUI	DE _		GMT)		Y	FAR		'ATION		
44 26.A	N 045	3 10.	3 W	05 2	7 1	4.4	1	971	1	1002		
DEPTH TO	WAVE	ORSE	PVAT	1045	WF	ATHE	ρ.	CL	กบก	CODES		
вотточ	910	HGT	PER	SFA		CONE		TY	PE	AMT.		
3343	50	1	2			X 4		0		6		
wik	ın.	1	P0-		DEC	TEMP	•					
U I O	SPEFD		TFR RS)	DR BL	Υ	WET		V15	Ε	OYN TH		
25	19	2	41	11	.5	11.	3		9	71.037		
MESSENG		AST	D	EPTH	1	EMP		54L		51G - T		
14.4	,	٧0.		4		9.40		33.1		25.59		
00.7				12		9.37 9.34		33.1 33.1		25.60 25.60		
•				20		7.39		33.1		25.65 25.07		
•				26	5	8.85		32.9	26.20			
•				32 29	3.87		33.640 26.7° 34.110 27.0°					
•				35 37		3.52		34.760 27.3 35.120 27.3				
•			40	•	1.13		34.6		26.87			
•			43 45		9.18		34.7		26.88 26.91			
•			49	۶	1.89		34.4	10	26.70			
•			52 54		3.63		34.8 34.8		27.06 27.01			
•				60	•	.34		34.9	10	27.01		
•				63 66		9.35		34.8		26.95 26.99		
•				69 74		9.34		34.9		27.01		
•				77	9.14 34.			34.720 26.9				
•				88 91		3.75		34.7		27.02		
•				94	(9.03		34.8	30	27.00		
•				97 100		3.86		34.8		27.05		
•				103		3.94		34.8	70	27.05		
•				196 112		3.80 3.80		34.8 34.8		27.04 27.05		
•				120		9.19		34.7	60	27.08		
•				123 126	7	7.70		34.6		27.04 27.03		
•				129 132		7.43 7.10		34.6		27.09		
•				138		5.72		34.5	20	27.11		
•				140 143		5.66		34.3		27.403 27.19		
•				149	•	5.67		34.5	20	27.24		
•				151 154		5.94		34.6		27.32		
				157	9	5.93		34.4	30	27.14		
•				160 174		5.69		34.4		27.28		
•				177	•	5.67		34.6	90	27.38		
•				180 183		5.20		34.8		27.46		
•				200		5.78		34.8	10	27.32		
:				203 212		5.09		34.6		27.21		
	•		212 6.09 215 6.03			03 34.660 2			27.31			
•			221 5.58 34.5				27.30					
•				226 4.89 34.510 2				27.32				
•				559	•	4.83		34.5	60	27.37		

232 4.95 34.680 27.45 235 5.40 34.810 27.50 27.42 238 5.53 34.730 27.40 243 5.47 34.700 252 5.28 34.720 27.45 5.28 34.730 27.45 277 5.18 34.740 27.47 280 5.18 34.750 27.48 302 5.29 27.55 27.58 27.57 27.58 34.860 306 5.44 34.910 34.920 34.950 5.64 325 5.57 350 34.910 34.940 27.56 27.61 352 5.33 34.930 355 5.34 27.60 34.920 35A 5.32 27.60 377 5.02 34.920 27.63 383 5.03 34.930 27.64 392 5.11 34.960 27.66 402 5.00 34.940 27.66 34.950 408 5.01 27.66 5.33 454 35.030 27.69 465 15.050 27.69 470 5.23 35.050 27.71 510 5.26 35.060 27.71 534 5.18 35.060 27.73 566 5.07 35.050 27.73 596 4.93 35.050 27.75 655 4.66 35.020 27.75 27.76 684 4.55 35.010 712 4.49 35.010 27.76 27.76 740 4.44 35.000 769 4.19 35.000 799 4.35 35,000 27.77 34.990 858 4.30 27.77 887 4.27 14.990 27.77 14.990 916 4.23 27.78 34.990 35.000 4.22 27.78 4.19 1004 27.79 4.18 14.990 27.79 1033

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

						•					
LATITH	ŊΕ	LUN	461TU	DE L		ON GMT	TIME 1 HR.	Y	FAR		ATION
44 25.	7N	047	7 49.	ЯW	05 2	7	17.6	1.	A71	1	1003
DEPTH	la la	IAVE	UBSE	PVAT	1005				CLC	บก	CODES
TO POTTOM		DIO	нет	PFR	SFA	W	EATHE CODE	R	TYP	E	AMT.
3475		23	1	2			¥.4	_	0		6
'w T	ΝÜ			2n-		A I R	TEMP G C				
DIA	SPE	ΕD		7FR 35)	DR RIJ	Y	WET	R	V15 CODE	Π	DYN HT
24	18		24	•2		•1	11.		0.117	9	71.028
MESSEN	GER	C.A	57	D.	FPTH		TEMP		SAL.	1.	SIG-T
17.6		N	10.		2		0.16		32.92	0	25.33
00.6					10	1	0.12		32.94	0	25.35
•					13 16		0.07 0.04		32.94 32.95		25.36 25.37
•					18		9.20	- 1	32.39	0	25.07
					21 23		6.40 6.11		32.49 33.01		25.55
•					26		5.94	3	32.80	0	25.85
•					29 31		5.16		12.88 13.13		26.00
•					34		5.08		12.92		26.04
•	•				37 40		6.67 6.29		13.09		26.22
•	•				43		3.60		3.0R 3.14		26.26
•					46		3.57	3	3.29)	26.50
•					49 52		3.22 3.06		3.34(3.05(26.57 26.35
•					54		2.22		3.19		26.53
•					57 60		2.30		3.530		26.79
•					63		3.30		3.590		26.82 26.92
					66 71		3.42		3.710		26.R4
					77		0.90 8.88		3.760 3.760		26.84
•					80	3	97	3	3.940)	26.97
					82 85		.10		4.050 4.210		27.05 27.13
•					91	5	.03	3	4.230)	27.09
•				1	93 00		.05		4.080 3.960		26.97 26.94
•				1	03		.74		4.480		27.32
•					06		-08	3	4.300)	27.13
					10 13		•91 •22		4.360 4.480		27.21 27.26
•					16	5	.45	3	4.510	ı	27.26
•					19 22		•51 •33		4.450		27.20
•					25		•51		4.360 4.660		27.15 27.37
•					24		.92	34	4.630		27.30
					32 35		.90 .35		4.540 4.370		27.23 27.16
•				1	38	5	.16	34	4.500		27.2A
					44 46		.20 .56		4.640 4.730		27.39 27.42
•				14	49	5	.67	34	4.640		27.33
•					52 54		.62 .39		4.570		27.28
				19	5 A	5	.30		4.510 4.590		27.27 27.34
•					57 74		.67 .72	34	4.680	- 1	27.37
					77		•51		4.630 4.610		27.12 27.33
•					79	5	.43	34	.630	7	27.36
•				20			.37		.680		27.40
•				21			.29		.660		27.40

218	5.10	34.640	27.41
221	4.88	34.4A0	27.30
225	4.66	34.610	27.43
227	4.64	34.620	27.44
230	4.80	34.810	27.57
236	5.35	34.860	27.55
239	5.44	34.810	27.50
250	5.99	35.030	27.60
254	6.22	35.010	27.56
276	6.15	34,950	27.52
280	6.07	34.970	27.55
303	6.05	34.980	27.56
30A	5.94	34.950	27.54
312	5.78	34.900	27.52
316	5.51	34.870	27.54
325	5.38	34.890	27.57
330	5.32	34.930	27.60
354	5.88	35.060	27.64
357	5.91	35.050	27.63
376	5.74	35.020	27.63
384	5.57	35.000	27.63
39A	5.23	34.970	27.65
407	5.20	34.980	27.66
424	5.17	34.980	27.66
452	5.05	34.980	27.68
484	4.94	34.990	27.70
517	4.83	34.980	27.71
547	4.74	34.990	27.72
613	4.75	35.030	27.75
647	4.64	35.010	27.75
757	4.3A	34.990	27.76
795	4.34	34.990	27.77
906	4.21	34.990	27.78
947	4.15	34.980	27.78
1016	4.02	34.970	27.7A
1045	3.98	34.970	27.70

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

[^ 7] 7 1	iOF	1 0 N	ıG I THI	JE L		GHT		\ \ \			STATION NUMBER	
44 22	0+1	047	39.	איק	05 2	7	20.6	1	971 1		11004	
DEPTH		WAVE	OHSE	2 V A T	IONS				ΓL	ดบถ	CODES	
POTTO:	4	DIo	нет	PER	SFA	WI	CODE		ΤΥ	PF	лмт.	
3658		55	1	2			X 4		0		6	
wi	140			PO-		AIR DE	TEMP	,				
Ulb	51	PFFN		TFR 35)	DR AU	Y LB	WET AUL		V15	F	DYN HT	
23		15	5 240			•5	11.	5		9	71.049	
	MESSFNGFR CA				EPTH		TEMP		SAL		516-1	
71 VF		N	10.		3		0.86		32.9		25.20	
00.4	4				я 12		0.75 0.50		32.9 32.8		25.23 25.21	
					14		7.21		32.4		25.04 25.51	
•					20		5.87		32.8	00	25.85	
•					23 27		5.39 4.89		33.0		26.08 26.13	
•	•				30		4.91		33.3	90	26.43	
•							33.4		26.60 26.31			
•	39 42						5.36 5.50		33.4		26.70 26.30	
•					44	4	4.92		33.2	200 26.28		
•					51 53		3.78 4.22		33.5		26.64 27.06	
	•				56	4	4.83		33.9	20	26.86	
•					59 62		5.11 5.08		33.9		26.85 26.91	
•	•				64	9	5.77		34.410 27.1 34.070 26.8			
•					67 70		5.96 5.51		33.9	26.84		
•					73 76		7.18		34.5		27.28 27.25	
•					79		7.28		34.5	30	27.03	
•					82 85		7.22 7.68		34.6		27.11 27.14	
•					88	1	7.67		34.6	00	27.04	
•					91 94		7.48 5.89		34.5		27.01 26.91	
•					9.8		5.22		34.1	70	26.90	
•				100 103			5.72		34.2°		27.04 26.92	
•				106 5.				34.6			27.38	
•				112			5.33				27.12	
•					117 120		4.89 4.83		34.2		27.14 27.02	
•					123	-	3.77		33.6	50	26.76	
•					126 129				33.A			
•					132		3.69		34.8	850 27.72		
•					134 137		4.26 4.53		34.4		27.37 27.31	
•					140	4	1.56		34.5		27.42	
					143 146		5.07 5.08		34.6		27.44 27.07	
					149 152		.53 .58		34.5	340 27.23		
					155	4	.77		34.4	70	27.31	
•					159 162		4.65		34.3		27.23 27.29	
•					165	4	4.25		34.5	10	27.40	
•									27.46 27.62			

173	5.40	34.800	27.49
176	5.63	34.730	27.41
179	5.66	34.710	27.39
182	5.63	34.670	27.36
190	5.28	34.680	27.41
200	5.45	34.710	27.41
203	5.34	34.570	27.40
211	5.47	34.770	27.46
224	5.29	34.730	27.46
229	5.24	34.720	27.45
247	4.50	34.680	27.50
249	4.53	34.710	27.53
253	4.69	34.810	27.59
255	4.80	34.820	27.58
259	4.83	34.690	27.47
261	4.63	34.710	27.51
277	4.65	34.790	27.57
281	4.66	34.790	27.57
305	5.05	34.890	27.61
310	5.07	34.900	27.61
326	5.01	34.880	27.61
331	4.98	34.890	27.62
352	4.78	34.920	27.44
357	4.92	34.950	27.67
377	4.97	34.940	27.66
381	4.97	34,950	27.66
403	5.09	34.990	27.69
406	5.11	35.000	27.69
451	4.95	34.980	27.69
503	4.93	35.020	27.72
520	4.99	35.040	27.73
554	4.81	35.000	27.72
662	4.38	34.980	27.75
696	4.33	34.970	27.76
766	4.23	34.970	27.76
799	4.20	34.960	27.76
902	4.14	34.960	27.76
936	4.12	34.960	27.77
1005	4.11	34.960	27.77
1037	4.08	34.960	27.77

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20-28 May 1971, prepared from NODC Listing No. 31-8245.—Continued

1 4 7 7 7 11	ŊF	ION	(C] TH	Ut _		GMT)				ATION MRFR
44 14.	٥٠	047	06.	6W	ns 2	А	00.2	1	971	1	1005
пертн	T	WAVF	0HSF	PVAT	1045				CI (CLOUD CODES	
TO BOTTOM	_	nto	нот	PFR	SFA	W1	COD!	Q	TYF	۰F	AMT.
1071	T	23	4	2	-		Y 4		0		4
ur T	ИU			Pn-		ATR DE	TITMP				
UID	40	eku.		15 W 45)	DR BU		WF T FIOL	R	VIS CODE	-	DYN
7.7	7	'n	2	34	10	. 0	10.	n		9	71.053
MEZGENGED CV				וח	гртн		TEMP		SAL		SIG-T
1 UF On On On On On On On O			n.		11572223133681465255666677788889999000001147036814639259		11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		32.87 32.87 33.84 33.64 33.74 33.77 33.06 33.10 34.10 34		24.98 24.98 24.98 24.97 25.66 25.79 26.05 26.05 26.75 26.67 26.71 26.68 27.02 27.04 27.29 27.04 27.29 27.01 27.02 27.03 27.03 27.01 27.03 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.29 27.01 27.20 27.20 27.20 27.20 27.21 27.21 27.24 27.20 27.20
•				1 1 1 1	57 63 66 69 72 75 77 80	5 6 6	5.43 5.75 5.06 5.21 5.12 5.76 5.67		34.33 34.78 34.59 34.76 34.65 34.65		27.23 27.47 27.28 27.38 27.27 27.13 27.24 27.17

194 7.24 34.880 27. 197 7.03 34.840 27. 200 6.92 34.820 27.	51 51 51 51 51 51
186 5.80 34.770 27.1 189 6.37 34.970 27.1 192 7.21 35.090 27.1 194 7.24 34.880 27.1 197 7.03 34.820 27.2 200 6.92 34.820 27.2 201 6.80 34.790 27.2 206 6.68 34.750 27.2 207 34.610 27.2 215 5.60 34.650 27.2 21 5.55 34.610 27.2 221 5.55 34.510 27.2 221 5.55 34.610 27.2 221 5.55 34.610 27.2 231 5.05 34.610 27.2 231 5.05 34.670 27.2 231 5.05 34.670 27.2 231 5.05 34.670 27.2 231 5.05 34.670 27.2 245 5.65 34.670 27.2 255 5.65 34.670 27.2	51 51 51 51 51 51
189 6.37 34.970 27.192 7.21 35.090 27.194 7.24 34.880 27.200 6.92 34.820 27.200 6.92 34.820 27.201 6.68 34.790 27.201 6.68 34.790 27.209 6.35 34.610 27.21 5.55 34.620 27.221 5.55 34.620 27.221 5.55 34.620 27.221 5.55 34.620 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.2231 5.05 34.610 27.2231 5.05 34.610 27.2231 5.05 34.670 27.225	51 48 32 31 31
192 7.21 35.090 27.194 7.24 34.840 27.197 7.03 34.840 27.200 6.92 34.820 27.201 6.80 34.790 27.201 6.68 34.750 27.201 5.56 34.610 27.215 5.60 34.650 27.221 5.55 34.620 27.224 5.35 34.620 27.228 5.10 34.580 27.228 5.10 34.580 27.228 5.05 34.610 27.228 5.05 34.610 27.226 5.65 34.670 27.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.226 5.	31 31 31
192 7.21 35.090 27.194 7.24 34.880 27.197 7.03 34.880 27.200 6.92 34.820 27.201 6.80 34.790 27.201 6.68 34.790 27.201 5.60 34.610 27.21 5.60 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.55 34.610 27.221 5.60 34.610 27.221 5.60 34.610 27.221 5.65 34.610 27.221 5.65 34.67	32 31 31 31
204 6.6A 34.750 27. 209 6.35 34.610 27. 213 5.79 34.510 27. 221 5.55 34.650 27. 221 5.55 34.620 27. 224 5.35 34.510 27. 231 5.05 34.610 27. 231 5.05 34.610 27. 234 5.05 34.670 27. 235 5.05 34.670 27. 245 5.65 34.780 27.	32 31 31 31
204 6.6A 34.750 27. 209 6.35 34.610 27. 213 5.79 34.510 27. 221 5.55 34.650 27. 221 5.55 34.620 27. 224 5.35 34.510 27. 231 5.05 34.610 27. 231 5.05 34.610 27. 234 5.05 34.670 27. 235 5.05 34.670 27. 245 5.65 34.780 27.	31 31 29
204 6.6A 34.750 27. 209 6.35 34.610 27. 213 5.79 34.510 27. 221 5.55 34.650 27. 221 5.55 34.620 27. 224 5.35 34.510 27. 231 5.05 34.610 27. 231 5.05 34.610 27. 234 5.05 34.670 27. 235 5.05 34.670 27. 245 5.65 34.780 27.	31 31 29
204 6.6A 34.750 27. 209 6.35 34.610 27. 213 5.79 34.510 27. 221 5.55 34.650 27. 221 5.55 34.620 27. 224 5.35 34.510 27. 231 5.05 34.610 27. 231 5.05 34.610 27. 234 5.05 34.670 27. 235 5.05 34.670 27. 245 5.65 34.780 27.	31 31 29
204 6.6A 34.750 27. 209 6.35 34.610 27. 213 5.79 34.510 27. 221 5.55 34.650 27. 221 5.55 34.620 27. 224 5.35 34.510 27. 231 5.05 34.610 27. 231 5.05 34.610 27. 234 5.05 34.670 27. 235 5.05 34.670 27. 245 5.65 34.780 27.	31
204 6.6A 34.750 27. 209 6.35 34.610 27. 213 5.79 34.510 27. 221 5.55 34.650 27. 221 5.55 34.620 27. 224 5.35 34.510 27. 231 5.05 34.610 27. 231 5.05 34.610 27. 234 5.05 34.670 27. 235 5.05 34.670 27. 245 5.65 34.780 27.	29 22 22 35 34 27
224 5.35 34.510 27. 228 5.10 34.580 27. 231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27.	29 22 35 34 27
224 5.35 34.510 27. 228 5.10 34.580 27. 231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27.	22 35 34 27
224 5.35 34.510 27. 228 5.10 34.580 27. 231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27.	35
224 5.35 34.510 27. 228 5.10 34.580 27. 231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27.	22 35 34 27
224 5.35 34.510 27. 228 5.10 34.580 27. 231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27.	35 34 27
224 5.35 34.510 27. 228 5.10 34.580 27. 231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27.	34
224 5.35 34.510 27. 228 5.10 34.580 27. 231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27.	27
224 5.35 34.510 27. 228 5.10 34.580 27. 231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27. 251 5.79 34.820 27.	27
22A 5.10 34.580 27. 231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27. 251 5.79 34.820 27.	36
231 5.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27. 251 5.79 34.820 27.	
231 7.05 34.610 27. 236 5.05 34.670 27. 245 5.65 34.780 27. 251 5.79 34.820 27.	20
236 5.05 34.670 27.0 245 5.65 34.780 27.0 251 5.79 34.820 27.0	10
245 5.65 34.780 27.0 251 5.79 34.820 27.0	43
251 5.79 34.820 27.	, E
251 5,79 34,820 27,	+ >
	46
254 5.83 34.810 27.	45
256 5.88 34.820 27.	
256 5.88 34.820 27.	+5
256 5.88 34.820 27. 259 5.78 34.710 27.	37
262 5.67 34.790 27.	. 5
200 300 340140 210	+ >
265 5.65 34.770 27.	44
268 5.40 34.620 27.	15
270 5.15 34.670 27.	+2
276 4.97 34.700 27. 279 4.98 34.730 27.	47
279 4.98 34.730 27.	. 0.
217 4.70 34.130 21.	* 7
302 5.40 34.850 27. 309 5.88 35.100 27.	53
309 5.88 35.100 27.	67
312 6.10 35.010 27.	
312 6.10 35.010 27.) <i>(</i>
327 6.02 34.950 27.	54
320 5 96 34 940 27	- 3
312 6.10 35.010 27. 327 6.02 34.950 27. 329 5.96 34.940 27. 334 5.80 34.930 27. 354 5.46 34.900 27. 357 5.41 34.880 27. 365 5.25 34.840 27. 378 5.09 34.870 27. 381 5.05 34.850 27. 401 5.02 34.900 27.	,,
334 5.80 34.930 27.	54
354 5.46 34.900 27.	57
357 5 (1) 36 000 37 (
357 5.41 34.880 27.1 365 5.25 34.840 27.1	90
365 5.25 34.840 27.	55
378 5.09 34.870 27.	50
381 5.05 34.850 27.	"
381 5.05 34.850 27.º	58
401 5.02 34.900 27.	62
404 5.02 34.900 27.	
909 300 390900 270	20
451 5.02 34.940 27.	55
451 5.02 34.940 27. 453 5.11 35.040 27.	55
451 5.02 34.940 27. 453 5.11 35.040 27.	72
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27.	55 72 58
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27.	55 72 58 58
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27.	55 72 58 58
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27.	55 72 68 58
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27.	55 72 68 58 58
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27.	55 72 68 58 58 59
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.060 27. 554 5.07 35.000 27. 604 4.83 34.990 27.	65 72 68 68 68 59
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27.	65 72 68 68 68 59 59
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 607 4.78 34.990 27.	65 72 68 68 69 59 71
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 652 4.58 34.960 27.	55 72 68 68 68 59 71 70
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 654 5.05 35.000 27. 6604 4.83 34.990 27. 667 4.78 34.960 27. 652 4.58 34.960 27.	55 72 68 68 59 71 70
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 652 4.58 34.960 27.	55 72 68 68 69 59 71 70
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 652 4.58 34.960 27.	55 72 68 68 69 59 71 72
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 652 4.58 34.960 27.	55 72 68 68 69 71 72 71
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 652 4.58 34.960 27.	65 72 68 68 68 69 71 72 71
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 655 4.56 34.960 27. 657 4.58 34.950 27. 703 4.48 34.950 27. 706 4.47 34.960 27. 706 4.47 34.960 27.	72 73 73
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 655 4.56 34.960 27. 657 4.58 34.950 27. 703 4.48 34.950 27. 706 4.47 34.960 27. 706 4.47 34.960 27.	65 72 68 68 68 69 77 77 77 77 77
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 655 4.56 34.960 27. 657 4.58 34.950 27. 703 4.48 34.950 27. 706 4.47 34.960 27. 706 4.47 34.960 27.	72 73 73 74
451 5.02 34.940 27. 453 5.11 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 655 4.56 34.960 27. 657 4.58 34.950 27. 703 4.48 34.950 27. 706 4.47 34.960 27. 706 4.47 34.960 27.	72 73 73 74 72
451 5.02 34.940 27. 453 5.01 35.040 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 554 5.05 35.000 27. 554 5.05 35.000 27. 604 4.83 34.960 27. 607 4.78 34.960 27. 655 4.56 34.950 27. 655 4.56 34.950 27. 703 4.48 34.960 27. 756 4.49 34.970 27. 756 4.49 34.980 27. 756 4.49 34.980 27. 756 4.49 34.990 27. 756 4.49 34.990 27.	72 73 73 74 72
451 5.02 34.940 27. 453 5.01 35.040 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 554 5.05 35.000 27. 554 5.05 35.000 27. 604 4.83 34.960 27. 607 4.78 34.960 27. 655 4.56 34.950 27. 655 4.56 34.950 27. 703 4.48 34.960 27. 756 4.49 34.970 27. 756 4.49 34.980 27. 756 4.49 34.980 27. 756 4.49 34.990 27. 756 4.49 34.990 27.	72 73 73 74 72 73
451 5.02 34.940 27. 453 5.01 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 607 4.78 34.960 27. 655 4.56 34.950 27. 655 4.56 34.950 27. 703 4.48 34.960 27. 766 4.47 34.960 27. 756 4.49 34.970 27. 756 4.49 34.980 27. 766 4.49 34.980 27. 766 4.49 34.990 27. 766 4.49 34.990 27. 766 4.49 34.990 27. 766 4.49 34.990 27. 767 4.49 34.990 27. 768 4.49 34.990 27. 769 4.27 34.990 27. 801 4.26 34.990 27.	72 73 74 72 73
451 5.02 34.940 27. 453 5.01 35.040 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 652 4.58 34.960 27. 655 4.56 34.950 27. 703 4.48 34.950 27. 704 4.47 34.960 27. 753 4.49 34.970 27. 756 4.49 34.970 27. 756 4.49 34.970 27. 766 4.49 34.970 27. 766 4.48 34.950 27. 766 4.49 34.990 27. 801 4.27 34.930 27. 801 4.27 34.930 27. 801 4.28 34.940 27. 803 34.940 27.	72 73 74 72 73 73
451 5.02 34.940 27. 453 5.01 35.040 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 6652 4.58 34.960 27. 6554 4.56 34.960 27. 657 4.58 34.960 27. 657 4.58 34.960 27. 657 4.58 34.960 27. 658 4.58 34.960 27. 659 4.58 34.960 27. 659 4.58 34.960 27. 651 4.58 34.960 27. 652 4.58 34.960 27. 653 4.69 34.960 27. 654 4.69 34.960 27. 655 4.69 34.960 27. 657 4.69 34.990 27. 658 34.990 27. 659 34.990 27. 659 34.990 27. 659 34.990 27. 659 34.990 27. 659 34.990 27.	72 73 74 72 73
451 5.02 34.940 27. 453 5.01 35.040 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 6652 4.58 34.960 27. 6554 4.56 34.960 27. 657 4.58 34.960 27. 657 4.58 34.960 27. 657 4.58 34.960 27. 658 4.58 34.960 27. 659 4.58 34.960 27. 659 4.58 34.960 27. 651 4.58 34.960 27. 652 4.58 34.960 27. 653 4.69 34.960 27. 654 4.69 34.960 27. 655 4.69 34.960 27. 657 4.69 34.990 27. 658 34.990 27. 659 34.990 27. 659 34.990 27. 659 34.990 27. 659 34.990 27. 659 34.990 27.	72 73 74 72 73 73 74
451 5.02 34.940 27. 453 5.01 35.040 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 554 5.05 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 6652 4.58 34.960 27. 655 4.56 34.950 27. 703 4.48 34.950 27. 704 4.48 34.950 27. 705 4.59 34.950 27. 706 4.49 34.960 27. 756 4.49 34.950 27. 756 4.49 34.950 27. 756 4.49 34.950 27. 757 4.49 34.950 27. 768 4.49 34.950 27. 769 4.48 34.950 27. 801 4.27 34.930 27. 803 4.22 34.940 27. 857 4.21 34.940 27. 857 4.21 34.940 27.	72 73 74 72 73 73 74 74
451 5.02 34.940 27. 453 5.01 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 652 4.58 34.990 27. 655 4.56 34.950 27. 703 4.48 34.950 27. 710 4.47 34.980 27. 753 4.49 34.970 27. 756 4.49 34.970 27. 757 4.49 34.980 27. 758 4.49 34.990 27. 801 4.27 34.930 27. 801 4.27 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27.	72 73 74 72 73 74 74 74
451 5.02 34.940 27. 453 5.01 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 652 4.58 34.990 27. 655 4.56 34.950 27. 703 4.48 34.950 27. 710 4.47 34.980 27. 753 4.49 34.970 27. 756 4.49 34.970 27. 757 4.49 34.980 27. 758 4.49 34.990 27. 801 4.27 34.930 27. 801 4.27 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27.	72 73 74 72 73 74 74 74
451 5.02 34.940 27. 453 5.01 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 652 4.58 34.990 27. 655 4.56 34.950 27. 703 4.48 34.950 27. 710 4.47 34.980 27. 753 4.49 34.970 27. 756 4.49 34.970 27. 757 4.49 34.980 27. 758 4.49 34.990 27. 801 4.27 34.930 27. 801 4.27 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27.	72 73 74 72 73 74 74 74
451 5.02 34.940 27. 453 5.01 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 652 4.58 34.990 27. 655 4.56 34.950 27. 703 4.48 34.950 27. 710 4.47 34.980 27. 753 4.49 34.970 27. 756 4.49 34.970 27. 757 4.49 34.980 27. 758 4.49 34.990 27. 801 4.27 34.930 27. 801 4.27 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27.	72 73 74 72 73 74 74 74
451 5.02 34.940 27. 453 5.01 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 652 4.58 34.960 27. 652 4.58 34.960 27. 703 4.48 34.950 27. 704 4.47 34.960 27. 705 4.49 34.970 27. 706 4.49 34.980 27. 707 4.49 34.980 27. 708 4.49 34.990 27. 709 4.18 34.940 27. 902 4.18 34.940 27. 905 4.18 34.940 27. 955 4.10 34.930 27.	72 73 74 72 73 74 74 74 74 74
451 5.02 34.940 27. 453 5.01 35.040 27. 457 5.24 35.010 27. 501 5.54 35.060 27. 505 5.55 35.060 27. 550 5.07 35.000 27. 554 5.05 35.000 27. 604 4.83 34.990 27. 652 4.58 34.990 27. 655 4.56 34.950 27. 703 4.48 34.950 27. 710 4.47 34.980 27. 753 4.49 34.970 27. 756 4.49 34.970 27. 757 4.49 34.980 27. 758 4.49 34.990 27. 801 4.27 34.930 27. 801 4.27 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27. 807 4.21 34.940 27.	72 73 74 72 73 74 74 74 74 74

Table III. Observed oceanographic data from stations occupied by USCGC ROCKAWAY, 20–28 May 1971, prepared from NODC Listing No. 31–8245.—Continued

LATIT	IDE	100	ытты	DF L	STAT	TON 1G4	TIME T) HR.	Y			ATION
44 11	, qN	046	15.	an l	ns	28	04.7	1	971	1	1006
DEPTH		WAVE	ORSE	PVAT	TONS				CL	วบอ	CODES
POTTON	۱	010	нат	PFP	SFA		CODE		ΤΥ	PE	AMT.
3999		25	٦	2			X 4		n		6
wi	חמו			RO- TER			R TEMP EG C	•			
UIB	51	PFED		95)		RY ULB	WET		VIS	E	NYN HT
21	1	17	2	29	1	13.1 12.A				9	71.204
MESSEN TIME O4.	NGFI	? C4	210.		FF 00000000000000000000000000000000000	1	TFMP 12.11 14.16 11.66 1		SAL 73.7 35.12 35.33 35.33 35.33 35.44 81 33 35.44 81 33 35.34 81	95000000000000000000000000000000000000	51G-T 25.65 26.18 26.55 26.49 26.72 26.74 26.85 26.89 26.86 26.86 26.89 27.02 27.03 27.06 27.02 27.07 27.27 27.32 27.32 27.44 27.49 27.49 27.49 27.60 27.61 27.67 27.67 27.67 27.67 27.67
•				10	940 100 150 110		4.17 4.22 4.31 4.03		34.91 34.91 34.91 34.97	1 0 3 0	27.72 27.72 27.72 27.75



532-AA

